	PRODUCT	DESCRIPTION	LIST
		MIXERS	
ouchM	ix Series		
	TOUCHMIX-8	Touch-screen digital audio mixer with 8 mic/line inputs, 2 stereo inputs, 4 effects, 4 aux sends.	\$1,435.59
	TOUCHMIX-16	Touch-screen digital audio mixer with 16 mic/line inputs, 2 stereo inputs, 4 effects, 6 mono aux sends, 2 stereo aux sends.	\$2,122.99
	TOUCHMIX-30 PRO	Touch-screen digital audio mixer with 32 inputs (24 mic/line, 6 line, USB stereo), 6 effects, 16 aux sends.	\$2,999.99
ouchM	ix Series Accessory		
	TMR-1	TouchMix-16 and TouchMix-8 Rack Mounting Kit/ BLK.	\$137.49
	TMR-2	Rack-mount adaptor kit for TouchMix-30 Pro.	\$124.99
	TOUCHMIX-30		VIL 1155
	TABLET SUPPORT	Tablet Stand for the TouchMix-30 Pro.	\$68.79
	TOUCHMIX-30 PRO TOTE	Soft, padded polyester tote with zippered accessory pouch for TouchMix-30 Pro.	\$168.79
	TOUCHMIX-30 PRO DUST COVER	Fabric dust cover for TouchMix-30 Pro.	\$37.49
		ZONE MIXERS	
P-M S	eries		
		8 input 4 output digital business music zone mixer / processor for music and paging	4
	MP-M40	applications with wired and wireless control capability.	\$1,410.0
		16 input 8 output digital business music zone mixer / processor for music and paging	
	MP-M80	applications with wired and wireless control capability.	\$2,060.0
		Decora [®] style multi-function controller for use with MP-M zone mixers, provides zone	
	MP-MFC-BK	Volume and Source Select as well as Preset Recall capability. Available in two styles for	\$335.00
		North American (NA) and European (EU) wall boxes. Color - Black.	<i>Q</i> 00010
		Decora [®] style multi-function controller for use with MP-M zone mixers, provides zone	
	MP-MFC-WH	Volume and Source Select as well as Preset Recall capability. Available in two styles for	\$335.00
		North American (NA) and European (EU) wall boxes. Color - White.	<i>4000.00</i>
		LOUDSPEAKERS	
oustic	Coverage™ Ceiling		_
oustic	Coverage centing	2.75" Full-range ceiling speaker, 70/100V transformer with 8Ω bypass, 170° conical	
	AC-C2T	coverage, includes C-ring and rails for blind mount installation.	\$104.00
		Priced individually, sold only in pairs.	Ş104.00
		2.75" Full-range low profile ceiling speaker, 70/100V transformer with 8 Ω bypass, 170°	
	AC-C2T-LP	conical coverage, includes C-ring and tile rails for blind mount installation.	\$117.50
		Priced individually, sold only in pairs.	Υ <u>ττ</u> γ.30
		4.5" Full-range ceiling speaker, 70/100V transformer with 8Ω bypass, 140° conical	
	AC-C4T	coverage, includes C-ring and rails for blind mount installation.	\$117.50
		Priced individually, sold only in pairs.	Ϋ́ΤΤΥ.3(
		4.5" Full-range no backcan (non UL), ceiling speaker, 70/100V transformer, 140° conical	
	AC-C4T-nb	coverage. Priced individually but must be purchased in quantities of four (4).	\$62.00
		6.5" Two-way ceiling speaker, 70/100V transformer with 8Ω bypass, 110° conical	
	AC-C6T	coverage, includes C-ring and rails for blind mount installation.	\$157.00
		Priced individually, sold only in pairs.	Υ Ι ΟΛ.Ο
		8" Two-way ceiling speaker, 70/100V transformer with 8Ω bypass, 90° conical coverage,	
	AC-C8T	includes C-ring and rails for blind mount installation.	\$229.00
		_	7223.U
		Priced individually, sold only in pairs. 8" Full-range no backcan (non UL) ceiling speaker, 70/100V transformer, 130° conical	
	AC-C8T-nb		\$81.00
	1	coverage. Priced individually but must be purchased in quantities of four (4).	

PR	ODUCT	DESCRIPTION	LIST
10		Flanged mud ring bracket for pre-installation of AC-C2T/AC-C4T in sheetrock or plaster	ć192.00
AC-	-MR4	surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$182.00
10	MDC	Flanged mud ring bracket for pre-installation of AC-C6T in sheetrock or plaster surfaces.	ć202.00
AC-	-MR6	Priced and packaged in quantities of six (6) pieces per box.	\$202.00
		Flanged mud ring bracket for pre-installation of AC-C8T in sheetrock or plaster surfaces.	4
AC-	-MR8	Priced and packaged in quantities of six (6) pieces per box.	\$242.00
coustic Cov	verage™ Surfac		
		4.5" Two-way surface speaker, 70/100V transformer with 8 Ω bypass, 130° conical	4.00.00
AC-	-S4T-BK	coverage, includes Yoke Mount. Color - Black. Priced individually, sold only in pairs.	\$136.00
		4.5" Two-way surface speaker, 70/100V transformer with 8 Ω bypass, 130° conical	4
AC-	-S4T-WH	coverage, includes Yoke Mount. Color - White. Priced individually, sold only in pairs.	\$136.00
		6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 130° conical	
AC-	-S6T-BK	coverage, includes Yoke Mount. Color - Black. Priced individually, sold only in pairs.	\$174.00
		6.5 " Two-way surface speaker, 70/100V transformer with 8 Ω bypass, 130° conical	
AC-	-S6T-WH	coverage, includes Yoke Mount. Color - White. Priced individually, sold only in pairs.	\$174.00
oustic Des	sign™ All-Weat	her Landscape Series	
		5.25" two-way direct weather landscape loudspeaker bollard design with 360 degree	
AD	-DWL.360	coverage. 70/100Vtransformer with 160hm by pass. Color - Green	\$675.00
		5.25" two-way direct weather landscape loudspeaker, bollard design with 180 degree	
AD	-DWL.180		\$660.00
		coverage. 70/100Vtransformer with 160hm by pass. Color - Green	
AD	-DWL.SUB	Dual 5.25" subwoofer direct landscape loudspeaker, bollard design. 70/100V transformer	\$692.00
		with 160hm bypass. Color - Green	
AD	-DWL.BASE	Direct burial base support accessory for 360/180/SUB landscape loudspeaker bollard	\$137.00
		design.	•
oustic Des	sign™ Pendant		
		Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x) 2.75"	
AD-	-P.HALO-BK	satellites, 70/100V transformer with 6Ω bypass, includes cable and fastener for suspended	\$810.00
		installation. Color - Black.	
		Integrated Sub/Sat pendant system with a 6.5" dual voice coil subwoofer and (4x) 2.75"	
AD	-P.HALO-WH	satellites, 70/100V transformer with 6Ω bypass, includes cable and fastener for suspended	\$810.0
		installation. Color - White.	
	-P.SAT-BK	2.75" Satellite pendant speaker, 16Ω , 150° conical coverage, includes cable and fastener	\$135.00
	-1.5AT-DR	for suspended installation. Color - Black. Priced individually, sold only in pairs.	Ş155.00
	-P.SAT-WH	2.75" Satellite pendant speaker, 16Ω , 150° conical coverage, includes cable and fastener	\$135.00
AD.	-F.JAT-WH	for suspended installation. Color - White. Priced individually, sold only in pairs.	\$133.0
		6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four (4)	
AD	-P.SUB-BK	satellite speakers, 70/100V transformer with 4Ω bypass, includes cable and fasteners for	\$574.0
		suspended installation. Color - Black.	
		6.5" Dual voice-coil pendant subwoofer, provides High-pass output for up to four (4)	
AD	-P.SUB-WH	satellite speakers, 70/100V transformer with 4Ω bypass, includes cable and fasteners for	\$574.0
		suspended installation. Color - White.	
		4.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT	4000 0
AD-	-P4T-BK	coverage, Includes cable and fastener for suspended Installation. Color - Black.	\$292.0
		4.5" Two-way pendant speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT	
AD	-P4T-WH	coverage, Includes cable and fastener for suspended Installation. Color - White.	\$292.0
		6.5 " Two-way pendant speaker, 70/100V transformer with 16 Ω bypass, 135° conical DMT	
AD	P-P6T-BK	coverage, Includes cable and fastener for suspended Installation. Color - Black.	\$379.00
		6.5 " Two-way pendant speaker, 70/100V transformer with 16 Ω bypass, 135° conical DMT	
AD	-P6T-WH		\$379.00
		coverage, Includes cable and fastener for suspended Installation. Color - White.	
oustic Des	sign™ Ceiling Se		
AD	-C.SAT-BK	2.75" Satellite ceiling speaker, 16Ω , 150° conical coverage, includes C-ring for blind mount	\$110.00
_		installation. Color - Black. Priced individually, sold only in pairs.	

	PRODUCT	DESCRIPTION	LIST
		2.75" Satellite ceiling speaker, 16Ω, 150° conical coverage, includes C-ring for blind mount	ć110.00
	AD-C.SAT-WH	installation. Color - White. Priced individually, sold only in pairs.	\$110.00
		6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four (4)	
	AD-C.SUB-BK	satellite speakers, 70/100V transformer with 4Ω bypass, includes C-ring and Tile rails for	\$520.00
		blind mount installation. Color - Black.	
		6.5" Dual voice-coil ceiling subwoofer, provides High-pass output for up to four (4)	
	AD-C.SUB-WH	satellite speakers, 70/100V transformer with 4Ω bypass, includes C-ring and Tile rails for	\$520.00
		blind mount installation. Color - White.	
EOL -		4.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT	
with	AD-C4T-BK	coverage, includes C-ring and rails for blind mount installation, Ø195 mm cut-out.	\$205.00
stock		Color - Black. Priced individually, sold only in pairs.	
EOL -		4.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 150° conical DMT	
with	AD-C4T-WH	coverage, includes C-ring and rails for blind mount installation, Ø195 mm cut-out.	\$205.00
stock		Color - White. Priced individually, sold only in pairs.	+
51001		4.5" Two-way ceiling speakers, 70/100V transformer with 160hm bypass, zero bezel	
NEW	AD-C4T-ZB-WH	design, 150° conical DMT coverage, includes C-ring and rails for blind mount installation.	\$215.00
		Priced indvidually, must be purchased in pairs. White Only.	<i>Ş</i> 213.00
EOL -		4.5" Two-way low-profile ceiling speaker, 70/100V transformer with 16Ω bypass, 150°	
with	AD-C4T-LP	conical DMT coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-	\$218.00
stock	AD-C41-LI	out. Color - White only. Priced individually, sold only in pairs.	JZ10.00
SLUCK		4.5" Two-way ceiling speakers, 70/100V transformer with 160hm bypass, zero bezel	
NEW	AD-C4T-LPZB-WH	design, 150° conical DMT coverage, includes C-ring and rails for blind mount installation.	\$225.00
IVEVV	AD-C41-LFZD-WH	Priced indvidually, must be purchased in pairs. White Only.	ŞZZJ.00
EOL -		6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT	
with	AD-C6T-BK	coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-out.	\$265.00
	AD-COI-DK		\$205.00
stock EOL -		Color - Black. Priced individually, sold only in pairs. 6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω bypass, 135° conical DMT	
	AD-C6T-WH		\$265.00
with	AD-COI-WIT	coverage, includes C-ring and rails for blind mount installation, Ø245 mm cut-out.	\$205.00
stock		Color - White Priced individually, sold only in pairs.	
		6.5" Two-way ceiling speaker, 70/100V transformer with 16Ω by pass, zero bezel design,	6275.00
NEW	AD-C6T-ZB-WH	150° conical DMT coverage, includes C-rign and rails for blind mount installation.	\$275.00
501		Priced individually, sold in pairs. White only.	
EOL -		6.5" Two-way low-profile ceiling speaker, 70/100v transformer with 16Ω bypass, 135°	
with	AD-C6T-LP	conical DMT coverage, includes C-ring and rails for blind mount installation, Ø305 mm cut-	\$275.00
stock		out. Color - White only. Priced individually, sold only in pairs.	
		6.5" Two-way ceiling speaker, 70/100V transformer with 16Ωbypass, zero bezel design,	4000.00
NEW	AD-C6T-LPZB-WH	low profile, 150° conical DMT coverage, includes C-rign and rails for blind mount	\$290.00
		installation. Priced individually, sold in pairs. White only.	
		6.5" Two-way high ceiling, blind mount ceiling speakers, 70/100V transformer with 16Ω	4
	AD-C6T-HC	bypass. 75° conical coverage, include C-ring and rails for blind mount installation, Ø305	\$558.00
		mm cut-out. Color - White only. Priced individually, sold only in pairs.	
		6.5" Two-way high power, blind mount ceiling speakers, 70/100V transformer with 16 Ω	
	AD-C6T-HP	bypass. 120° conical coverage, include C-ring and rails for blind mount installation, Ø305	\$460.00
		mm cut-out. Color - White only. Priced individually, sold only in pairs.	
	AD-C81Tw-WH	8" In-ceiling subwoofer, 120Hz bypassable low pass filter, 70V/100V transformer with 8Ω	\$415.00
		bypass, includes C-ring and rails for blind mount installation. Color - White only.	÷ . 10.00
		8" High-power coaxial ceiling speaker, 70/100V transformer with 16 Ω bypass, 90° conical	
	AD-C820R SYSTEM	coverage, includes AD-C820 baffle, AD-C800BB back-box, and AD-C800RG round grille.	\$920.00
		Packaged separately (total of three cartons).	
		8" High-power blind mount coaxial ceiling speaker, 70/100V transformer with 16 Ω bypass,	
	AD-C821R SYSTEM	90° conical DMT coverage. Includes AD-C800RG round grille, C-Ring and Tile Rails.	\$815.00
		Packaged separately (total of three cartons).	

	PRODUCT	DESCRIPTION	LIST
		12" High-power coaxial ceiling speaker baffle, 70/100V transformer with 16Ω bypass, 85°	
	AD-C1200	conical coverage. Fits AD-C1200BB back box enclosure or standard ~2.75 cubic foot	\$915.00
		enclosures.	
	AD-C1200BB	High performance enclosure of AD-C1200 loudspeaker system.	\$970.00
	AD-C1200SG	Steel grille for use with AD-C1200 in white (paintable).	\$115.00
coustic	Design [™] Ceiling S	eries Accessories	
	AD-C245BG-BK	AD-Cii Black Grill with Zero Bezel Design to fit AD-C4T-ZBLP & AD-C6T-ZB.	627.00
NEW	AD-C245BG-BK	Priced Individually, Sold in packages of 10.	\$37.00
A/514/		AD-Cii Black Grill, Zero Bezel Design to fit AD-C6TLP-ZB.	620 FO
NEW	AD-C305BG-BK	Priced Individually, Sold in packs of 10.	\$38.50
		Zero Bezel collar to convert AD-C6T-HP and other 245mm speakers to zero bezel.	ć 42.00
NEW	AD-C245C-WH	Priced Individually, Sold in quantities of 10.	\$42.00
NEW	AD-C305C-WH	Zero Bezel Collar for AD-C6T-HC. Priced Individually, Sold in quantities of 10.	\$50.00
OL - with		Flanged mud ring bracket for pre-installation of AD-C4T in sheetrock or plaster surfaces.	
stock	AD-MR4	Priced and packaged in quantities of six (6) pieces per box.	\$182.00
		Flanged mud ring bracket for pre-installation of AD-C6T, AD-C4T-LP and AD-C6T-HP in	40
	AD-MR6	sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$202.00
		Flanged mud ring bracket for pre-installation of AD-C6T-LP, AD-C-SUB and AD-C6T-HP in	
	AD-MR8	sheetrock or plaster surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$242.00
		Flanged mud ring bracket for installation of AD-C821, or AD-C81Tw in sheetrock or plaster	
	ADC-MRS	surfaces. Priced and packaged in quantities of six (6) pieces per box.	\$225.00
		Full capture marine grille with bayonet clips and backing cloth for 245 mm cutout ceiling	
	AD-MG245	speakers, requires AD-MC245 collar sold separately.	\$360.00
		Priced and packaged in quantities of six (6) pieces per box.	<i>Q</i> 00000
		Full capture marine collar with bayonet sockets for 245mm cutout ceiling speakers,	
	AD-MC245	requires AD-MG245 grille sold separately.	\$170.00
	ND WICZ45	Priced and packaged in quantities of six (6) pieces per box.	Ş170.00
coustic	Design [™] Surface		
		2.75" Satellite surface speaker, 16Ω, 150° conical coverage, includes mounting bracket for	
	AD-S.SAT-BK	surface installation. Color - Black. Priced individually, sold only in pairs.	\$110.00
		2.75° Satellite surface speaker, 16Ω , 150° conical coverage, includes mounting bracket for	
	AD-S.SAT-WH	surface installation. Color - White. Priced individually, sold only in pairs.	\$110.00
		6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4)	
	AD-S.SUB-BK	satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo	\$574.00
	AD 3.300 DK	operation, includes wall bracket for surface installation. Color - Black.	Ş374.0C
		6.5" Dual voice-coil surface subwoofer, provides High-pass output for up to four (4)	
	AD-S.SUB-WH	satellite speakers, 70/100V transformer for mono or bypass, Low-Z mono or stereo	\$574.00
	AD-3.300-WIT	operation, includes wall bracket for surface installation. Color - White.	JJ74.00
		4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT [™]	
	AD-S4T-BK	coverage, includes X-Mount [™] and weather input cup.	\$220.00
	AD-341-BK		3220.00
		Color - Black. Priced individually, sold only in pairs. 4.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 120° conical DMT™	
	AD-S4T-WH		6220.00
	AD-341-WH	coverage, includes X-Mount [™] and weather input cup.	\$220.00
		Color - White. Priced individually, sold only in pairs.	
		5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT [™]	6200.00
	AD-S5T-BK	coverage, includes X-Mount [™] and weather input cup.	\$290.00
		Color - Black. Priced individually, sold only in pairs.	
		5.25" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 115° conical DMT™	4
	AD-S5T-WH	coverage, includes X-Mount [™] and weather input cup.	\$290.00
		Color - White. Priced individually, sold only in pairs.	

	PRODUCT	DESCRIPTION	LIST
		6.5" Two-way surface speaker, 16Ω (no transformer) , 105° conical DMT™ coverage,	
	AD-S6-BK	includes X-Mount [™] and weather input cup.	\$398.00
		Color - Black. Priced individually, sold only in pairs.	
		6.5" Two-way surface speaker, 16Ω (no transformer) , 105° conical DMT [™] coverage,	
	AD-S6-WH	includes X-Mount [™] and weather input cup.	\$398.00
		Color - White. Priced individually, sold only in pairs.	
		6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT [™]	
	AD-S6T-BK	coverage, includes X-Mount [™] and weather input cup.	\$448.00
		Color - Black. Priced individually, sold only in pairs.	
		6.5" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT [™]	
	AD-S6T-WH	coverage, includes X-Mount [™] and weather input cup.	\$448.00
		Color - White. Priced individually, sold only in pairs.	Ş440.00
		8" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT [™]	
	AD-S8T-BK	coverage, includes X-Mount [™] and weather input cup. Color - Black.	\$680.00
		8" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 105° conical DMT [™]	
	AD-S8T-WH		\$680.00
		coverage, includes X-Mount [™] and weather input cup. Color - White.	
	AD-S10T-BK	10" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical DMT [™]	\$917.00
		coverage, includes X-Mount [™] and weather input cup. Color - Black.	
	AD-S10T-WH	10" Two-way surface speaker, 70/100V transformer with 8Ω bypass, 90° conical DMT [™]	\$917.00
		coverage, includes X-Mount [™] and weather input cup. Color - White.	•
	AD-S12-BK	12" Two-way surface speaker, 75° conical DMT [™] coverage, includes X-Mount [™] and	\$1,100.00
	-	weather input cup. Color - Black.	1, ,
	AD-S12-WH	12" Two-way surface speaker, 75° conical DMT™ coverage, includes X-Mount™ and	\$1,100.00
		weather input cup. Color - White.	
	AD-S112-sw-BK	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - Black.	\$917.00
	AD-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White.	\$917.00
cousti		12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White.	
coustie	AD-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass,	
coustie	AD-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White.	\$917.00
coustie	AD-S112-sw-WH c Design™ Surface C	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 	\$917.00
coustio	AD-S112-sw-WH c Design™ Surface C	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather 	\$917.00
coustie	AD-S112-sw-WH c Design™ Surface C	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 	\$917.00 \$414.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 	
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 	\$917.00 \$414.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω 	\$917.00 \$414.00 \$414.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input 	\$917.00 \$414.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 	\$917.00 \$414.00 \$414.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω 	\$917.00 \$414.00 \$414.00 \$660.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 	\$917.00 \$414.00 \$414.00 \$660.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 	\$917.00 \$414.00 \$414.00 \$660.00
cousti	AD-S112-sw-WH c Design [™] Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00
cousti	AD-S112-sw-WH c Design [™] Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00
cousti	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH AD-S162T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00
cousti	AD-S112-sw-WH c Design [™] Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH AD-S162T-BK AD-S162T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH AD-S162T-BK	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/ti	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH AD-S162T-BK AD-S162T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. egacy Models Dual 8" bandpass subwoofer, 70/100V transformer with 8Ω bypass, 120Hz bypassable low- 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00 \$1,155.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH AD-S162T-BK AD-S162T-WH C Design™ Surface L	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mo	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00 \$1,155.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-WH AD-S802T-WH AD-S162T-BK AD-S162T-WH AD-S162T-WH AD-S162T-WH AD-S162T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Unite. egacy Models Dual 8" bandpass subwoofer, 70/100V transformer with 8Ω bypass, 120Hz bypassable low-pass filter, includes yoke and suspension hardware. Color - Black. Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount. 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00 \$1,155.00 \$935.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-BK AD-S802T-WH AD-S162T-BK AD-S162T-WH C Design™ Surface L	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. egacy Models Dual 8" bandpass subwoofer, 70/100V transformer with 8Ω bypass, 120Hz bypassable low-pass filter, includes yoke and suspension hardware. Color - Blac	\$917.00 \$414.00 \$414.00
	AD-S112-sw-WH c Design™ Surface C AD-S402T-BK AD-S402T-WH AD-S802T-WH AD-S802T-WH AD-S162T-WH AD-S162T-WH AD-S162T-WH AD-S162T-WH AD-S162T-WH	 12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White. Column Series 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - Black. 2.75" Full-range (x4) column surface speaker, 30W, 70/100V transformer with 16Ω bypass, 160° horizontal x 40° vertical coverage, includes pan/tilt wall mount and input weather cover. Color - White. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x8) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x 20° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - White. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Black. 2.75" Full-range (x16) element column surface speaker, 70/100V transformer with 8Ω bypass, 160° horizontal x selectable 15/30° vertical coverage, includes pan/tilt wall mount and input weather input cover. Color - Unite. egacy Models Dual 8" bandpass subwoofer, 70/100V transformer with 8Ω bypass, 120Hz bypassable low-pass filter, includes yoke and suspension hardware. Color - Black. Dual 8" High-power two-way surface speaker, 90° x 60° rotatable, includes yoke mount. 	\$917.00 \$414.00 \$414.00 \$660.00 \$660.00 \$1,155.00 \$1,155.00 \$935.00

	PRODUCT AD-YMS8-BK	DESCRIPTION Yoke mount for the AD-S8T. Color - Black.	A
		TORE HOUHLINE AD-SOL. COOL - DIACK.	\$164.00
	AD-YMS8-WH	Yoke mount for the AD-S8T. Color - White.	\$164.00
	AD-YMS10-BK	Yoke mount for the AD-S10T. Color - Black.	\$202.00
	AD-YMS10-WH	Yoke mount for the AD-S10T. Color - White.	\$202.00
	AD-YMS12-BK	Yoke mount for the AD-S12. Color - Black.	\$264.00
	AD-YMS12-WH	Yoke mount for the AD-S12. Color - White.	\$264.00
		CINEMA LOUDSPEAKERS	Ş204.00
PASSIVE	SCREEN CHANNEL		
	SC-1120	Passive 2-way, 1x12", single enclosure	\$795.00
	SC-1120	Passive 2-way, 1x12', single enclosure	\$1,060.00
	SC-2150	Passive or Bi-amp 3-way, 2x15", 6.5" mid-range and 1.4" HF	\$2,000.00
501			
STOCK	SC-222X	Passive 2-way, 2x15", consists of HF-75CX2 and LF-2215 components	\$1,855.00
	SC-223X	Passive 3-way, 2x15", consists of MH-1060X and LF-2215 components	\$3,085.00
	1	ANNEL LOUDSPEAKERS	
	SC-412C	High power, bi-amp, 2-way, 1x15", consists of HF-75C and LF-4115 components	\$1,625.00
	SC-222	Bi-amp, 2-way, 2x15", consists of HF-75C and LF-2215 components	\$1,800.00
	SC-422C	High power, bi-amp 2-way, 2x15", consists of HF-75C and LF-4215 components	\$2,000.00
	1	EN CHANNEL LOUDSPEAKERS	
	SC-413C	Bi or tri-amp, 3-way, 1x15", consists of LF-4115 and MH-1075C components	\$3,250.00
EOL - with stock	SC-223	Bi-amp, 3-way, 2x15", consists of LF-2215 and MH-1060 components	\$1,880.00
	SC-423C	Bi or tri-amp, 3-way, 2x15", consists of LF-4215 and MH-1075C components	\$3,500.00
		Flyable high power, bi-amp, 3-way, 2x15", consists of LF-4215-F and MH-1075C-F	
	SC-423C-F	components	\$4,975.00
	SC-433C	High power, bi or tri-amp, 3-way, 3x15", consists of LF-4315 and MH-1075C components	\$4,500.00
	66.4426	High power, bi or tri-amp, 3-way, 4x15", consists of 2 x LF-4215 and MH-1075C	65 535 00
	SC-443C	components	\$5,525.00
I-WAY P	REMIUM SCREEN	CHANNEL LOUDSPEAKERS	
	56 414	High power, tri or quad-amp, 4-way, 1x15", consists of LF-4115 and MHV-1090	¢4.500.00
	SC-414	components	\$4,500.00
	cc 121	High power, tri or quad-amp, 4-way, 2x15", consists of LF-4215 and MHV-1090	¢4,020,00
	SC-424	components	\$4,920.00
EOL - with	66.424.05	Flyable high power, tri-amp, 4-way, 2x15", consists of LF-4215-8F and MHV-1090F	<i>64.200.00</i>
stock	SC-424-8F	components	\$4,200.00
	56.424	High power, tri or quad-amp, 4-way, 3x15", consists of LF-4315 and MHV-1090	¢C 250.00
	SC-434	components	\$6,250.00
	SC-444	High power, tri or quad-amp, 4-way, 4x15", consists of 2x LF-4215 and MHV-1090	
	30-444	components	\$6,545.00
reen cha	annel loudspeaker	LF and MH/HF/MHV components are available to purchase individually for replacements; (CALL FOR PRIC
SUBWOC	DFERS		
	SB-1180	Compact cinema subwoofer, single 18" 600 W transducer, 98 dB sensitivity	\$1,100.00
EOL - with stock	SB-7118	Cinema subwoofer, single 18" 700 W transducer, 98 dB sensitivity	\$1,025.00
Stock	SB-2180	Cinema subwoofer, dual 18" transducers, 1100 watts, 101 dB sensitivity	\$1,920.00
	SB-7218	Cinema subwoofer, dual 18" 700 W transducers, 101 dB sensitivity	\$2,335.00
EOL - with	SB-15121	Cinema subwoofer, single 21" 1500 W transducer, 96.5 dB sensitivity	\$2,800.00
stock	ND LOUDSPEAKER		+ =,0000100
.511100		Cinema surround loudspeaker, 8" 2-way, 135° conical, 90 dB sensitivity.	
	SR-800	Priced individually, sold only in pairs.	\$264.00
501		Cinema surround loudspeaker, 8" 2-way, 130°H x 110°V, 91 dB sensitivity.	+
EOL - with stock	SR-8101	Priced individually, sold only in pairs.	\$185.00
EOL - with		Cinema surround loudspeaker, 10" 2-way, 90° conical, 94 dB sensitivity.	
	SR-1000	Priced individually, sold only in pairs.	\$280.00

	PRODUCT	DESCRIPTION	LIST
	CD 0200	Cinema surround loudspeaker, 8" 2-way, 90°H x 90°V, HF Horn, 94 dB sensitivity.	¢424.00
	SR-8200	Priced individually, sold only in pairs.	\$434.00
	CD 1020	Cinema surround loudspeaker, 10" 2-way, 90°H x 90°V, HF Horn, 94 dB sensitivity.	
	SR-1020	Priced individually, sold only in pairs.	\$505.00
	CD 1020	Cinema surround loudspeaker, High Output 10" 2-way, 90°H x 90°V, HF Horn, 95.5 dB	¢600.00
	SR-1030	sensitivity. Priced individually, sold only in pairs.	\$600.00
	CD 1200	Cinema surround loudspeaker, High Output 12" 2-way, coaxial LF/HF drivers, 4Ω	6025 00
	SR-1290	impedance, 96 dB sensitivity. Priced and sold individually.	\$835.00
	CD 1500	Cinema surround loudspeaker, Very High Output 15" 2-way, coaxial LF/HF drivers, 4Ω	\$1,120.00
	SR-1590	impedance, 98 dB sensitivity. Priced and sold individually.	\$1,120.00
EOL - with		Two-way, very high output loudspeaker, 15", selectable bi-amp or passive, 8Ω . Black only.	\$1,400.00
stock	SR-5152	Accepts 4-hole multi-axis wall mount bracket. Priced and sold individually.	\$1,400.00
SURROU	IND LOW FREQUEN	CY EXTENSION LOUDSPEAKERS	
	AD-S112-sw-BK	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - Black.	\$917.00
	AD-S112-sw-WH	12" Surface subwoofer, includes mounting yoke and weather input cup. Color - White.	\$917.00
	CD 110F	Flyable cinema subwoofer, 8 x M10 suspension points, single 18" 800 W transducer, 98 dB	\$1,195.00
	SB-118F	sensitivity	\$1,195.00
	CD 2105	Flyable cinema subwoofer, 8 x M10 suspension points, dual 18" 800 W transducers, 101	¢2,000,00
	SB-218F	dB sensitivity	\$2,000.00
	LF-4215-F	Flyable high power low-frequency cabinet, dual 15", 4 Ω , 99.5 dB sensitivity	\$3,000.00
EOL - with	LF-4215-8F	Flyable high power low-frequency cabinet, dual 15", 8Ω , 99.5 dB sensitivity	\$2,000.00
stock	LOUDSPEAKERS AG		+_,
	YM-300	Yoke mount kit for SR-800, SR-1000, SR-8101	\$60.00
	YM-46	Yoke mount kit for SR-8200	\$60.00
	YM-400	Yoke mount kit for SR-1020, SR-1030, SR-1290	\$60.00
	YM-500	Yoke mount kit for SR-1020, SR-1030, SR-1250	\$82.00
	QM-SW	Side wall bracket for all SR Series surrounds (EXCEPT SR-5152)	\$35.00
	QM-BW	Back wall bracket for all SR Series surrounds (EXCEPT SR-5152) with 8° down angle	\$35.00
	QIII BII	PRO AUDIO LOUDSPEAKERS	\$35.00
Class			_
L Class	1.4.4.00		<u> </u>
NEW	LA108	8-in Two-way Active Line Array Loudspeaker	\$2,799.99
NEW	LA112	12-in Two-way Active Line Array Loudspeaker	\$3,749.99
	accessories		****
	LA108 TOTE	Heavy-duty Transport Tote for LA108 Loudspeaker	\$199.99
NEW	LA112 TOTE	Heavy-duty Transport Tote for LA112 Loudspeaker	\$209.99
NEW	LA108-AF	Array Frame for LA108 Loudspeaker	\$874.99
NEW	LA112-AF	Array Frame for LA112 Loudspeaker	\$999.99
NEW	LA108-KIT-SA	Stack Adapter Kit to combine with LA108-AF	\$469.99
NEW	LA112-KIT-SA	Stack Adapter Kit to combine with LA112-AF	\$469.99
NEW	LA-KIT-J	International Jumper Kit 2 PowerCON/EtherCON 60 cm	\$174.99
NEW	LA-KIT-J-NA	North America Jumper Kit 2 PowerCON/EtherCON 24 in	\$174.99
NEW	LA-KIT-I	LA108/LA112 Installation Kit 2 Shackles/1 Eyebolt	\$116.99
CP Serie	S		
	000	1000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver;	400.000
	CP8	90 degree conical waveguide; pole socket; selectable user contours. For use as main or	\$624.99
		stage monitor.	
		1000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver;	4
	CP12	75 degree conical waveguide; pole socket; selectable user contours. For use as main or	\$749.99
		stage monitor.	
JP Serie	s Accessories		4
	CP8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	\$112.49
	CP8YM	Powder coated steel yoke for mounting the CP8 vertically or horizontally to structures.	\$162.49

	PRODUCT	DESCRIPTION	LIST
		Nylon fabric and mesh cover for temporary outdoor use of CP8 in adverse	
	CP8 OUTDOOR	weather. Removable amplifier panel allows access to connectors and controls. Vented	460.40
	COVER	panel maintains airflow for proper heat management. Not intended for permanent	\$62.49
		outdoor install.	
	CP12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura [®] material.	\$124.99
	CP12YM	Powder coated steel yoke for mounting the CP12 vertically or horizontally to structures.	\$187.49
		Nylon fabric and mesh cover for temporary outdoor use of CP12 in adverse	Ş107.45
	CP12 OUTDOOR	weather. Removable amplifier panel allows access to connectors and controls. Vented	
	COVER	panel maintains airflow for proper heat management. Not intended for permanent	\$79.49
	COVER		
2 Seri	05	outdoor install.	
z sen	es	2000W active partable laudspeaker system 8 inch weefer: 1.0 inch compression driver	
	KO 2	2000W active, portable loudspeaker system; 8-inch woofer; 1.0-inch compression driver;	¢000.00
	K8.2	105 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP.	\$999.99
		For use as main or stage monitor.	
		2000W active, portable loudspeaker system; 10-inch woofer; 1.0-inch compression driver;	** *** *
	K10.2	90 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP, for	\$1,124.9
		use as main or stage monitor.	
		2000W active portable loudspeaker system; 12-inch woofer; 1.0-inch compression driver;	
	K12.2	75 degree conical waveguide; dual angle pole socket; presets and user adjustable DSP. For	\$1,251.9
		use as main or stage monitor.	
K.2	Series Accessories		
	K8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	\$124.99
	ROTOTE	FITS BOTH K8 AND NEW K8.2	J124.JJ
	K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	\$137.49
	KIUTUTE	FITS BOTH K10 AND NEW K10.2	Ş137.49
		Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material.	\$162.49
	K12 TOTE	FITS BOTH K12 AND NEW K12.2	\$102.49
	K8.2 YOKE	Powder coated steel yoke for mounting the K8.2 vertically or horizontally to structures.	\$187.49
	K10.2 YOKE	Powder coated steel yoke for mounting the K10.2 vertically or horizontally to structures.	\$199.99
	K12.2 YOKE	Powder coated steel yoke for mounting the K12.2 vertically or horizontally to structures.	\$212.49
		Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather.	
	K8 OUTDOOR	Removable amplifier panel allows access to connectors and controls. Vented panel	
	COVER	maintains airflow for proper heat management. Not intended for permanent outdoor	\$87.49
	00121	install. FITS BOTH K8 AND NEW K8.2.	
		Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather.	
	K10 OUTDOOR	Removable amplifier panel allows access to connectors and controls. Vented panel	
	COVER	maintains airflow for proper heat management. Not intended for permanent outdoor	\$99.99
		install. FITS BOTH K10 AND NEW K10.2. Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather.	
	K12 OUTDOOR	Removable amplifier panel allows access to connectors and controls. Vented panel	\$124.99
	COVER	maintains airflow for proper heat management. Not intended for permanent outdoor	
		install. FITS BOTH K12 AND NEW K12.2.	
	K.2 LOC	Lock Out Kit for K.2 Series. Screw-down tamper-proof cover for LCD menu and Input	\$37.49
		Gains.	
Serie	es		
	KS112	2000W active, Compact subwoofer; 12-inch woofer; 4 large, swivel casters; dual M20	\$1,499.9
		threaded pole socket; speaker pole optional accessory.	,455.9
	KC110	3600W active, ported subwoofer; high powered 18-inch woofer; 4 large, swivel casters;	ća 202 7
	KS118	M20 threaded pole socket; speaker pole optional accessory.	\$2,382.7
		3600W active, Cardioid subwoofer; dual 12-inch woofers; 4 large, swivel casters; dual M20	
	KS212C	sobow active, caralola submoorer, adar 12 men woorers, 4 large, swiver casters, adar wizor	\$2,501.9

	PRODUCT	DESCRIPTION	LIST
	KS112-CVR	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for	\$162.49
	KJIIZ-CVK	KSub with grille guard.	Ş102.4J
	KS118-CVR	Soft padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for	\$187.49
		KS118/LS118 with grille guard.	<i>+</i> - 0/110
	KS212C-CVR	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura [®] material for KSub with grille guard.	\$187.49
	KS LOC	Lock Out Kit for KS Series. Screw-down tamper-proof cover for LCD menu and Input Gains.	\$31.29
(W Ser	ies		
	KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor.	\$1,687.49
	KW152	15" two-way, 1000W, 60° axisymmetric, active loudspeaker.	\$1,965.89
	KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded	\$2,263.79
(N/ Sor	ies Accessories	midrange.	
VV Jei	KW122 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura [®] material for KW122.	\$124.99
	KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152.	\$137.49
(1 ^ C ~	KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153.	\$149.99
KLA Ser	163	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch	
			62 074 00
	KLA12-BK	compression driver; 90' x 18' nominal coverage angle; self contained rigging system, Color - Black.	\$2,874.99
	KLA181-BK	18" ported, 1000W subwoofer with integrated flying hardware; Color - Black	\$3,437.49
(LA Ser	ies Accessories		
	KLA AF12 TOTE	Tote bag for the KLA AF12.	\$162.49
	KLA-AF12-BK	Aluminum array frame for KLA Series enclosures; Color - Black.	\$1,422.29
	KLA12 TOTE	Soft padded tote for the KLA12 Loudspeaker made with heavy-duty Nylon/Cordura® material.	\$162.49
	KLA181 COVER	Soft padded cover for the KLA181 Subwoofer; constructed from heavy-duty Nylon/Cordura® material	\$162.49
E Series	1		
. oenes	E110-BK	10" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	\$774.99
	E112-BK	12" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black .	\$937.49
	E115-BK	15" 2-way, externally powered, live sound-reinforcement loudspeaker. Color - Black.	\$1,212.49
	E118SW-BK	18" externally powered, live sound-reinforcement subwoofer. Color - Black.	\$1,362.49
Sorios	Loudspeaker Acce		Ş1,302.4J
. Jeries		Soft, padded cover made with heavy-duty Nylon/Cordura [®] material.	
	E12-CVR	FITS BOTH E12 & E112.	\$124.99
	E15-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura® material.	\$149.99
	LIJ-CVK	FITS BOTH E15 & E115.	Ş149.99
	E118SW-CVR	Soft, padded cover made with heavy-duty Nylon/Cordura [®] material for E118SW.	\$150.59
	E110YM-BK	Powder coated steel yoke for mounting the E110 horizontally or vertically to structures.	\$199.99
	E12YM-BK	Powder coated steel yoke for mounting the E12 or E112 horizontally or vertically.	\$212.49
	E15YM-BK	Powder coated steel yoke for mounting the E15 or E115 horizontally or vertically.	\$237.49
	M8 KIT-A	Eyebolt kit for suspending E110 loudspeakers. Includes: 6x M8×1.25, 32 mm stainless,	\$93.59
	IVIO NIT-A	forged shoulder eyebolts.	Ş92.29
cousti	c Performance™ Se	ries	
	AP-5102-BK	10" High-power two-way surface speaker, 105° conical DMT [™] coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	\$1,450.00
	AP-5102-WH	10" High-power two-way surface speaker, 105° conical DMT™ coverage, trapezoidal install	\$1,450.00
		enclosure with M10 suspension fittings. Color - White.	
	AP-5122-BK	12" High-power two-way surface speaker, 90° conical DMT [™] coverage, trapezoidal install enclosure with M10 suspension fittings. Color - Black.	\$1,560.00
		12" High-power two-way surface speaker, 90° conical DMT™ coverage, trapezoidal install	\$1,560.00

	PRODUCT	DESCRIPTION	LIST
with		15" High-power two-way surface speaker, 75° conical DMT™ coverage, trapezoidal install	ć1 700 00
stock	AP-5152-BK	enclosure with M10 suspension fittings. Color - Black.	\$1,700.00
		15" High-power two-way surface speaker, 75° conical DMT™ coverage, trapezoidal install	ć4 700 00
	AP-5152-WH	enclosure with M10 suspension fittings. Color - White.	\$1,700.00
		12" Coaxial multipurpose speaker, 90° conical DMT™ coverage, multi-angle enclosure with	
	AP-4122m	M10 suspension fittings. Color - Black.	\$1,250.00
		Dual 12" folded baffle subwoofer, 2x pole cups for horizontal or vertical deployments,	
	AP-212sw	dual crossed NL4 inputs. Color - Black.	\$1,250.00
Acoustic	Performance [™] Se		
	AP-YM10-BK	Yoke mount for the AP-5102. Color - Black.	\$190.00
EOL -	AP-YM10-WH	Yoke mount for the AP-5102. Color - White.	\$190.00
with	AP-YM12-BK	Yoke mount for the AP-5122. Color - Black.	\$230.00
stock	AP-YM12-WH	Yoke mount for the AP-5122. Color - White.	\$230.00
Stock	AP-YM12m-BK	Yoke mount for the AP-5122m and AP-4122m. Available in black only.	\$230.00
oudsne	aker Accessories	Toke mount for the AF-Sizzin and AF-4izzin. Available in black only.	ŞZ30.00
ouuspe		Eyebolt kit for suspending loudspeakers (wooden enclosures). For E112, E115, E215, KW	
	M10 KIT-W	Series and Acoustic Performance Series. Includes: 3x M10×1.5, 35–38 mm stainless, forged	\$76.89
		-	\$70.69
		shoulder eyebolts.	
		Eyebolt kit for suspending loudspeakers (composite-based enclosures). For K/K.2 Series,	476.00
	M10 KIT-C	KLA12, Acoustic Design S8T, S10T and S12 models. Includes: 3x M10×1.5, 20 mm stainless,	\$76.89
		forged shoulder eyebolts and 3x M10 black conical spring washers.	
	M10 KIT-S	Eyebolt kit for suspending subwoofers. Includes: 4x M10×1.5, 35–38 mm stainless, forged	\$84.99
		shoulder eyebolts.	
	SP-16x	Threaded speaker pole extension, 35 mm diameter, 16" length.	\$36.00
	SP-26	Threaded speaker pole, 35 mm diameter, 26" length.	\$43.50
	SP-36	Threaded speaker pole, 35 mm diameter, 36" length.	\$53.50
		3" caster wheels (4 pack) 76 mm x 44 mm mounting bolt pattern for all KS Series and	¢122.00
	CASTER KIT-S	KLA181 subwoofers.	\$122.00
		4" caster wheels (4 pack) 101 mm x 80 mm mounting bolt pattern for E118SW and	6200 F0
	CASTER KIT-L	E218SW subwoofer.	\$208.50
LA Serie	S		
		18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or	
	WL118-sw-BK	suspended with WL2082-i, integral array hardware, Color - Black.	\$2,900.00
OL - with		Installation line array speaker - dual neodymium 8" cone LF, dual titanium diaphragm,	
stock	WL2082-i-BK	neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140°	\$2,400.00
	WE2002 F BR	horizontal coverage, integral array hardware, Color - Black.	<i>\$2,</i> 400.00
I A Serie	s Accessories	nonzontal coverage, integral array hardware, color - black.	
EA Serie			
	EB2082-i-BK	Extension bar, allows WL115-sw to be suspended behind WL2082-i, Color - Black.	\$1,130.00
EOL - with			
stock	FB2082-i-BK	Fly-bar for WL2082-i and WL115-sw, Color - Black.	\$800.00
Stock		Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary	
	PB2082-i-BK		\$320.00
Alidal in		to achieve the desired angle, Color - Black.	
VideLin	e - ō		
		Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone	A
	WL3082-BK	LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140°	\$4,200.00
		horizontal coverage, integral array-building hardware; Color- Black.	
WideLin	e - 8 Accessories		
EOL - with	AF3082-L-BK	Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to	\$1,900.00
stock		twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; Color - Black.	+ =/0 00.00

	PRODUCT	DESCRIPTION	LIST
EOL - with stock	AF3082-S-BK	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; Color - Black.	\$1,025.00
	ЕВ3082-ВК	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; Color - Black.	\$2,045.00
	PB3082-BK	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; Color - Black.	\$845.00
WideLine	e - 10		
	GP218-sw-BK	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; Color - Black.	\$3,740.00
	WL2102-w-BK	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, Color - Black.	\$4,000.00
WideLine	e - 10 Accessories		
	AF2102-LA-BK	Large Aluminum Array Frame for the WideLine 10 (WL2102); Color - Black.	\$3,575.00
	ance Loudspeaker	Series	
Line Arra	y		
NEW	PL-LA8	8-in 2-way passive/bi-amp installation line array, Color - Black	\$2,200.00
NEW	PL-LA12	12-in 2-way passive/bi-amp installation line array, Color - Black	\$2,750.00
Directivi	ty Control		
NEW	PL-DC24	Dual 4-in 2-way passive directivity control loudspeaker, Color - Black	\$835.00
NEW	PL-DC26	Dual 6-in 2-way passive/bi-amp directivity control configurable loudspeaker, Color - Black	\$1,420.00
NEW	PL-DC8	8-in 2-way passive/bi-amp directivity control configurable loudspeaker, Color - Black	\$1,420.00
NEW	PL-DC12	12-in 2-way passive/bi-amp directivity control configurable loudspeaker, Color - Black	\$2,500.00
Subwoof	er		
NEW	PL-SUB10	10-in Passive installation subwoofer, Color - Black	\$1,220.00
NEW	PL-SUB12	12-in Passive installation subwoofer, Color - Black	\$1,500.00
NEW	PL-SUB15	15-in Passive installation subwoofer, May be suspended with PL-CA12, integral hardware, Color - Black	\$1,835.00
NEW	PL-SUB18	18-in Passive installation subwoofer, May be ground-stacked or suspended with PL-LA12, integral array hardware, Color - Black	\$2,420.00
Mounts	& Accessories		
NEW	PL-LA8-AF	Array frame for use with PL-LA8, Color - Black	\$670.00
NEW	PL-LA12-AF	Array frame for use with PL-LA12, Color - Black	\$920.00
NEW	PL-LA8-PB	Pullback Bar for use with PL-LA8, Acts also as Array frame up to 4 boxes, Color - Black	\$420.00
NEW	PL-LA12-PB	Pullback Bar for use with PL-LA12, Color - Black	\$500.00
NEW	PL-DC24-YM	Yoke Mount for PL-DC24, Color - Black	\$100.00

NEW F NEW F NEW F NEW F MPA Serie	MP-A20V MP-A40V MP-A80V	Yoke Mount for PL-DC26, Color - BlackYoke Mount for PL-DC8, Color - BlackYoke Mount for PL-DC12, Color - BlackFlush Mount Ceiling & walls for PL-DC24, Color - BlackFlush Mount Ceiling & walls for PL-DC26, Color - BlackFlush Mount Ceiling & walls for PL-DC26, Color - BlackFlush Mount Ceiling & walls for PL-DC26, Color - Black400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	\$170.00 \$170.00 \$290.00 \$125.00 \$200.00 \$1,135.00 \$1,910.00
NEW F NEW F NEW F MPA Serie	PL-DC12-YM PL-DC24-FM PL-DC26-FM es MP-A20V MP-A40V MP-A80V	Yoke Mount for PL-DC12, Color - Black Flush Mount Ceiling & walls for PL-DC24, Color - Black Flush Mount Ceiling & walls for PL-DC26, Color - Black MPLIFIERS 400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	\$290.00 \$125.00 \$200.00 \$1,135.00
NEW F NEW F MPA Serie	PL-DC24-FM PL-DC26-FM es MP-A20V MP-A40V MP-A40V	Flush Mount Ceiling & walls for PL-DC24, Color - Black Flush Mount Ceiling & walls for PL-DC26, Color - Black AMPLIFIERS 400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	\$125.00 \$200.00 \$1,135.00
NEW F	PL-DC26-FM es MP-A20V MP-A40V MP-A80V	Flush Mount Ceiling & walls for PL-DC26, Color - Black AMPLIFIERS 400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	\$200.00 \$1,135.00
MPA Serie r r cX-Q Serie	es MP-A20V MP-A40V MP-A80V	AMPLIFIERS 400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	\$1,135.00
r r CX-Q Serie	MP-A20V MP-A40V MP-A80V	 400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status. 1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V, 	
r r CX-Q Serie	MP-A20V MP-A40V MP-A80V	Highpass filter per channel, GPIO for Remote Standby and Amp Status.800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V,Highpass filter per channel, GPIO for Remote Standby and Amp Status.1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	
۲ ۲ X-Q Serie	MP-A40V MP-A80V	Highpass filter per channel, GPIO for Remote Standby and Amp Status.800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4Ω, 8Ω, 70V and 100V,Highpass filter per channel, GPIO for Remote Standby and Amp Status.1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	
CX-Q Serie	MP-A80V	Highpass filter per channel, GPIO for Remote Standby and Amp Status.1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4Ω, 8Ω, 70V and 100V,	\$1,910.00
CX-Q Serie		1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4 Ω , 8 Ω , 70V and 100V,	
	es	Highpass filter per channel, GPIO for Remote Standby and Amp Status.	\$3,060.00
	CX-Q 2K4	4-Channel 500W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp [™] , Mic/line Inputs, 100-240V.	\$2,960.00
(CX-Q 4K4	4-Channel 1000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp [™] , Mic/line Inputs, 100-240V.	\$3,985.00
(CX-Q 8K4	4-Channel 2000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp [™] , Mic/line Inputs, 100-240V.	\$5,000.00
(CX-Q 4K8	8-Channel 500W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp [™] , with Mic/line Inputs, 100-240V.	\$5,820.00
(CX-Q 8K8	8-Channel 1000W/CH Q-SYS Network Amplifier, Lo-Z, 70V, 100V direct drive, FlexAmp [™] , with Mic/line Inputs, 100-240V.	\$7,245.00
PA-Q Ser	ries		
	SPA-Qf 60x2	2-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	\$1,420.00
S	SPA-Qf 60x4	4-ch, 60W/ch Q-SYS network audio Amplifier, Lo-Z, FlexIO, with Mic/line Input, 100-240v	\$1,670.00
PA Series	s		
S	SPA2-60	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo operation 60 watts into $8\Omega \& 4\Omega$, Bridged operation 200 watts into $8\Omega \& 4\Omega$, and 250 watts into 70v and 100v / 100-240 VAC Operation.	\$705.00
S	SPA2-200	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo Operation 200 watts into $8\Omega \& 4\Omega$, Bridged operation 400 watts into $8\Omega \& 4\Omega$, and 350 watts into 70v and 100v / 100-240 VAC Operation.	\$825.00
S	SPA4-60	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel operation 60 watts into $8\Omega \& 4\Omega$, Bridged pair operation 200 watts into $8\Omega \& 4\Omega$, and 250 watts into 70v and 100v / 100- 240 VAC Operation.	\$1,005.00
S	SPA4-100	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel Operation 100 watts into $8\Omega \& 4\Omega$, Bridged pair operation 200 watts into $8\Omega \& 4\Omega$, and 350 watts into 70v and 100v / 100- 240 VAC Operation .	\$1,155.00
DCA SERIE	S		
	DCA1222	2 channels, 215 watts/ch @ 8 Ω , 375 watts/ch @ 4 Ω , 600 watts/ch @ 2 Ω	\$1,250.00
	DCA1622	2 channels, 350 watts/ch @ 8Ω, 600 watts/ch @ 4Ω, 800 watts/ch @ 2Ω	\$1,375.00
	DCA1644	4 channels, 250 watts/ch @ 8Ω, 400 watts/ch @ 4Ω	\$1,570.00
	DCA1824 DCA2422	4 channels, 170 watts/ch @ 8Ω, 250 watts/ch @ 4Ω, 450 watts/ch @ 2Ω 2 channels, 475 watts/ch @ 8Ω, 825 watts/ch @ 4Ω, 1200 watts/ch @ 2Ω	\$1,570.00 \$1,570.00

	PRODUCT	DESCRIPTION	LIST
	DCA3022	2 channels, 625 watts/ch @ 8 Ω , 1050 watts/ch @ 4 Ω , 1500 watts/ch @ 2 Ω	\$1,760.00
	DCA3422	2 channels, 800 watts/ch @ 8Ω, 1250 watts/ch @ 4Ω, 1700 watts/ch @ 2Ω	\$1,955.00
GXD Se	ries Processing Amp	lifiers	
	CVD4	Lightweight, class-D professional power amplifier with DSP, 2 channels, 400 watts/ch at	6946 20
	GXD4	8Ω , 600 watts/ch at 4Ω , total power capacity of 1600 watts.	\$846.29
	CYPA	Lightweight, class-D professional power amplifier with DSP, 2 channels, 800 watts/ch at	ć1 202 10
	GXD8	8Ω , 1200 watts/ch at 4Ω , total power capacity of 4500 watts.	\$1,292.19
GX Seri	es		
	GX3	Lightweight, professional power amplifier, 2 channels, 300 watts/ch at 8Ω , 425 watts/ch at	\$594.99
	972	4Ω.	\$394.99
	GX5	Lightweight, professional power amplifier, 2 channels, 500 watts/ch at 8Ω , 700 watts/ch at	\$702.19
		4Ω.	\$702.15
SA Ser	ies		
	ISA280	2 channels, 185 watts/ch at 8 Ω , 280 watts/ch at 4 Ω , 430 watts/ch at 2 Ω .	\$795.00
	ISA450	2 channels, 260 watts/ch at 8 Ω , 425 watts/ch at 4 Ω , 700 watts/ch at 2 Ω .	\$1,060.00
	ISA750	2 channels, 450 watts/ch at 8 Ω , 650 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω .	\$1,315.00
	ISA1350	2 channels, 800 watts/ch at 8 Ω , 1300 watts/ch at 4 Ω , 2000 watts/ch at 2 Ω , 1500 watts/ch	\$2,625.00
	13A1330	at 70V (direct output).	\$2,025.00
	ISA300Ti	2 channels, 185 watts/ch at 8 Ω , 280 watts/ch at 4 Ω , 430 watts/ch at 2 Ω , 300 watts/ch at	\$1,085.00
	ISA500Ti	2 channels, 260 watts/ch at 8 Ω , 425 watts/ch at 4 Ω , 700 watts/ch at 2 Ω , 500 watts/ch at	\$1,245.00
	ISA800Ti	2 channels, 450 watts/ch at 8 Ω , 650 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω , 800 watts/ch at	\$1,640.00
	13A80011	70V.	\$1,040.00
RMX Se	eries		
	RMX850a	2 channels, 200 watts/ch at 8 Ω , 300 watts/ch at 4 Ω , 430 watts/ch at 2 Ω .	\$783.79
	RMX1450a	2 channels, 280 watts/ch at 8 Ω , 450 watts/ch at 4 Ω , 700 watts/ch at 2 Ω .	\$1,067.99
	RMX2450a	2 channels, 500 watts/ch at 8 Ω , 750 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω .	\$1,232.79
	RMX4050a	2 channels, 850 watts/ch at 8 Ω , 1400 watts/ch at 4 Ω , 2000 watts/ch at 2 Ω , 4000 watts/ch	\$2,148.79
	RIVIX4030a	at 4Ω (bridged).	ŞZ,140.79
	RMX5050a	2 channels, 1100 watts/ch at 8 Ω , 1800 watts/ch at 4 Ω , 2500 watts/ch at 2 Ω , 5000	\$2,540.49
		watts/ch at 4 Ω (bridged).	32,340.49
PowerL	ight™ 3 Series		
	PL380	2 channels, 1500 watts/ch at 8 Ω , 2600 watts/ch at 4 Ω , 4000 watts/ch at 2 Ω .	\$3,409.49
Amplifi	er Accessories		
	REAR RACK EAR	7" Rear support rack ear kit.	\$135.00
	KIT 7IN		\$155.00
	REAR RACK EAR	3" Rear support rack ear kit.	\$110.00
	KIT 3IN	5 Real support fack ear kit.	\$110.00
	IT-42	Isolation Transformer – 25V, 70V, and 100V dual output transformer for CX302.	\$362.00
	PLENUM KIT	The UL-approved Plenum Kit enables SPA amplifiers to be used in plenum systems.	\$145.00
	PC13L1M-NA	Accessory, North American Power Cord, 14 AWG, 1 m, Locking IEC	\$27.00
		Q-SYS PLATFORM	
Q-SYS (CORES		
		Unified Core with 24 local audio I/O channels, 128x128 total network I/O channels with	
	CORE 110f-v2	8x8 Software-based Dante license included, USB AV bridging, dual LAN ports, POTS and	\$4,210.00
		VoIP telephony, no GPIO , 16 next-generation AEC processors, 1RU.	
-		Enterprise Core for AV&C processing built on Dell Server Technology offering 512x512	
		networked audio channels, dual Ethernet ports for network redundancy, two auxiliary	¢иг 000 00
	CORE 5200	Ethernet ports, 160 next-generation AEC processors, dual redundant hot-swappable	\$45,000.00
		PSU's, Dell iDRAC remote monitoring and a pre-installed 960Gb SSD Media Drive.	
		Network Core for AV&C processing built on Dell PowerEdge Server Technology offering	
		256x256 networked audio channels with 8x8 Software-based Dante license included, dual	640 440 G-
	CORE 610		\$10,440.00

	PRODUCT	DESCRIPTION	LIST
		Unified Core with 8 local audio I/O channels, 64x64 network I/O channels with 8x8	
	CORE 8 FLEX	Software-based Dante license included, USB AV bridging, dual LAN ports, VoIP telephony,	\$2,930.00
		8x8 GPIO, 8 AEC processors, Half-size 1RU.	
		Network Core, 64x64 network I/O channels with 8x8 Software-based Dante license	
	CORE NANO	included, USB AV bridging, dual LAN ports, VoIP telephony, 8 AEC processors, Half-size	\$2,190.00
		1RU.	
	SLCE3-VC-P	Q-SYS vCore Control Engine Bundle including 3-year software maintenance term license.	\$795.00
	SLCE5-VC-P	Q-SYS vCore Control Engine Bundle including 5-year software maintenance term license.	\$1,170.00
	SLCEMU-VC-T	Q-SYS vCore Control 2-year maintenance upgrade from 3-year to 5-year term.	\$375.00
Q-SYS I/	O Peripherals		
		Q-SYS peripheral providing 4 line outputs. Up to 4 devices daisy-chainable. 1U-1/4W,	¢5.00.00
	QIO-L4o	powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	\$560.00
		Q-SYS peripheral providing 2 mic/line inputs and 2 line outputs. Up to 4 devices daisy-	
	QIO-ML2x2	chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold	\$685.00
		separately.	
	QIO-ML4i	Q-SYS peripheral providing 4 mic/line inputs. Up to 4 devices daisy-chainable. 1U-1/4W,	\$730.00
		powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	<i></i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		Q-SYS peripheral providing 8 channels of AES3 digital audio input and output. Up to 4	
NEW	QIO-AES8x8	devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface	\$1,135.00
		mountable, rack kit sold separately.	
		Q-SYS peripheral providing 2 RJ11 connectors to interface with analog telephony (POTS or	4
NEW	QIO-TEL2	PSTN) systems. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24	\$1,170.00
		VDC. Surface mountable, rack kit sold separately.	
	QIO-PSU	Power Supply Accessory to support up to 4 QIO units with external power.	\$185.00
	QIO-RMK	Rack mount tray and blanking panels to mount up to four QIO units in a 1U 19" standard	\$185.00
		rack format.	\$185.00
	DCIO	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic,	\$2,500.00
	DCIO	automation. Outputs Q-LAN A & B, HI/VI, and line/speaker out.	\$2,500.00
	DCIO-H	1 RU I/O for digital cinema applications for use with Q-SYS Cores. Inputs AES3, line/mic,	\$3,665.00
		automation. Outputs Q-LAN A & B, HI/VI, and line/speaker out. HDMI in/out.	
		herals - Assembled by the Purchaser (Kit)	_
Purchase	er should order I/	O cards to fill all slots on the Core. Installation of the I/O cards and media options to be carr	ied out by
		Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual	
	CORE 510i Kit	redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 64 next-	\$8,250.00
		generation AEC processors, 2RU. Can also be configured via software as an I/O-Frame	
ו אאט	O Cards	offering 128 x 128 networked audio channels. Rear plates (RP1 Kit) are included.	
2-3131/	U Carus		
	CIML4	Four channels of microphone / line-level analog audio input with 48V phantom power.	\$442.00
	CIML4-HP	Four channels of microphone / line-level analog audio input with high performance pre-	\$1,148.00
	CIVIL4-III	amplifiers and 48V phantom power.	Ş1,140.00
	COL4	Four channels of balanced, line-level analog output.	\$400.00
	CAES4	Four channels of AES-3 digital audio with channel pairs configurable as input or output.	\$665.00
	CIAES16	Sixteen channels of AES-3 digital audio input on dual RJ45 connectors.	\$882.00
	-		

PRODUCT	DESCRIPTION	LIST
CDN64	Q-SYS Dante Bridge Card, 64x64.	\$2,170.00
CTEL4	Four RJ-11 connectors to interface Q-SYS Cores and I/O Frames to analog telephony (POTS) systems.	\$975.00
Q-SYS Media Options	(FOTS) systems.	
MD-110	Media Drive Kit for Core 110f ONLY - Provides a minimum of 200 hours of audio storage (WAV, MP3 or FLAC).	\$1,225.00
M2-MD-S	Small Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 200 hours of audio storage (WAV, MP3 or FLAC).	\$1,250.00
M2-MD-M	Medium Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 500 hours of audio storage (WAV, MP3 or FLAC).	\$2,500.00
M2-MD-L	Large Media Drive Kit for Core 510i, Core 8 Flex & Core Nano - Provides a minimum of 1,000 hours of audio storage (WAV, MP3 or FLAC).	\$7,500.00
Q-SYS Control Peripherals	1,000 Hours of dudio storage (WAV, WI S of FEAC).	
TSC-50-G3	Q-SYS 5" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	\$1,500.00
TSC-70-G3	Q-SYS 7" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	\$1,905.00
TSC-101-G3	Q-SYS 10.1" PoE Touch Screen Controller for In-Wall Mounting. Color - Black only	\$3,170.00
TSC-50t-G3	Table top mounting accessory for TSC-50-G3.	\$275.00
TSC-710t-G3	Table top mounting accessory for TSC-70-G3 and TSC-101-G3.	\$455.00
QIO-GP8x8	Q-SYS peripheral providing control expansion with 8 logic inputs and 8 logic outputs. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	\$455.00
QIO-IR1x4	Q-SYS peripheral providing control expansion with 1 IR receiver, 4 IR emitters. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	\$550.00
QIO-S4	Q-SYS peripheral providing control expansion with 4 serial communication I/O. Up to 4 devices daisy-chainable. 1U-1/4W, powered over Ethernet or +24 VDC. Surface mountable, rack kit sold separately.	\$455.00
Q-SYS AV-to-USB Bridging		
NC-110	110° Horizontal Field of View, ePTZ network camera, PoE, includes mounting bracket for monitor and surface mounting	\$1,450.00
NC-12x80	12x Optical Zoom 80° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket	\$4,625.00
NC-20x60	20x Optical Zoom 60° Horizontal Field of View, PTZ Network Camera, PoE, with HDMI and SDI output. Includes PTZ-WMB1 wall mount bracket.	\$5,545.00
PTZ-CMB1	Accessory Ceiling Mount Bracket for PTZ Camera, NC-12x80 and NC-20x60.	\$155.00
PTZ-WMB1	Accessory Wall Mount Bracket for PTZ Camera, NC-12x80 and NC-20x60.	\$155.00
I/O USB Bridge	Q-SYS PoE bridging endpoint for AV-to-USB Bridging. Delivers driverless USB 2.0 connection. Includes dual LAN connections.	\$2,085.00
Q-SYS NM Series Network	· · · · · · · · · · · · · · · · · · ·	
NM-T1-BK	Tabletop network microphone with RGB light ring and onboard meeting controls, PoE powered. Includes mounting kit and soft-flex CAT6 cable.	\$1,160.00
Q-SYS NL Series Network L		
NL-C4-WH	4" Full-range, low-profile ceiling-mount network loudspeaker, PoE/PoE+ powered. Includes C-ring and tile rails. Color - White.	\$534.00

	PRODUCT	DESCRIPTION	LIST
	NL-P4-BK	4" Full-range, pendant-mount network loudspeaker, PoE/PoE+ powered. Includes hanging hardware. Color - Black.	\$587.00
	NL-P4-WH	4" Full-range, pendant-mount network loudspeaker, PoE/PoE+ powered. Includes hanging hardware. Color - White.	\$587.00
	NL-SB42	3.5" Two-way network soundbar, PoE/PoE+ powered. Includes hanging hardware.	\$770.00
Q-SYS N	L Series Network Lo	udspeakers Accessories	
NEW	NL-C179C-WH	Zero Bezel Collar Accessory for 179mm (NL-C4), priced individually, sold in packs of 6.	\$49.50
Q-SYS U	C Compute Bundle		
NEW	UC-MTR-L	Q-SYS UC Compute Bundle for Microsoft Teams Rooms includes a Lenovo ThinkSmart Core UC Compute, 10.1" CAT-extended UC Touchscreen Controller w/Link box and an SLQUC- MTRI feature license (enabling use of up to 4 UCIs and 8 scripts/plugins, Perpetual). Deploy with any Q-SYS Core processor.	\$5,650.00
-	oftware Licenses		
Require	d for some Q-SYS de	sign files, check with QSC Sales Team for details on Q-SYS Software Licensing	
*	SLDAN-8-P	Q-SYS Software-based Dante 8x8 Channel License, Perpetual.	\$320.00
	Note *: Core 110f s	old prior to 30-March-2020, Core 510i and Core 5200 sold prior to 31-December-2020, and a	II NV-32-H (C
**	SLDAN-16-P	Q-SYS Software-based Dante 16x16 Channel License, Perpetual.	\$560.00
**	SLDAN-32-P	Q-SYS Software-based Dante 32x32 Channel License, Perpetual.	\$920.00
	Note **: Core 110f	, Core 8 FLEX, Core NANO, Core 510i, Core 610, Core 5200, NV-32-H (Core Capable)	
***	SLDAN-64-P	Q-SYS Software-based Dante 64x64 Channel License, Perpetual	\$1,785.00
***	SLDAN-128-P	Q-SYS Software-based Dante 128x128 Channel License, Perpetual	\$3,475.00
	Note ***: Core 510	i, Core 610, Core 5200	
****	SLDAN-256-P	Q-SYS Software-base Dante 256x256 Channel License, Perpetual	\$6,495.00
	Note ****: Core 61	0, Core 5200	
****	SLDAN-512-P	Q-SYS Software-base Dante 512x512 Channel License, Perpetual	\$12,010.00
	Note *****: Core 5	200	
	SLQUD-110-P	Q-SYS Core 110 UCI Deployment Software License, Perpetual.	\$235.00
	SLQSE-110-P	Q-SYS Core 110 Scripting Engine Software License, Perpetual.	\$465.00
	SLQUD-510-P	Q-SYS Core 510 UCI Deployment Software License, Perpetual.	\$580.00
	SLQSE-510-P	Q-SYS Core 510 Scripting Engine Software License, Perpetual.	\$1,040.00
	SLQUD-610-P	Q-SYS Core 610 UCI Deployment Software License, Perpetual.	\$580.00
	SLQSE-610-P	Q-SYS Core 610 Scripting Engine Software License, Perpetual.	\$1,040.00
	SLQUD-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). UCI Deployment Software License, Perpetual.	\$116.00
	SLQSE-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable). Scripting Engine Software License, Perpetual.	\$234.00

	PRODUCT	DESCRIPTION	LIST
Core		Q-SYS Collaboration Bundle scaling license for Core Nano and Core 8 Flex that doubles the	
Nano &		networked audio capacity to 128x128, doubles the maximum number of next-generation	
Core 8	SLCOL-8N-P	AEC processors to 16, doubles the maximum number of Softphone instances to 4, and	\$1,275.00
Flex		doubles the general purpose processing capacity, Perpetual.	
Core		Q-SYS Commercial AV Bundle scaling license for Core Nano and Core 8 Flex that doubles	
Nano &		the networked audio capacity to 128x128, doubles the Media/WAN streaming capacity to	
Core 8	SLCOM-8N-P	24x24, expands the maximum number of peripherals hosted to 48, and doubles the	\$1,275.00
Flex		general purpose processing capacity, Perpetual.	
		Q-SYS Capacity Scaling license for Core 610 that expands networked audio capacity to	
		384x384 channels, expands Media/WAN streaming capacity to 96x96 channels, increases	
	SLCS15-610-P	the maximum number of next-generation AEC processors to 96, and adds 50% more	\$5,335.00
		general purpose processing capacity.	
		Q-SYS AV Bridging feature license. One license is required per TSC Series Gen 3 touch	
	SLQBR-P	screen controller with AV Bridging enabled. Perpetual.	\$670.00
	SLUDK-P		\$670.00
		For NV-21-HU, TSC-70-G3 & TSC-101-G3	
	SLQCMS-NV32-P	Q-SYS Core Mode Video Streaming feature license. Enables network video encoding or	\$1,000.00
		decoding on Q-SYS NV-32-H (Core Capable) when in Core Mode. Perpetual.	
	SLMST-8N-P	Q-SYS Core 8 Flex, Core Nano, NV-32-H (Core Capable) license for Microsoft Teams Room	\$350.00
		software features, enables both Q-SYS Scripting and UCI Deployment, Perpetual	
	SLMST-110-P	Q-SYS Core 110 license for Microsoft Teams Room software features, enables both Q-SYS	\$700.00
		Scripting and UCI Deployment, Perpetual	
	SLMST-510-P	Q-SYS Core 510 license for Microsoft Teams Room software features, enables both Q-SYS	\$1,620.00
		Scripting and UCI Deployment, Perpetual	. ,
	SLMST-610-P	Q-SYS Core 610 license for Microsoft Teams Room software features, enables both Q-SYS	\$1,620.00
	01	Scripting and UCI Deployment, Perpetual	+=)0=0.00
	SLMTP-32	Multi-Track Playback Option - up to 32 Channels; (requires a Media Drive installed to	\$3,210.00
		activate, except on Cores 610 and 5200). For Cores: Nano, 8 Flex, 110f, 510i, 610 and	+0)==0.00
	SLMTP-64	Multi-Track Playback Option - up to 64 Channels; (requires a Media Drive installed to	\$6,420.00
	52.000	activate, except on Cores 610 and 5200). For Cores: 510i, 610 and 5200	<i>\$6,120.00</i>
	SLMTP-128	Multi-Track Playback Option - up to 128 Channels; (requires a Media Drive installed to	\$12,840.00
		activate, except on Cores 610 and 5200). For Cores: 510i, 610 and 5200	912,040.00
Q-SYS P	aging Peripherals &	Accessories	L
	PS-1600H	Q-SYS 16-Button Wall Mounted Page Station; Handheld (H) Microphone.	\$3,695.00
			+0,000.00
	PS-1600G	Q-SYS 16-Button Wall Mounted Page Station; Gooseneck (G) Microphone.	\$3,695.00
			+0,000.00
	PS-1650H	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; Handheld (H)	\$3,695.00
	13 103011	Microphone.	\$3,033.00
	PS-1650G	Q-SYS 16-Button Command Code (A-P) Wall Mounted Page Station; Gooseneck (G)	\$3,695.00
	F 3-10300	Microphone.	\$3,095.00
	PS-X	Q-SYS Page Station Expander, Handheld microphone.	\$850.00
	1.3-X		\$850.00
	PS-ACC	Q-SYS Gooseneck Page Station Podium Mounting Flange Accessory.	\$150.00
			\$150.00
O-SYS N	S Series Gen 2 Netv		
~~ ····	1	10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE+	
	NS10-125+	ports and 125 Watts PoE budget. Features advanced QoS and IGMP configuration to also	\$1,320.00
	NS10-125+	support AES67 and Dante within the same VLAN.	\$1,320.00
	NS10-125+	support AES67 and Dante within the same VLAN. 10-port network switch preconfigured for Q-SYS Audio, Video and Control with 8x PoE++	
	NS10-125+ NS10-720++	support AES67 and Dante within the same VLAN.	\$1,320.00 \$2,995.00

	PRODUCT	DESCRIPTION	LIST
		26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE+	
	NS26-300+	ports and 300 Watts PoE budget. Features advanced QoS and IGMP configuration to also	\$2,995.00
		support AES67 and Dante within the same VLAN.	
		26-port network switch preconfigured for Q-SYS Audio, Video and Control with 24x PoE++	
	NS26-1440++	ports and 1440 Watts PoE budget. Features advanced QoS and IGMP configuration to also	\$5,635.00
		support AES67 and Dante within the same VLAN.	
	Note: O-SYS NS S	eries Gen 2 is intended for standalone AV networks. QSC does not support applications beyon	d the
		rations, such as additional VLANs, other AVC protocols etc.	
D-SYS No	etwork Video I/O		
		4K60 4:4:4 Network Video Endpoint for the Q-SYS Ecosystem, software configurable as	
	NV-32-H (Core	Encoder or Decoder. 3 HDMI 2.0 Inputs, 2 HDMI 2.0 Outputs, on-board AV Bridging.	
	Capable)	Supports optional stand-alone "Q-SYS Core Mode" operation for audio DSP with local	\$4,170.00
	Capable)	video switching (no encoding or decoding) and AV Bridging.	
		4K60 4:4:4 Network Video Endpoint for Q-SYSEcosystem, software configurable as	
		· · · ·	62.250.00
	NV-21-HU	Encoder or Decoder. 1 HDMI 2.0 Input, 1 USB-C Input, 1 HDMI 2.0 output. Optional	\$2,250.00
		Software License to enable AV Bridging (SLQBR-P).	
	NV-21-PSU	12v 10a Aux Power Supply for NV-21-HU to enable USB-C device charging	\$285.00
DIGITAL	Accessories		
	PTL-1	Pilot Tone Load for End-of-line monitoring of loudspeaker circuits.	\$74.00
			<i></i> ,
EOL	DAB-801	DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundancy when used	\$2,670.00
	5/15 001	with Q-SYS DataPort I/0, 4 RU.	<i>\L</i>)070.00
EOL - with	IT-8400	Isolation Output Transformer Panel, 25/70/100 volt, 8 Channels, 400 w/ch, Rack Mount, 4	\$1,920.00
stock	11 0400	RU.	Ş1,520.00
501		DataPort Accessory card, converts an HD15 connector on DataPort amplifiers to a	
EOL - with stock	DDI-3	terminal block style connector. Also provides audio signal access when connected to the	\$95.00
		outputs of DataPort-equipped processors.	
		DataPort accessory card, converts an HD15 connector on DataPort amplifiers to a terminal	
	DDI-11	block style connector. Same as DDI-3, except DataPort connector is right angle mounted.	\$42.50
		Provides access to the amplifier's 15Vdc output, standby control connectivity.	
	DPC-2	DataPort cable, HD15 connector, 2 ft. length.	\$22.00
	DPC-4	DataPort cable, HD15 connector, 4 ft. length.	\$32.50
	DPC-6	DataPort cable, HD15 connector, 6 ft. length.	\$39.50
	DPC-10	DataPort cable, HD15 connector, 10 ft. length.	\$55.00
DPM - D	IGITAL PROCESSO		•
		10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel bi-, tri-	40.000.00
	DPM-300	and quad-amp, Intrinsic Correction™, Ethernet control.	\$3,900.00
		10 Ch. Digital Cinema Processor with booth monitor, crossovers, 3 screen channel tri-and	
	DPM-300H	quad-amp, Intrinsic Correction™, Ethernet control, with HDMI in/out, Dolby [®] Digital Plus	\$4,500.00
		TEST & MEASUREMENT	
EOL - with		Light and Sound Sensor, XYZ color sensor with Power over Ethernet. Replaces LSS-100P.	
stock	LSS-200	Does not include power supply.	\$1,150.00
		REFERENCE MONITOR SYSTEM	
ererence	e-quanty audio mom	NOTE: Q-SYS Level 1 for Cinema training required. noning system with Q-SYS processing, amplification, and loudspeakers. Solu as complete system only. S	ystem
comprise			
	-	i10i Kit, configured with one CODP4 I/O card per screen channel position	
•		and one DCA 3022 per screen channel position	
oudsnea	kers One RSC112 a	Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual	
			60 250 00
	Core 510i Kit	redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 2RU. Rear	\$8,250.00
		plates are included.	

PRODUCT	DESCRIPTION	LIST
CODP4	Four channels (2 DataPorts) for connection to DataPort equipped QSC amplifiers.	\$645.00
DCA1222	2 channels, 215 watts/ch @ 8 Ω , 375 watts/ch @ 4 Ω , 600 watts/ch @ 2 Ω . Priced individually.	\$1,250.00
DCA3022	2 channels, 625 watts/ch @ 8 Ω , 1050 watts/ch @ 4 Ω , 1500 watts/ch @ 2 Ω . Priced individually.	\$1,760.00
RSC112	Tri-amp, 3-way, consists of 1x12" LF, coaxial MF/HF. Requires NL8 connectors (not supplied by QSC). Priced individually.	\$3,875.00
RSB212	LFE (subwoofer), dual 12" 500 W transducers, 96 dB sensitivity. Requires NL8 connectors (not supplied by QSC). Priced individually.	\$2,545.00
RBK-12	(Optional) Baffle wings kit for RSC-112 and RSB-212; one kit includes one Left and one Right wing section and attachment hardware. One kit per loudspeaker.	\$720.00

	PRODUCT	DESCRIPTION	LIST
		Attero Tech by Q-SYS	
Axiom S	eries		
	ΑΧΡΙΟ	2 Channel Axiom Bus Analog Input and Output expander (for use with Axiom wall plates).	\$310.00
	BT1	Single gang US Bluetooth Wall Plate interface (includes white and black faceplates, Axiom	\$605.00
		bus compatible).	<i></i>
Axon Se	ries	A Channelly (O laster faces of the signal (O LAECCE LICE 2) (F) (A supplifying Dates 1 (2) at more than idea	
	A4FLEX	4 Channel I/O Interface w/ Logic I/O, AES67, USB, 2x5W Amplifier, PoE+, 1/3rd rack width w/mounting ears (rack tray kit sold separately)	\$1,717.00
	1RU Steel Rack Tray	Axon series, 1 RU rack tray	\$212.00
	C1	Single gang US, IP Wall Controller, PoE (includes white and black faceplates)	\$770.00
	D2i	Single gang US Dante/AES67 Wall Plate with 2 Mic/Line Inputs on XLR and 1/4" TRS combo connectors, PoE (includes white and black faceplates, Axiom bus expansion capable).	\$1,150.00
	DBU	Dante/AES67 USB and Bluetooth audio bridging interface, PoE.	\$925.00
	DTH1620	Dante/AES67 16-channel by 20 Watt ruggedized themed attraction amplifier.	\$3,745.00
Universa	al AV Series		
	unD6lO	4x2 Channel Dual Gang US, Dante/AES67 Wall Plate 2 Mic/Line In (XLR), RCA, 3.5 mm I/O,	\$1,160.00
		PoE (white and black faceplates included).	\$1,100.00
	unD6IO-BT	4x2 Channel 2 Gang US, Dante/AES67 Wall Plate w/Bluetooth, RCA, 3.5 mm I/O, PoE	\$1,385.00
		(white and black faceplates included).	
	unDNEMO	64 Channel Desktop Dante Audio Monitor w/USB.	\$1,370.00
	unDX2IO+	4x2 Channel 2 Gang US Dante/AES67 Wall Plate 2 Mic/Line In x 2 Out (XLR), Phoenix I/O, PoE (white and black faceplates included)	\$1,070.00
	unDX4I	4x2 Channel Dual Gang, Dante/AES67 US Wall Plate 4 Mic/Line In (XLR), Phoenix I/O, PoE.	\$1,150.00
	unHX2D	Dante/AES67-enabled, HDMI Audio De-Embedder/Embedder.	\$1,550.00
Synapse	I/O Series		
	D16Mio	16x16 Channel Mic/Line I/O Dante/AES67 Interface, 1RU.	\$5,020.00
	D32Mi	32 Channel Mic/Line In Dante/AES67 Interface, 1RU.	\$6,725.00
	D320	32 Channel Line Out Dante/AES67 Interface, 1RU.	\$4,435.00
Paging S	eries		
	Zip4	4-Zone Dante/AES67 Paging Interface, PoE, dual gang.	\$1,420.00
	Zip4-3G	4-Zone Dante/AES67 Paging Interface, PoE, triple gang.	\$1,670.00
	Zip4-Mag Mic Base	Zip series magnetic mic receiver base.	\$53.50
	Zip4-PTT Mic-Std	Zip series PTT Paging microphone, RJ-45 terminated.	\$360.00
	Zip4-PTT Mic-Mag	Zip series PTT Paging microphone, RJ-45 terminated w/magnetic base.	\$450.00
All Seen	vision orders need to	Seervision by Q-SYS	ervision voli
		must reference the O-SVS quote number	,,
Compute	er Vision / AI Accele		
NEW	SVS1-2U	Seervision Base Processing, Computer Vision/AI Accelerator hardware, includes SDI capture card, 2RU form factor Supports 1 camera tracking / analysis channel. (Requires purchase of a SW license and a commissioning service).	\$5,835.00

	PRODUCT	DESCRIPTION	LIST
		Seervision Enhanced Processing, Computer Vision/AI Accelerator hardware, includes 4	\$8,835.00
NEW	SVS4-2U	input SDI capture card, 2RU form factor Supports 2 camera tracking / analysis channels.	
INEVV	3V34-20	(Requires purchase of one or two SW licenses, based on number of tracking camera	Ş8,855.00
		channels used and an advanced commissioning service).	
Seervisi	on Sofware Licenses	5	
NEW	SLSV-CAM-1YR	1 YR Term, Seervision SW license for single camera tracking / analysis channel.	\$3,050.00
NEW	SLSV-CAM-5YR	5 YR Term, Seervision SW license for single camera tracking / analysis channel.	\$12,200.00
NEW	SLSV-CAM-7YR	7 YR Term, Seervision SW license for single camera tracking / analysis channel.	\$17,080.00
	Note: The above li	censes are for single camera tracking for SVS1-2U (single license required) and SVS4-2U (up t	o 2 required)
Seervisi	on Commissioning L	icenses	
		Standard Seervision commissioning service includes:	
		* System Review with Dealer Project Management and Dealer Q-SYS Programmer	
NEW	SV-STD-COM	* Up to 5 hours of factory-direct remote commissioning of a Seervision software	\$2,500.00
		configuration and control validation as needed	
		*Up to 1 hour post-commissioning check-in and Seervision GUI review	
		Advanced Seervision commissioning service. includes:	
		* System Review with Dealer Project Management and Dealer Q-SYS Programmer	
NEW	SV-ADV-COM	* Up to 8 hours of factory-direct remote commissioning of a Seervision software	\$4,175.00
		configuration and control validation as needed	
		* Up to 2 hours post-commissioning check-in and Seervision GUI review	
	Note: Both Commi	issioning Services do not include Q-SYS ACPR commissioning, a separate SOW may apply bas	ed on
Seervisi	on Extended Warra	nty	
NEW	SVS1-EXW-1YR	1 YR Extended warranty for SVS1-2U hardware.	\$583.50
NEW	SVS4-EXW-1YR	1 YR Extended warranty for SVS4-2U hardware.	\$883.50
	Note: Total Warra	nty is limited to maximum of 5 years, 3 years standard + 2 years extended for SVS1-2U and S	VS4-2U