

























Part Number	Product Name and Description	MSRP
HDTV Tuners		
5114-001	232-ATSC 4K HDTV Tuner Includes: PS12-1.5 Power Supply* & Universal Rack Mount Kit, Optional: HD2-RC IR Remote <ul style="list-style-type: none"> • Half rackable unit that tunes analog and digital channels in ATSC, NTSC, and clear QAM formats over Air/Cable with scaling and CC • Decodes H.264/ MPEG-2 TV Programs • Always-active HDMI, component, composite video, stereo, and digital coax and Toslink optical audio ports • Dolby Audio or PCM/Variable PCM digital audio formats for digital audio ports and HDMI • IP streaming output via Ethernet port 	\$1,130
5111-001	ATSC-SDI 4i HDTV Tuner with SDI & HDMI Includes: PS12-1.5 Power Supply* & Universal Rack Mount Kit, Optional: HD2-RC IR Remote <ul style="list-style-type: none"> • Tunes analog and digital channels in ATSC, NTSC, and clear QAM formats over Air/Cable with internal scaling and CC • Decodes H.264/ MPEG-2 TV Programs, delivering up to 1080p video • SDI, HDMI, Ethernet video, analog, stereo, and digital coax and Toslink optical audio ports • 708/608 captioning data is embedded in the SDI output • IP streaming output via Ethernet port 	\$1,497
5122-001	ATSC-mini HDTV Tuner Includes: PS12-1.0 Power Supply* Optional: HD2-RC IR Remote & IR-RXD External IR Receiver <ul style="list-style-type: none"> • Tunes analog and digital channels in ATSC, NTSC, and clear QAM formats over Air/Cable with internal scaling and CC • Decodes H.264/ MPEG-2 TV Programs • Always-active HDMI and stereo analog audio outputs • Web pages for remote setup, configuration, and control • Decodes analog and digital closed captioning 	\$950
* PS12-8-4Y powers up to 4 HDTV Tuners and is available for exchange of PS12-1.5 at the time of purchase when ordering in groups of 3-4		
Venue Vizion HDTV Distribution and TV Control		
Venue Vizion	Venue Vizion - HDTV Distribution and TV Control Includes: Four modulators , Twenty IR/232 Display Controllers, One QCA9-33, One ICE-HE-DXL, CC-COM Cables, Power Supplies, Rack Mounting Hardware Choice Of: Modulators: QMOD-HDMI 2, QMOD-YPB 2, and/or QMOD-HDMI RGB Display Controllers: ICC1-232 and/or ICC1-IRX <ul style="list-style-type: none"> • Creates Eight High Definition Channels • Controls twenty displays and/ or projectors • User friendly display control with users' PC, tablet, or smart phone • Ships rack ready, pre-configured, and pre-wired 	\$14,782
Venue Vizion IPTV	Venue Vizion IPTV - IPTV Distribution and TV Control Includes: Four IPTV Encoders , Twenty QIP-DVX IPTV Decoder/Controllers, One Luxul AV Managed Switch, One IP-DXL, Ethernet Cables, Power Supplies, Rack Mounting Hardware Choice Of: Encoders: QIP-HDMI 2 and/or QIP-YPB 2 <ul style="list-style-type: none"> • Creates Eight IPTV Streams • Controls twenty displays and/ or projectors • User friendly display control with users' PC, tablet, or smart phone • Ships rack ready, pre-configured, and pre-wired 	\$19,995
HDTV Modulators - IPTV Encoders		
5098-001	QMOD-HDMI 2 HDTV Modulator - IPTV Encoder Includes: PS12-2 Power Supply*, two 3.5mm to RCA Audio Cables, & Universal Rack Mount Kit <ul style="list-style-type: none"> • Two HDMI (non-HDCP) inputs: up to 1080p video and audio • Accepts stereo, PCM, or pass-through AC-3 audio with two sets of stereo and S/PIDF inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port, simultaneous RF and IPTV output • Adjustable RF output level up to 45dBmV 	\$2,226
5105-001	QMOD-HDMI RGB HDTV Modulator - IPTV Encoder Includes: PS12-2 Power Supply*, 3.5mm to RCA Audio Cable, RCA to VGA Cable, & Universal Rack Mount Kit <ul style="list-style-type: none"> • One HDMI (non-HDCP) input: up to 1080p video and audio • One RGBHV/Component input, up to 1080p video • Accepts stereo, PCM, or pass-through AC-3 audio with two sets of stereo and S/PIDF inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port, simultaneous RF and IPTV Output • Adjustable RF output level up to 45dBmV 	\$2,226

Part Number	Product Name and Description	MSRP
5104-001 	QMOD-SDI HDMI HDTV Modulator - IPTV Encoder Includes: PS12-2 Power Supply*, 3.5mm to RCA Audio Cable, & Universal Rack Mount Kit <ul style="list-style-type: none"> • One SDI input: SD/HD/3G 480i to 1080p • One HDMI (non-HDCP) input: up to 1080p video and audio • Two Composite/CC video inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Accepts embedded 608/708 and NTSC Line 21 captioning • Encodes embedded, S/PDIF and stereo audio, PCM or AC-3 • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port, simultaneous RF and IPTV output • Adjustable RF output level up to 45dBmV 	\$2,745
5095-001 	QMOD-SDI 2 HDTV Modulator - IPTV Encoder Includes: PS12-2 Power Supply* & Universal Rack Mount Kit <ul style="list-style-type: none"> • Two SDI inputs: SD/HD/3G-SDI 480i to 1080p • Two Composite/CC video inputs for captioning or EAS • Accepts embedded 608/708 captioning • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port, simultaneous RF and IPTV output • Adjustable RF output level up to 45dBmV 	\$3,205
5097-001 	QMOD-YPB 2 HDTV Modulator - IPTV Encoder Includes: PS12-2 Power Supply* & Universal Rack Mount Kit <ul style="list-style-type: none"> • Two Component inputs: 720p/1080i/480p/480i • Two Composite/CC video inputs for encoding, captioning, or EAS • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port, simultaneous RF and IPTV output • Adjustable RF output level up to 45dBmV 	\$2,226
* PS12-8-4Y powers up to 4 Modulators and is available for exchange of PS12-2 at the time of purchase when ordering in groups of 3-4		
IPTV Encoders		
5108-001 	QIP-HDMI 2 IPTV Encoder Includes: PS12-2 Power Supply*, two 3.5mm to RCA Audio Cables, & Universal Rack Mount Kit <ul style="list-style-type: none"> • Two HDMI (non-HDCP) inputs: up to 1080p video and audio • Accepts stereo, PCM, or pass-through AC-3 audio with two sets of stereo and S/PDIF inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port 	\$2,150
IPTV Encoders (Continued)		
5109-001 	QIP-SDI 2 IPTV Encoder Includes: PS12-2 Power Supply* & Universal Rack Mount Kit <ul style="list-style-type: none"> • Two SDI inputs: Two SDI inputs: SD/HD/3G-SDI 480i to 1080p • Two Composite/CC video inputs for captioning or EAS • Accepts embedded 608/708 captioning and AC-3/AES Audio, PCM, or pass-through AC-3 audio with two sets of stereo and S/PDIF inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port 	\$2,977
5110-001 	QIP-SDI HDMI IPTV Encoder Includes: PS12-2 Power Supply*, 3.5mm to RCA Audio Cable, & Universal Rack Mount Kit <ul style="list-style-type: none"> • One SDI input: One SDI input: SD/HD/3G 480i to 1080p • One HDMI (non-HDCP) input: up to 1080p video and audio • Two Composite/CC video inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Accepts embedded 608/708 captioning and AC-3/AES Audio, PCM, or pass-through AC-3 audio with two sets of stereo and S/PDIF inputs • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port 	\$2,526
5115-001 	QIP-YPB 2 IPTV Encoder Includes: PS12-2 Power Supply* & Universal Rack Mount Kit <ul style="list-style-type: none"> • Two Component inputs: 720p/1080i/480p/480i • Two Composite/CC video inputs for encoding, captioning, or EAS • Accepts pass-through AC-3 audio with two sets of stereo and S/PDIF inputs • Hardware scalers allow many resolutions, 59.94/60 Hz, and PAL • Creates a high-definition 720p/1080i MPEG-2/H.264 stream • Streams IPTV through GigE Ethernet port 	\$2,150
* PS12-8-4Y powers up to 4 IPTV Encoders and is available for exchange of PS12-2 at the time of purchase when ordering in groups of 3-4		
Network Switch		

Part Number	Product Name and Description	MSRP
5302-001	 <p>Luxul AV-Series 26-port/24 PoE+ Gigabit Managed Switch Includes: Rack Mount Kit, Rubber Feet, Power Cord The 26-Port Gigabit L2/L3 Managed Switch features rear panel ports and front facing LEDs for clean integration with AV rack systems. The 26-port Gigabit switch includes 24 PoE+ ports, allowing you to use standard Ethernet cable to deliver both power and high speed data to 802.3af/at-compliant devices. It also features advanced management, VLAN and security capabilities to ensure optimal benefit from your home or office network.</p>	\$1,767
IPTV Decoders		
5117-001	 <p>IP-SDI 4i IPTV Decoder with SDI Includes: PS12-1.5 Power Supply* & Universal Rack Mount Kit, Optional: HD2-RC IR Remote</p> <ul style="list-style-type: none"> • Decodes MPEG-2/H.264 MPEG-TS IPTV Streams • SDI and HDMI selectable video output resolutions: 480i, 480p, 720p, 1080i, 1080p, or Auto • 1080p fixed at 60Hz frame rate, 1080i and 720p selectable at 60 or 59.94Hz • Decodes analog and digital closed captioning • Passes through 608 and 708 closed caption data on SDI output • Rack-mountable two across in 1RU 	\$1,474
RF Amplifiers & Combiners		
5081-001	 <p>QCA9-33 Active Combiner Includes: PS12-500 Power Supply & Universal Rack Mount Kit</p> <ul style="list-style-type: none"> • Combines 8 high-level channels (QMOD 29 dBmV) and one low level input (Cable, ICE-HE DXL at 10-18 dBmV), cascade multiple QCA9-33 units for up to 72 channels in one array • Amplifies with a 3 dB net gain, up to maximum 33 dBmV output level 	\$368
5082-001	 <p>QCP8 Passive Combiner Includes: Universal Rack Mount Kit</p> <ul style="list-style-type: none"> • Combines 8 RF sources 	\$299
5092-001	 <p>QDA4-45 Distribution Amp Combiner Includes: PS12-1.0 Power Supply & Universal Rack Mount Kit</p> <ul style="list-style-type: none"> • Switches between one input or four input combiner • Adds up to 32dB gain for one input, 25 dB for 4 inputs • Front panel gain adjustment and LCD level display • Provides a maximum output level of up to 50 dBmV • Wideband, low noise amplifier 	\$481
TV & Display Control		
5059-007	 <p>SW-DX Display Express Software (ONLY) Requires : Dedicated Windows PC</p> <ul style="list-style-type: none"> • Serves display control Web pages to facility LAN • Display pages automatically create Web buttons for commands • Schedule pages launch presets by date, time and cycle • Alert pages create buttons for video paging and alerts • TV control panels select TV's and change channels, volume and power 	\$1,805
5059-003	 <p>SSV-DX Display Express PC with Software Includes: 1 RU rack mountable PC, power cord, keyboard, mouse, Display Express Software, and RS-232 cable</p> <ul style="list-style-type: none"> • 1 RU rack mount computer with Display Express software pre-installed (Windows 10) • Includes 6 month Warranty 	\$3,826
TV & Display Control (Continued)		
5041-001	 <p>ICE-HE-DXL Display Control Center Includes: PS12-500 Power Supply, embedded DXL software, & Universal Rack Mount Kit</p> <ul style="list-style-type: none"> • RS-232, USB, and IP Control • Hosts embedded Display Express Lite Software accessed via web browser • Offers control for up to 4000 displays over RF coax • Front-panel menus for system setup 	\$1,545
5041-002	 <p>IP-DXL Display Control Center Includes: PS12-500 Power Supply, embedded DXL software, & Universal Rack Mount Kit</p> <ul style="list-style-type: none"> • RS-232, USB, and IP Control • Hosts embedded Display Express Lite Software accessed via web browser • Offers control for up to 4000 IPTV Decoder/Controllers • Front-panel menus for system setup 	\$1,053

Part Number	Product Name and Description	MSRP
5064-001 	ICC1-232 RS-232 Display Controller, 1-way RF Includes: PS12-500, RF "loop-thru" cable, and mounting kit Optional: CC-COM, CC-232, (at least 1 per IC-RC per system) • Controls most brands of RS-232 controlled TVs and displays • Delivers absolute power control with discrete RS-232 commands	\$353
5101-001 	ICC1-IRX Display Controller, 1-way RF Includes: PS12-500, RF "loop-thru" cable, mounting kit, and IR Emitter Optional: CC-USB Power Sensor Cable • Receives control commands through the RF coax • Hosts database of IR commands for most brands of TVs • Senses power status from optional CC-USB Power Sensor Cable for TVs that don't have discrete power commands	\$353
5119-001 	ICC1-TC Tuner/Controller Includes: PS12-1.5 Power Supply & 12" mini-coax "F" male to male RF cable • Controls HD display monitors and projectors over coax using Display Express or custom control systems • Employs RS-232 control port for integrated display control, includes onboard database of display control types • Tunes ATSC off-air, clear QAM cable, and analog channels • Always-active HDMI and stereo analog audio outputs • Outputs up to 2160p, decodes both MPEG-2 and H.264 digital programs	\$977
5116-001 	QIP-DVX IPTV Decoder/Controller Includes: IR Emitter Optional: PS12-1.0 Power Supply, IR-RXD External IR Receiver, HD2-RC IR Remote Control, and CC-USB Power Sensor Cable • Decodes MPEG2/H.264 MPEG-TS IPTV Streams • Receives commands via Ethernet for RS-232 and/or IR display control • HDMI video output resolutions: 480i-4K • PoE, 6W or 11 to 14 VDC at 0.5A max • Optical S/PDIF and USB inputs for IR power sense logic	\$655
Light Alert		
5500-001 	LA-B18 Light Alert Remote Controllable Signaling Device Includes: 6-32 x 1.75" mounting screws, Optional: PS12-1.0 Power Supply • RS-232, USB, and IP Control • 17.5" x 0.5" RGB LED bar element • Surface mountable or mounts to 2-gang electrical enclosure • PoE or external 12VDC power supply	\$470
Audio		
5088-001 	232-AMP+ Stereo Mixer/Amplifier Includes: PS18-3 Power Supply • Drives one pair stereo speakers at 16W watts per channel at 8 ohms, 20W per channel at 4 ohms • Mixes one stereo line input with two mono inputs, mono inputs can "duck" other inputs, with programmable ducking on/off, threshold, timing and mute levels • Features programmable input levels, maximum and minimum gain, and volume (volume affects stereo input, mono fixed) • UL 2043 plenum rated	\$353
5096-001 	232-Amp+W Stereo Mixer/Amplifier Includes: PS18-3 Power Supply and rack mounting hardware • Drives one pair stereo speakers at 16W watts per channel at 8 ohms, 20W per channel at 4 ohms • Mixes one stereo line input with two mono inputs, mono inputs can "duck" other inputs, with programmable ducking on/off, threshold, timing and mute levels • Features programmable input levels, maximum and minimum gain, and volume (volume affects stereo input, mono fixed) • UL 2043 plenum rated	\$353
5103-001 	SMG-40, Sound Masking Generator and Amp Includes: PS24-2.5 Power Supply, metal enclosure with surface mounting flanges • Employs pink noise optimized for speech privacy with bass, treble and level adjustment • 3.5mm stereo Music input with independent level control • Outputs 40W at 25V and 4/8 Ohm • Dual RJ-45 outputs compatible with Cambridge Qt Emitters • Provides 3-pin captive-screw terminal for 25V and 4/8 Ohm output • Includes contact closure input for amplifier mute	\$496
Power Supplies		
5400-001	PS12-500 - 12VDC 500mA Power Supply Powers: QCA9-33, ICC1-232, ICC1-IRX, ICE-HE-DXL,	\$23
5401-001	PS12-1.0 - 12VDC 1.0A Power Supply Powers: ATSC-mini, QDA4-45, LA-B18	\$30

Part Number	Product Name and Description	MSRP
5402-001	PS12-1.5 - 12VDC 1.5A Power Supply Powers: 232-ATSC 4K, ATSC-SDI 4i, ICC1-TC, Legacy ATSC-series tuners	\$30
5403-001	PS12-2.0 - 12VDC 2.0A Power Supply Powers: 2 Channel QMOD and QIP Series Products	\$37
5404-001	PS12-8-4Y - 12VDC 8.0A Power Supply with 4 Unit Y cable Powers: Powers up to 4 HDTV Tuners, QMODs, or QIPs	\$97
5405-001	PS18-3 - 18VDC 3.0A Power Supply with 2 Pin Terminal Powers: 232-AMP+ & 232-AMP+W	\$52
5406-001	PS24-2.5 - 24VDC 2.5A Power Supply Powers: SMG-40	\$52
Rack Mount Kits		
5008-001	RK1 - Single Rack Mount Kit, 1 RU For: HDTV Tuners, QMODs & Amplifiers Combiners	\$45
5008-015	RK2EZ - Dual Rack Mount Kit, 1 RU For: HDTV Tuners, QMODs & Amplifiers Combiners	\$45
General Accessories		
5024-004	HD2-RC - IR Remote For: HDTV Tuners, IPTV Decoders	\$45
5032-001	IR-RXC - External IR Receiver (works with 232-ATSC 4K, ATSC-SDI 4i, IP-SDI 4i)	\$112
5034-001	IR-RXD - External IR Receiver (works with QIP-DVX, ATSC-mini, ICC1-TC)	\$23
5077-001	RF-AB - Switch, self termination, closure controlled	\$112
Display Control Accessories		
5061-003	CC-COM-B - RS-232 Black Null Modem Cable, DB9F-F, 6 Ft.	\$23
5061-009	CC-COM-3.5 - DB9F-3.5mm, Serial Cable, 6 Ft. For use on select LG, Samsung and all Sunbrite TV's.	\$23
5061-013	CC-USB - USB to 3.5mm Power Sensor Cable	\$23