SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
JBL Commercial Electronics	- · ·		· ·		
Powered Pro Soundbars					
PSB-1	PSB-1	PSB-1	2.0 active soundbar for hotels and cruise ships.	2.0 active soundbar with an application-specific feature set for hotel guestrooms and cruise ship staterooms.	314.05
PSB-1/230	PSB-1/230	PSB-1/230	2.0 active soundbar for hotels and cruise ships.	Same as PSB-1, with 230 Volt power cord.	314.05
MIXERS	1				
NCSM14-U-US	COMMERCIAL MIXER	NCSM14-U-US	CSM14	4 Input - 1 Output Mixer, Fanless, 1U Half-Rack, Mounting kit included	601.39
NCSM28-U-US	COMMERCIAL MIXER	NCSM28-U-US	CSM28	8 Input - 2 Output Mixer, Fanless, 1U Full-Rack, Mounting kit included	856.59
MIXER-AMPLIFIERS					
NVMA1120-0-US	Commercial Mixer-Amplifier	NVMA1120-0-US	VMA1120	VMA 1120: (5) input channel x (1) 120W output channel Mixer/Amplifier	675.07
NVMA1240-0-US	Commercial Mixer-Amplifier	NVMA1240-0-US	VMA1240	VMA 1240: (5) input channel x (1) 240W output channel Mixer/Amplifier	821.29
NVMA160-0-US	Commercial Mixer-Amplifier	NVMA160-0-US	VMA160	VMA 160: (5) input channel x (1) 60W output channel Mixer/Amplifier	528.84
NVMA260-0-US	Commercial Mixer-Amplifier	NVMA260-0-US	VMA260	VMA 260: (5) input channel x (2) 60W output channel Mixer/Amplifier	827.00
NVMA2120-0-US	Commercial Mixer-Amplifier	NVMA2120-0-US	VMA2120	VMA 2120: (8) input channel x (2) 120W output channel Mixer/Amplifier	894.41
NCSMA1120-U-US	COMMERCIAL MIXER-AMP	NCSMA1120-U-US	CSMA1120	4 input - 1 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	1,134.50
NCSMA180-U-US	COMMERCIAL MIXER-AMP	NCSMA180-U-US	CSMA180	4 input - 1 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	839.66
NCSMA2120-U-US	COMMERCIAL MIXER-AMP	NCSMA2120-U-US	CSMA2120	8 input - 2 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	1,361.18
NCSMA240-U-US	COMMERCIAL MIXER-AMP	NCSMA240-U-US	CSMA240	8 input - 2 x 40W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	979.82
NCSMA280-U-US	COMMERCIAL MIXER-AMP	NCSMA280-U-US	CSMA280	8 input - 2 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	1,224.76
AMPLIFIERS					
NCSA1120Z-U-US	COMMERCIAL AMPLIFIER	NCSA1120Z-U-US	CSA1120Z	1 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	759.93
NCSA1300Z-0-US	Commercial Amplifier	NCSA1300Z-0-US	CSA1300Z		842.11
NCSA140Z-U-US	COMMERCIAL AMPLIFIER	NCSA140Z-U-US		1 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	372.94
NCSA180Z-U-US	COMMERCIAL AMPLIFIER	NCSA180Z-U-US	CSA180Z	1 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	602.03
NCSA2120R-U-US	COMMERCIAL AMPLIFIER	NCSA2120R-U-US	CSA2120R	2 x 120 Watt Amplifier at 4/8 Ohms	716.13
NCST2120-X	COMMERCIAL AMPLIFIER	NCST2120-X	CST2120	2-Channel Transformer Kit for CSA2120	187.30
NCSA2120Z-U-US	COMMERCIAL AMPLIFIER	NCSA2120Z-U-US	CSA2120Z	2 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	1,013.10
NCSA2300Z-0-US	Commercial Amplifier	NCSA2300Z-0-US	CSA2300Z	2 x 300W DriveCore Amplifier, Fanless, 8ohm/70V/100V, supports CSR-V volume control, sleep mode (w/	1,083.41
NCSA240Z-U-US	COMMERCIAL AMPLIFIER	NCSA240Z-U-US	CSA240Z	2 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	652.22
NCSA280Z-U-US	COMMERCIAL AMPLIFIER	NCSA280Z-U-US	CSA280Z	2 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	828.19
PAGING MICS					
CONTROLLERS - WALLPLATES					
JBLCSR2SVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSR2SVBLKV	CSR-2SV-BLK	Wall Controller with 2-Position Source Selector and Volume Control; US Version (Black) For use with CSM-21, CSM	101.11
JBLCSR2SVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSR2SVWHTV	CSR-2SV-WHT	Wall Controller with 2-Position Source Selector and Volume Control; US Version (White) For use with CSM-21,	102.13
JBLCSR3SVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSR3SVBLKV	CSR-3SV-BLK	Controller with 3-Position Source Selector and Volume Control; US Version (Black) For use with CSM-32	101.11
JBLCSR3SVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSR3SVWHTV	CSR-3SV-WHT	Wall Controller with 3-Position Source Selector and Volume Control; US Version (White) For use with CSM-32	101.11
JBLCSRVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSRVBLKV	CSR-V-BLK	Wall Controller with Volume Control; US Version (Black) For use with CSM-21, CSM-32, All CSMA	101.11
JBLCSRVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSRVWHTV	CSR-V-WHT	Wall Controller with Volume Control; US Version (White) For use with CSM-21, CSM-32, All CSMA	102.13
CSS Commercial Solutions Ceiling	0.35 . 6.1	5550004	All CENTRIC CON TIME		20.65
CSS8004	Ceiling Spkr	CSS8004	4" CEILING SPK, 5W	CSS8004 - 4" Commercial Series Ceiling Speaker, 15W Cont. Pink Noise power handling (100hr) driver, 90dB	29.65
CSS8008	Ceiling Spkr	CSS8008	8" CEILING SPK, 5W	CSS8008 - 8" Commercial Series Ceiling Speaker, 15W Cont. Pink Noise power handling (100hr) driver, 96dB	39.97
CSS8018 CSS-BB4X6	Ceiling Spkr Accessory	CSS-BB4X6	8" CEILING SPK, 10W 4" BACKCAN FOR CSS8004	CSS8018 - 8" Commercial Series Ceiling Speaker, 20W Cont. Pink Noise power handling (100hr) driver, 97dB  CSS-BB4x6 - 4" Backcans for CSS8004, 3.5" (89mm) deep x 8.4" (214mm) Diameter, zinc-plated, powder-coated	54.14 77.00
CSS-BB8X6	Accessory	CSS-BB8X6	8" BACKCAN FOR CSS8004 8" BACKCAN FOR CSS8008, CSS8018	CSS-BB8x6 - 8" Backcans for CSS8004, 3.5 (89mm) deep x 8.4 (214mm) Diameter, zinc-plated, powder-coated CSS-BB8x6 - 8" Backcans for CSS8008 or CSS8018, 4.3" (108mm) deep x 13.2" (334mm) Diameter, zinc-plated,	141.00
CSS-TR4/8x12	Accessory	CSS-TR4/8x12	TILE RAILS FOR CSS-BB4, CSS-BB8 BACKCANS	CSS-TR4/8x12 - Tile Rails for CSS-BB4 and CSS-BB8 Backcans, for 24" and 600 mm tiles, punched/formed steel,	51.57
LCT Lay-In Ceiling Series	Accessory	C33-1K4/6X12	TILE RAILS FOR C33-BB4, C33-BB6 BACKCAINS	C33-1K4/8X12 - The Kalls for C33-664 and C33-668 Backcarls, for 24 and 600 min thes, punched/formed steel,	31.37
LCT 81C/T	Ceiling Spkr	LCT 81C/T	2'v2' LAV.IN CELLING THE SDVD 9" DDIVED (HS SIZING	G LCT 81C/T - Lay-in Full-range Ceiling Tile Speaker for 2 Ft x 2 Ft US-style suspended grid ceilings, 8" (200mm) dual-	167.60
JBL-LCT 81C/TM	Ceiling Spkr	LCT 81C/TM		/ JBL-LCT 81C/TM - Lay-in Full-range Ceiling Tile Speaker for 600mm x 600mm suspended grid ceilings, 8" (200mm)	168.98
8100 Series Ceiling Speakers	Cennig Spki	ECT 81C/ TWI	OUDIVITY OUDIVITY EAT-IN CELETING THE SPRIN, 8 BILLY	DELECT OF TWO Lay-in Full-Fallige Celling File Speaker for Goodfilm & Goodfilm Suspended grid Cellings, 6 (20011111)	100.90
8124	Ceiling Spkr	8124	4" FULL-RANGE OPEN- BACK CEILING SPK, 6W	8124 - 4" Open-Back Styled-Grille Full-Range Ceiling Speaker, 93dB Sensitivity, 20W driver power capacity, 6W	46.00
8128	Ceiling Spkr	8128	8" FULL-RANGE OPEN- BACK CEILING SPK, 6W	8128 - 8" Open-Back Styled-Grille Full-Range Ceiling Speaker, high 97dB sensitivity, 25W driver power capacity,	59.00
HPD8138	Ceiling Spkr	8138	8" FULL-RANGE CEILING SPK FOR BACKCAN, 6W	8138 - 8" Full-Range Styled-Grille Ceiling Speaker for use with MTC-81BB8 backcan and MTC-81TB8 tile bridge,	63.00
MTC-8124C	Accessory	MTC-8124C	C-RINGS FOR 8124	MTC-8124C - C-Ring for 8124, for installations requiring C-ring to spread ceiling loading, integral clips for optional	13.00
MTC-8128C	Accessory	MTC-8128C	C-RINGS FOR 8128	MTC-8128C - C-Ring for 8128, for installations requiring C-ring to spread ceiling loading, integral clips for optional	22.00
MTC-81BB8	Accessory	MTC-81BB8	PRE-INSTALL DEEP BACKCAN FOR 8138	MTC-81BB8 - Pre-Install In-Ceiling Backcan for 8138, 7.4 liter (0.26 cu ft) internal volume, 7" (178mm) height x 11-	48.00
MTC-81TB8	Accessory	MTC-81TB8	PRE-INSTALL TILE BRIDGE FOR 8138 & 81BB8	MTC-81TB8 - Tile Bridge fits 8138 speaker and MTC-81BB8 backcan, 19 gauge (1mm thick) steel with Polymer e-	26.00
MTC-ThinC-EAR	Accessory	MTC-ThinC-EAR	THIN-CEILING DOG-EARS	Thin-ceiling dog-ears for when ceilings (or walls) are thin. Fits C24C/CT Micro & MircroPlus, C24C/CT, C26C/CT,	11.00
MTC-RAIL	Accessory	MTC-RAIL	TILE RAIL FOR 8124 & 8128	MTC-RAIL - Tile Rails for 8124 & 8128 (requires MTC-8124C or MTC-8128C C-ring) or for Control 42C speaker	14.00
10 Series Blind-Mount Ceiling				120 Specific	
CONTROL 12C/T	Ceiling Speaker	CONTROL 12C/T	3" FULL-RANGE CEILING SPKR (2 PER CTN)	Priced as each, packed and sold in pairs)"	106.14
CONTROL 12C/T-BK	Ceiling Speaker	CONTROL 12C/T-BK	3" FULL-RANGE CEILING SPKR (2 PER CTN), BLK	Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130°	106.14
CONTROL 14C/T	Ceiling Speaker	CONTROL 14C/T	4" CO-AX CEILING SPKR (2 PER CTN)	Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone	148.99
CONTROL 14C/T-BK	Ceiling Speaker	CONTROL 14C/T-BK	4" CO-AX CEILING SPKR (2 PER CTN), BLK	Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone	148.99
CONTROL 16C/T	Ceiling Speaker	CONTROL 16C/T	6-1/2" CO-AX CEILING SPKR (2 PER CTN)	Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene	191.19
CONTROL 16C/T-BK	Ceiling Speaker	CONTROL 16C/T-BK	6-1/2" CO-AX CEILING SPKR (2 PER CTN), BLK	Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene	191.19

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
CONTROL 18C/T	Ceiling Speaker	CONTROL 18C/T	8" 2-WAY CEILING SPKR, WHT (2 PER CTN)	Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and	262.17
CONTROL 18C/T-BK	Ceiling Speaker	CONTROL 18C/T-BK	8" 2-WAY CEILING SPKR, BLK (2 PER CTN)	Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and	262.17
MTC-14WG	Accessory	MTC-14WG	WEATHER GRILLE C12,C14 WH (2ea per ctn)	Weather Grille Accessory for Control 12C/T (White) and 14C/T (White). Aluminum, powder-coated, passed B117	25.00
MTC-14WG-BK	Accessory	MTC-14WG-BK	WEATHER GRILLE C12, C14, Black (2ea per ctn)	Weather Grille Accessory for Control 12C/T (Black) and 14C/T (Black). Aluminum, powder-coated, passed B117	24.00
MTC-16WG	Accessory	MTC-16WG	WEATHER GRILLE C16 WH (2ea per ctn)	Weather Grille Accessory for Control 16C/T (White) and Control 26C & 26CT. Aluminum, powder-coated, passed	29.00
MTC-16WG-BK	Accessory	MTC-16WG-BK	WEATHER GRILLE C16, Black (2ea per ctn)	Weather Grille Accessory for Control 16C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200 hours,	29.00
JBL-MTC-CSTETH1	Accessory	JBL-MTC-CSTETH1	Safety Tether, CS Grilles (1=pack of 10)	Kit of 10 safety tethers for JBL press-in ceiling speaker grilles. For Control 10 Series, Control Micros, Control 20	39.25
20 Series Blind-Mount Ceiling					
C24CT MICROPLUS	Ceiling Speaker	C24CT MICROPLUS	CONTROL MICRO W/25 WATT TRANSFORMER	Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide	169.18
С24СТ-ВК	Ceiling Speaker	C24CT-BK	CONTROL 24CT WITH TRANSFORMER BLACK	Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz – 20 kHz, 86 dB sensitivity, 80W program and	186.65
CONTROL 24C	Ceiling Speaker	CONTROL 24C	4" COAX CEILING SPKR ASSY (2 PER CTN)	4" Two-Way Vented Ceiling Speaker, 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power	171.86
CONTROL 24C MICRO	Ceiling Speaker	CONTROL 24C MICRO	4" COMPACT CEILING SPKR 8mstrpk	4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For	111.45
CONTROL 24CT	Ceiling Speaker	CONTROL 24CT	4" CEILING SPKR W/X-FORMER (2 PER CTN)	Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and	184.86
CONTROL 24CT MICRO	Ceiling Speaker	CONTROL 24CT MICRO	4" COMPACT CEILING SPKR W/TRANS 8mstrpk	Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W	118.17
CONTROL 26C	Ceiling Speaker	CONTROL 26C	6.5" COAX CEILING SPEAKER (2 PER CARTON)	6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power	222.89
CONTROL 26CT	Ceiling Speaker	CONTROL 26CT	6.5"CEILING SPKR W/X-FRMER(2PR Per CTN)	Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and	251.08
CONTROL 26-DT	Ceiling Speaker	CONTROL 26-DT	CEILING SPKR-Xfrmr no Backcan 2ea Carton	200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer	161.13
C26CT-LS	Ceiling Speaker	C26CT-LS	6.5"CEILING SPKR W/X-FRMER(2PR Per CTN)	Professional Ceiling Speaker for Life-Safety Applications.	271.23
CONTROL 19CS	Ceiling Speaker	CONTROL 19CS	8" CEILING SUBWOOFER (2 PER CARTON)	8" In-Ceiling Subwoofer, Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and	337.04
CONTROL 19CST	Ceiling Speaker	CONTROL 19CST	8" CEILING SUB W/X-FORMER (2 PER CARTON)	Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps	365.23
MTC-19MR	Accessory	MTC-19MR	MUD RING BRACKET, C19C/19CT (EA=6)	Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, Control 19CST, and Control 226C/T. Installs	312.00
MTC-19NC	Accessory	MTC-19NC	NEW CONSTRUCTION BRKT,C19C/19CT (EA=6)	Optional New Construction Bracket for Control 19CS, Control 19CST, Control 226C/T, MTC-300BB8 and MTC-	227.00
MTC-24MR	Accessory	MTC-24MR	MUDRING BRKT, C24C/24CT (EA=6)	Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro	189.00
MTC-24NC	Accessory	MTC-24NC	NEWCNSTRCTN BRKT,C24C/CT(EA=6)	Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs	146.00
MTC-24TR	Accessory	MTC-24TR	TRIMRING/RETROFIT C24 (1=10PCS)	Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack	197.00
MTC-26MR	Accessory	MTC-26MR	MUDRING BRKT, C26C/26CT (EA=6)	Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock,	225.00
MTC-26NC	Accessory	MTC-26NC	NEW CONSTRUCTION BRKT,C26C/26CT (EA=6)	Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout	167.00
MTC-26TR	Accessory	MTC-26TR	TRIMRING/RETROFIT C26 (1=10PCS)	Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack	197.00
MTC-48TRx12	Accessory	MTC-48TRx12	48" LONG TILE RAIL	Tile rails for using many of JBL's ceiling speaker in 1200 mm (48 in) ceiling tile grid systems. Inverted-V design.	348.00
MTC-PC2	Accessory	MTC-PC2	SEALED PANEL COVER (1=2 pcs)	Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount	34.00
MTC-PC3	Accessory	MTC-PC3	SEALED PANEL COVER (1=2 pcs)	Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount	41.00
MTC-TCD	Accessory	MTC-TCD	THICK-CEILING DOGEARS (1=24 pcs)	Thick-ceiling dogears for ceilings up to 60 mm (2.5 in) thick. Fits C24C/CT Micro & MicroPlus, C24C/CT, C26C/CT,	10.00
40 Series Premium Ceiling Speake			(		10.00
CONTROL 40CS/T	Ceiling Spkr	CONTROL 40CS/T	PREMIUM 8" IN-CEILING SUBWOOFER	Control 40CS/T - Direct-Radiating In-Ceiling Subwoofer with built-in crossover, 8" (200mm) driver, 32Hz - 300Hz	496.82
CONTROL 42C	Ceiling Spkr	CONTROL 42C	PREMIUM 2.5" IN-CEILING SATELLITE SPKR	Control 42C - Ultra-Compact In-Ceiling Satellite Speaker with 2.5" (60mm) driver for use with Control 40CS/T or	107.41
CONTROL 45C/T	Ceiling Spkr	CONTROL 45C/T	PREMIUM 5.25" 2-WAY CEILING SPKR W RBI	Control 45C/T - Premium Two-way Coaxial Ceiling Speaker with Extremely Consistent 120° Broadband Coverage	306.91
CONTROL 47C/T	Ceiling Spkr	CONTROL 47C/T	PREMIUM 6.5" 2-WAY CEILING SPKR W RBI	Control 47C/T - Premium Two-way Coaxial Ceiling Speaker (with Extended Bass) with Extremely Consistent 120°	355.82
CONTROL 47HC	Ceiling Spkr	CONTROL 47HC	PREMIUM 6.5" SPKR FOR HIGH-CEILINGS W RBI	Control 47HC - Premium High-Ceiling Two-way Coaxial Ceiling Speaker with Narrow 75° Conical coverage	429.68
CONTROL 47LP	Ceiling Spkr	CONTROL 47LP	PREMIUM 6.5" LOW-PROFILE CEILING SPKR W RBI	Control 47LP - Premium Low-Profile Two-way Coaxial Ceiling Speaker with Extremely Consistent 120° Broadband	306.14
MTC-42MR	Accessory	MTC-42MR	MUD-RING BRACKET FOR C42 (1=6 PCS)	MTC-42MR - Mud Ring Construction Bracket, for use with Control 42C (priced as pack containing 6 pcs)	179.00
MTC-42NC	Accessory	MTC-42NC	NEW CONSTRUCTION BRACKET FOR C42 (1=6 PCS)	MTC-42NC - New Construction Bracket, for use with Control 42C (priced as pack containing 6 pcs)	148.00
MTC-47MR	Accessory	MTC-47MR		MTC-47MR - Mud Ring Construction Bracket, for use with Control 47C/T & Control 47LP (priced as pack	325.00
MTC-47NC	Accessory	MTC-47NC		MTC-47NC - New Construction Bracket, for use with Control 47C/T & Control 47LP (priced as pack containing 6	234.00
200 Series Medium-Format Ceiling		WITC 47NC	NEW CONSTRUCTION BRICE FOR CAPEL (1-	The Tree New construction bracket, for use with control 4767 to control 4767 (priced as pack containing o	234.00
CONTROL 226C/T	Ceiling Speaker	CONTROL 226C/T	6" CEILING SPKR W BACK CAN 2PER CTN	6.5" Coax Ceiling Loudspeaker. True-Broadband 120º Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response,	456.35
CONTROL 227C	Ceiling Speaker	CONTROL 227C	6" CEILING SPEAKER ON A BAFFLE	6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Trequency Response,	363.77
CONTROL 227CT	Ceiling Speaker	CONTROL 227C	6" CEILING SPEAKER ON A BAFFLE	Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus	414.62
MTC-200BB6	Accessory	MTC-200BB6	BACKBOX FOR 6" C200	Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel and heavy-duty 1/2" MDP reinforcement	
MTC-RG6/8			GRILLE FOR C328, C227	*Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models".	96.00 41.00
MTC-KG6/8	Accessory Accessory	MTC-RG6/8 MTC-SG6/8	SQUARE GRILLE FOR C328, C227		67.00
· ·				Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial	
MTC-TB6/8 300 Series Large-Format Ceiling	Accessory	MTC-TB6/8	TILE-BRIDGE FOR MTC-200BB6 & MTC-300BB8	Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) Format Ceiling Speakers. 18-Gauge steel.	34.00
	College Constant	CONTROL 242CC	42" CEU ING CURWOOFFR		502.54
CONTROL 312CS CONTROL 321C	Ceiling Speaker	CONTROL 312CS	12" CEILING SUBWOOFER	12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency Response, 93 dB Sensitivity. 14.4" Square Ported Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90º Coverage. 250 Watts, 34 Hz to 18 kHz Frequency	693.64
	Ceiling Speaker	CONTROL 321CT	12" CEILING COAX		559.33
CONTROL 321CT CONTROL 322C	Ceiling Speaker	CONTROL 321CT	C321C W/60W X-FORMER	Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus	615.41
	Ceiling Speaker	CONTROL 322C	HIGH OUTPUT 12' CEILING COAX	High-Power 12" Coax Ceiling Loudpeaker with Medium Format Compression Driver. True Broadband 90°	813.59
CONTROL 322CT	Ceiling Speaker	CONTROL 322CT	C 322C W/100W X-FORMER	Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus	884.00
CONTROL 328C	Ceiling Speaker	CONTROL 328C	8" CEILING COAX	8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120º Coverage. 250 Watts, 45 Hz to 18 kHz Frequency	453.74
CONTROL 328CT	Ceiling Speaker	CONTROL 328CT	8" CEILING COAX W/60W X-FORMER	Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W	509.80
MTC-300BB12	Accessory	MTC-300BB12	BACKBOX FOR 12" C300	Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy	338.00
MTC-300BB8	Accessory	MTC-300BB8	BACKBOX FOR 8" C300	One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF	118.00
MTC-300SG12	Accessory	MTC-300SG12	SQUARE GRILLE FOR 12" C300	Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep.	54.00
MTC-300T150	Accessory	MTC-300T150	150W TRANSFORMER C300	150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers.	111.00
<b>CSS Commercial Solutions Surface</b>					

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
CSS-1S/T PAGING HORNS	Surface-Mount Speaker	CSS-1S/T	2-way Surface-Mount Speaker with 8-ohm	Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5%" LF and ½" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap	165.95
CSS-H15	Paging Horn Speaker	CSS-H15	15 Watt Paging Horn (6 in masterpack)	15 Watt Paging Horn. (Priced as each, 6 in masterpack)	122.48
CSS-H30	Paging Horn Speaker	CSS-H30	30 Watt Paging Horn (4 in masterpack)	30 Watt Paging Horn (Priced as each, 4 in masterpack)	167.60
Control 20/30 Series Surface					
Control 23-1	Surface-Mount Speaker	Control 23-1	3" 2-WAY SURFACE-MT SPKR, BLK	3" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 70 Hz - 20	179.94
CONTROL 23-1L	Surface-Mount Speaker	CONTROL 23-1L	3" 2-WAY SURFACE-MT SPKR, 8 OHM, BLK	Low-Impedance-Only Version of Control 23-1 (&-WH), without 70V/100V transformer, 8 ohms only.priced as	167.63
CONTROL 23-1L-WH	Surface-Mount Speaker	CONTROL 23-1L-WH	3" 2-WAY SURFACE-MT SPKR, 8 OHM,. WHT	Control 23-1L in white priced as each; packaged and sold in pairs	167.63
CONTROL 23-1-WH	Surface-Mount Speaker	CONTROL 23-1-WH	3" 2-WAY SURFACE-MT SPKR, WHT	Control 23-1 in white.	179.94
Control 25-1	Surface-Mount Speaker	Control 25-1	5¼" 2-WAY SURFACE-MT SPKR, BLK	5.25" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 60 Hz - 20	242.13
CONTROL 25-1L	Surface-Mount Speaker	CONTROL 25-1L	5¼" 2-WAY SURFACE-MT SPKR, 8 OHM, BLK	Low-Impedance-Only Version of Control 25-1 (&-WH), without 70V/100V transformer, 8 ohms only. priced as	215.23
CONTROL 25-1L-WH	Surface-Mount Speaker	CONTROL 25-1L-WH	5¼" 2-WAY SURFACE-MT SPKR, 8 OHM,. WHT	Control 25-1L in white priced as each; packaged and sold in pairs	215.23
CONTROL 25-1-WH	Surface-Mount Speaker	CONTROL 25-1-WH	5¼" 2-WAY SURFACE-MT SPKR, WHT	Control 25-1 in white.	242.13
CONTROL 25AV	Surface-Mount Speaker	CONTROL 25AV	5.25" 2-WAY W/HORN/AV VERSION	Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor,	280.32
CONTROL 25AV-WH	Surface-Mount Speaker	CONTROL 25AV-WH	5.25" 2-WAY W/HORN/AV VERSION	Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor,	280.32
C25AV-LS	Surface-Mount Speaker	C25AV-LS	UL Life Safety Version of C25AV	Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille,	302.48
C25AV-LS-WH	Surface-Mount Speaker	C25AV-LS-WH	UL Life Safety Version of C25AV, in White	Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille,	302.48
CONTROL 28-1	Surface-Mount Speaker	CONTROL 28-1	8" 2-WAY SURFACE-MT SPKR, BLK	8" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 45 Hz - 20	391.16
CONTROL 28-1L	Surface-Mount Speaker	CONTROL 28-1L	8" 2-WAY SURFACE-MT SPKR, 8 OHM, BLK	Low-Impedance-Only Version of Control 28-1 (&-WH), without 70V/100V transformer, 8 ohms only. priced as	366.31
CONTROL 28-1L-WH	Surface-Mount Speaker	CONTROL 28-1L-WH	8" 2-WAY SURFACE-MT SPKR, 8 OHM,. WHT	Control 28-1L in white priced as each; packaged and sold in pairs	366.31
CONTROL 28-1-WH	Surface-Mount Speaker	CONTROL 28-1-WH	8" 2-WAY SURFACE-MT SPKR, WHT	Control 28-1 in white.	391.16
C29AV-1	Surface-Mount Speaker	C29AV-1	8" 2-WAY MONITOR SPEAKER	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity.	608.89
C29AV-WH-1	Surface-Mount Speaker	C29AV-WH-1	8" 2-WAY MONITOR SPEAKER-WHITE	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity.	608.89
CONTROL 30	Surface-Mount Speaker	CONTROL 30	10" 3/WAY COMPACT WR W/TRANSFORMER	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency	1,065.23
CONTROL 30-WH	Surface-Mount Speaker	CONTROL 30-WH	10" 3/WAY COMPACT WR W/TRANSFORMER	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency	1,065.23
CONTROL 31	Surface-Mount Speaker	CONTROL 31	2-WAY CONTROL CONTRACTOR ON-WALL SPEAKER V	V Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression	931.31
CONTROL 31-WH	Surface-Mount Speaker	CONTROL 31-WH		Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression	931.31
CONTROL HST	Surface-Mount Speaker	CONTROL HST	Control HST - Wide-Coverage On-Wall Speaker	Control HST - Wide-Coverage On-Wall Speaker Priced as one pack; Sold and packed as Eaches	412.26
CONTROL HST-WH	Surface-Mount Speaker	CONTROL HST-WH	Control HST - Wide-Coverage On-Wall Speaker	Control HST - Wide-Coverage On-Wall Speaker Priced as one pack; Sold and packed as Eaches	412.26
CONTROLCRV	Surface-Mount Speaker	CONTROLCRV	CONTROL CRV	Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W	324.66
CONTROLCRV-WH	Surface-Mount Speaker	CONTROLCRV-WH	CONTROL CRV WHITE	Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W	324.66
CONTROL SB2210	Surface-Mount Speaker	CONTROL SB2210	COMPACT DUAL 10" SUBWOOFER, BLK	Compact, Low Profile, High-Power Subwoofer with 2 x 250mm (10 Inch) Woven-Fiberglass Cone Drivers. 500	962.35
CONTROL SB2210-WH	Surface-Mount Speaker	CONTROL SB2210-WH	COMPACT DUAL 10" SUBWOOFER, WHT	Compact, Low Profile, High-Power Subwoofer with 2 x 250mm (10 Inch) Woven-Fiberglass Cone Drivers. 500	962.35
MTC-210UB	Accessory	MTC-210UB	MOUNTING BRACKET, FOR CONTROL SB-210	U-Bracket for Control SB-2210 Subwoofer, Black. Priced as one pack; Sold and packed as Eaches	129.70
MTC-210UB-WH	Accessory	MTC-210UB-WH	MOUNTING BRACKET, FOR CONTROL SB-210	U-Bracket for Control SB-2210 Subwoofer, White Priced as one pack; Sold and packed as Eaches	129.70
MTC-23CM	Accessory	MTC-23CM	CEILING MT. ADPT C/23-1PR PER BOX	Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces. Priced as one pack; one pack contains	21.00
MTC-23CM-WH	Accessory	MTC-23CM-WH	CEILING MT. ADPT C/23-1PR PER BOX-WHITE	Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 Pieces. Priced as one pack; one pack contains	22.00
MTC-23UB-1	Accessory	MTC-23UB-1	U-BRACKET FOR CONTROL 23-1/1L, BLK	U-Bracket for Control 23-1 & 23-1L. Black. Priced and packaged individually. Master Pack = 6 pcs. Sold and	39.00
MTC-23UB-1-WH	Accessory	MTC-23UB-1-WH	U-BRACKET FOR CONTROL 23-1/1L, WHT	MTC-23UB-1 in white. Sold and packed as Eaches	39.00
MTC-23WMG-1	Accessory	MTC-23WMG-1	WEATHERMAX™ GRILLE FOR C23-1/1L, BLK	WeatherMax™ Replacement Grille for Control 23-1 for harsh environments. Thick aluminum with 3-layer foam	47.00
MTC-23WMG-1-WH	Accessory	MTC-23WMG-1-WH	WEATHERMAX™ GRILLE FOR C23-1/1L, WHT	MTC-23WMG-1 in white. Priced as one pack; Sold and packed as Eaches	47.00
MTC-25UB-1	Accessory	MTC-25UB-1	U-BRACKET FOR CONTROL 25-1/1L, BLK	U-Bracket for Control 25-1 & 25-1L. Black. Priced and packaged individually. Master Pack = 6 pcs. Priced as one	52.00
MTC-25UB-1-WH	Accessory	MTC-25UB-1-WH	U-BRACKET FOR CONTROL 25-1/1L, WHT	MTC-25UB-1 in white.	52.00
MTC-25WMG-1	Accessory	MTC-25WMG-1	WEATHERMAX™ GRILLE FOR C25-1/1L, BLK	WeatherMax™ Replacement Grille for Control 25-1 & 25-1L for harsh environments. Thick aluminum with 3-layer	66.00
MTC-25WMG-1-WH	Accessory	MTC-25WMG-1-WH	WEATHERMAX™ GRILLE FOR C25-1/1L, WHT	MTC-25WMG-1 in white. Sold and packed as Eaches	66.00
MTC-28/25CM	Accessory	MTC-28/25CM	CEILING MT. ADPT C/28/C25-1PR PER BOX	Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces. Priced as one pack; one	38.00
MTC-28/25CM-WH	Accessory	MTC-28/25CM-WH	CEILING MT. ADPT C28/C25-1PR PER BOX-WHT	Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack Contains 2 Pieces. Priced as one pack;	38.00
MTC-28UB-1	Accessory	MTC-28UB-1	U-BRACKET FOR CONTROL 28-1/1L, BLK	U-Bracket for Control 28-1 & 28-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	67.00
MTC-28UB-1-WH	Accessory	MTC-28UB-1-WH	U-BRACKET FOR CONTROL 28-1/1L, WHT	MTC-25UB-1 in white. Sold and packed as Eaches	67.00
MTC-28WMG-1	Accessory	MTC-28WMG-1	WEATHERMAX™ GRILLE FOR C28-1/1L, BLK	WeatherMax™ Replacement Grille for Control 28-1 & 28-1L for harsh environments. Thick aluminum with 3-layer	92.00
MTC-28WMG-1-WH	Accessory	MTC-28WMG-1-WH		TMTC-28WMG-1 in white. Sold and packed as Eaches	92.00
MTC-29MK	Accessory	MTC-29MK	GRILLE KIT TO PREVENT RUSTING - BLACK.	Marine Grille Kit for C29AV-1 Loudspeaker. Retrofit grille, adds extra durability when installing C29AV-1s in	180.27
MTC-29MK-WH	Accessory	MTC-29MK-WH	GRILLE KIT TO PREVENT RUSTING - WHITE	Marine Grille Kit for C29AV-1 Loudspeaker. Retrofit grille, adds extra durability when installing C29AV-1s in	180.27
MTC-29CM	Accessory	MTC-29CM	CEILING MOUNT ADAPTER, FOR C29AV	Ceiling-Mount Adapter for Control 29AV. Black. Each Pack Contains 1 Piece.	38.00
MTC-29CM-WH	Accessory	MTC-29CM-WH	CEILING MT ADAPTER/C29AV-WH	Ceiling-Mount Adapter for Control 29AV, White. Each Pack Contains 1 Piece.	38.00
MTC-29UB	Accessory	MTC-29UB	MOUNTING BRACKET, FOR CONTROL 29AV	U-Bracket for Control 29AV.	102.00
MTC-29UB-WH	Accessory	MTC-29UB-WH	MOUNTING BRACKET, FOR CONTROL 29AV	U-Bracket for Control 29AV, in White. Sold and packed as Eaches	102.00
MTC-30CM	Accessory	MTC-30CM	CEILING MOUNT ADAPTER, FOR CONTROL 30	Ceiling-Mount Adapter for Control 30, Black. Contains 1 Piece. Sold and packed as Eaches	44.00
MTC-30CM-WH	Accessory	MTC-30CM-WH	CEILING MOUNT ADAPTER, FOR C30-WH	Ceiling-Mount Adapter for Control 30, White. Contains 1 Piece. Sold and packed as Eaches	44.00
MTC-30MK	Accessory	MTC-30CM-WIT	GRILLE KIT TO PREVENT RUSTING - BLACK.	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in	181.00
MTC-30MK-WH	Accessory	MTC-30MK-WH	GRILLE KIT TO PREVENT RUSTING - WHITE.	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in	204.00
MTC-30UB	Accessory	MTC-30UB	MOUNTING BRACKET, FOR CONTROL 30	U-Bracket for Control 30, black. Sold and packed as Eaches	111.00
MTC-30UB-WH	Accessory	MTC-300B	MOUNTING BRACKET, FOR CONTROL 30-WH	U-Bracket for Control 30, white. Sold and packed as Eaches	111.00
5000 - 1111	, 100C3301 y	IVITE SOUB-VVII	STITING BRACKET, FOR CONTROL 30-WIT	o bracket for control 50, write. Sold and packed as Eaches	111.00

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
COMMERCIAL SURFACE: SLP Series	; 5				
JBL-SLP12/T-BK	Surface-Mount Speaker	JBL-SLP12/T-BK	Sleek Low-Profile On-Wall Spkr, 3", Blk, 1 pc	Sleek Low-Profile On-Wall Speaker, 3" (75mm) Full-Range driver, 74Hz - 20KHz Frequency Range, shallow depth,	127.00
JBL-SLP12/T-WH	Surface-Mount Speaker	JBL-SLP12/T-WH	Sleek Low-Profile On-Wall Spkr, 3", Wht, 1 pc	Sleek Low-Profile On-Wall Speaker, 3" (75mm) Full-Range driver, 74Hz - 20KHz Frequency Range, shallow depth,	127.00
JBL-SLP14/T-BK	Surface-Mount Speaker	JBL-SLP14/T-BK	Sleek Low-Profile On-Wall Spkr, 4.5", Blk, 1 pc	Sleek Low-Profile On-Wall 2-way Speaker, 4.5" (120mm) Woofer & 0.79" (20mm) Tweeter, 70Hz - 20KHz	178.00
JBL-SLP14/T-WH	Surface-Mount Speaker	JBL-SLP14/T-WH	Sleek Low-Profile On-Wall Spkr, 4.5", Wht, 1 pc	Sleek Low-Profile On-Wall 2-way Speaker, 4.5" (120mm) Woofer & 0.79" (20mm) Tweeter, 70Hz - 20KHz	178.00
Control 50 Series Sub/Sat peakers					
CONTROL 50S/T	Surface-Mt Spkr	CONTROL 50S/T	8" SURFACE-MOUNT SUBWOOFER, BLK	$Control\ 50S/T\ Compact\ Surface-Mount\ Subwoofer,\ with\ built-in\ crossover,\ 8"\ (200mm)\ long-throw\ woofer,\ 150W$	488.94
CONTROL 50S/T-WH	Surface-Mt Spkr	CONTROL 50S/T-WH	8" SURFACE-MOUNT SUBWOOFER, WHT	Control 50S/T-WH Compact Surface-Mount Subwoofer, with built-in crossover, 8" (200mm) long-throw woofer,	488.94
CONTROL 52	Surface-Mt Spkr	CONTROL 52	2.5" SURFACE-MOUNT SATELLITE SPK, BLK	Control 52 Surface-Mount Satellite Speaker with 2.5" (60mm) Driver, 25W cont. pink noise (50W program) power	87.35
CONTROL 52-WH	Surface-Mt Spkr	CONTROL 52-WH	2.5" SURFACE-MOUNT SATELLITE SPK, WHT	Control 52-WH Surface-Mount Satellite Speaker with 2.5" (60mm) Driver, 25W cont. pink noise (50W program)	87.35
C50PACK	Surface-Mt Spkr	C50PACK		C50PACK Surface-Mount Subwoofer-Satellite System PACK with 1 Control 50S/T Subwoofer and 4 Control 52	795.34
C50PACK-WH	Surface-Mt Spkr	C50PACK-WH	SUB-SAT SPKR SYSTEM (1 SUB + 4 SATELLITES), WHT	C50PACK-WH Surface-Mount Subwoofer-Satellite System PACK with 1 Control 50S/T-WH Subwoofer and 4	795.34
Control 60 Series					
C60PS/T	Pendant Spkr	Control 60PS/T	8" PENDANT SUBWOOFER, BLK	Control 60PS/T High Impact Direct Radiating Pendant Subwoofer with Built-In Crossover, 8" (200 mm) long-	515.32
C60PS/T-WH	Pendant Spkr	Control 60PS/T-WH	8' PENDANT SUBWOOFER, WHT	Control 60PS/T-WH High Impact Direct Radiating Pendant Subwoofer with Built-In Crossover, 8" (200 mm) long-	515.32
C62P	Pendant Spkr	Control 62P	2.5" SATELLITE PENDANT SPK, BLK	Control 62P Ultra-Compact Mid-High Satellite Pendant Speaker with 2.5" (60mm) Driver, 25W cont. pink noise	130.39
C62P-WH	Pendant Spkr	Control 62P-WH	2.5" SATELLITE PENDANT SPK, WHT	Control 62P-WH Ultra-Compact Mid-High Satellite Pendant Speaker with 2.5" (60mm) Driver, 25W cont. pink	130.39
C64P/T	Pendant Spkr	Control 64P/T	4" FULL-RANGE PENDANT SPK, BLK	Control 64P/T Compact Full-Range Pendant Loudspeaker with 4" (100mm) Driver, 50W cont. pink noise (200W	223.51
C64P/T-WH	Pendant Spkr	Control 64P/T-WH	4" FULL-RANGE PENDANT SPK, WHT	Control 64P/T-WH Compact Full-Range Pendant Loudspeaker with 4" (100mm) Driver, 50W cont. pink noise	223.51
C65P/T	Pendant Spkr	Control 65P/T	5.25" PREMIUM RBI PENDANT SPK W RBI, BLK	Control 65P/T Premium Compact Full-Range RBI Pendant Loudspeaker with 5.25" (130mm) Woofer and 0.75"	291.81
C65P/T-WH	Pendant Spkr	Control 65P/T-WH	5.25" PREMIUM RBI PENDANT SPK W RBI, WHT	Control 65P/T-WH Premium Compact Full-Range RBI Pendant Loudspeaker with 5.25" (130mm) Woofer and 0.75"	291.81
C67HC/T	Pendant Spkr	Control 67HC/T	6.5" HIGH-CEILING RBI PENDANT SPK, BLK	Control 67HC/T Narrow-Coverage High Ceiling Premium RBI Pendant Loudspeaker with 6.5" (165mm) woofer and	496.70
C67HC/T-WH	Pendant Spkr	Control 67HC/T-WH	6.5" HIGH-CEILING RBI PENDANT SPK, WHT	Control 67HC/WH Narrow-Coverage High Ceiling Premium RBI Pendant Loudspeaker with 6.5" (165mm) woofer	496.70
C67P/T	Pendant Spkr	Control 67P/T	6.5" PREMIUM RBI PENDANT SPK, BLK	Control 67P/T Premium Full-Range RBI Pendant Loudspeaker with 6.5" (165mm) Woofer and 1" (25mm) Tweeter,	422.19
C67P/T-WH	Pendant Spkr	Control 67P/T-WH	6.5" PREMIUM RBI PENDANT SPK, WHT	Control 67P/T-WH Premium Full-Range RBI Pendant Loudspeaker with 6.5" (165mm) Woofer and 1" (25mm)	422.19
JBL-C68HP	Pendant Spkr	Control 68HP	8" HIGH-POWER PENDANT SPKR W CD, BLK	Control 68HP High-Power Premium Full-Range Constant Directivity Pendant Speaker with 8" (209mm) Woofer	561.80
JBL-C68HP-WH	Pendant Spkr	Control 68HP-WH	8" HIGH-POWER PENDANT SPKR W CD, WHT	Control 68HP-WH High-Power Premium Full-Range Constant Directivity Pendant Speaker with 8" (209mm)	561.80
MTC-PC60	Accessory	MTC-PC60		MTC-PC60 - Top Panel / Terminal Cover for C64P/T, C65P/T, C67P/T, C67HC/T, C68HP & C60PS/T Pendant	18.00
MTC-PC62	Accessory	MTC-PC62	TERMINAL COVER TOP for C62P	MTC-PC62 - Top Panel / Terminal Cover for Control 62P Pendant Speaker (Black only works for black or white	12.00
Control 100 In-Wall Speakers	1. 144 11.6 1	CONTROL 436W	C Ella	D	
CONTROL 126W CONTROL 126WT	In-Wall Sprk In-Wall Sprk	CONTROL 126W CONTROL 126WT	6.5"2-way inwall SPKR 2per ctn 6.5"2-way inwall SPKR 2per ctn	Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and	247.74 273.81
CONTROL 128W CONTROL 128WT	In-Wall Sprk	CONTROL 128W	8"2-way inwall spkr 2per ctn.	Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and	305.10
WB6	In-Wall Sprk	CONTROL 128WT	8"2-way inwall spkr 2per ctn.	PRE-INSTALL BRCKT C126W to studs in New Construction sold as Each priced as each	336.39 35.00
WB8	Accessory	WB6 WB8		Nough-In Frame for Installing Control 128W to Studs in New Construction. Sold as Each, Priced as Each.	35.00
Control 80 Series Landscape	Accessory	WB8	Rough in Kit for C128W/W1 - per Set. ,6per Mistr C11	Rough-in Frame for installing Control 128W to Study in New Construction. Sold as Each, Priced as Each.	35.00
CONTROL 85M	Landscape Speaker	CONTROL 85M	5%" 2-Way Landscape Speaker	Compact 5%" Mushroom-Style Landscape Speaker. 5-1/4" (130 mm) polypropylene cone woofer with rubber	310.44
CONTROL 88M	Landscape Speaker	CONTROL 88M	8" 2-Way Landscape Speaker	High-Power 8" Mushroom-Style Landscape Speaker. 5" (200 mm) polypropylene cone woofer with rubber	465.65
JBL-Control 89MS	Latiuscape Speaker	CONTROL 88IVI	8" Landscape Mushroom Subwoofer	8" Mushroom-Style Landscape Subwoofer, . 8" (200mm) polypropylenee cone woofer with TPV surround, 40 Hz -	454.75
LANDSCAPE: GSF and GSB Landscap	n/		8 Lanuscape Musiliooni Subwoolei	a Musili dolli-style Landscape Subwooler, . 8 (2001) polypropylenee cone wooler with 17 v surround, 40 112-	434.73
JBL-GSF3-GN	Landscape Speaker	JBL-GSF3-GN	Ground-Stake Spkr, 3" Coax, Grn, 1 pc	Compact aimable coax Landscape Speaker, 3" (83mm) polypropylene cone woofer & 0.8" (20mm) tweeter, 74Hz -	231.00
JBL-GSF3-TN	Landscape Speaker	JBL-GSF3-TN	Ground-Stake Spkr, 3" Coax, Tan, 1 pc	Compact aimable coax Landscape Speaker, 3" (83mm) polypropylene cone woofer & 0.8" (20mm) tweeter, 74Hz -	231.00
JBL-GSF6-GN	Landscape Speaker	JBL-GSF6-GN	Ground-Stake Spkr, 6.5" Coax, Grn, 1 pc	Compact aimable coax Landscape Speaker, 6.5" (165mm) polypropylene cone woofer & 1" (25mm) tweeter, 65Hz	313.00
JBL-GSF6-TN	Landscape Speaker	JBL-GSF6-TN	Ground-Stake Spkr, 6.5" Coax, Gri, 1 pc	Compact aimable coax Landscape Speaker, 6.5" (165mm) polypropylene cone woofer & 1" (25mm) tweeter, 65Hz -	313.00
JBL-GSB8-GN	Landscape Subwoofer	JBL-GSB8-GN	8" In-Ground Subwoofer, Grn, 1 pc	In-ground Landscape subwoofer, 8" (209mm) polypropylene cone woofer, 35Hz - 130Hz Frequency Range, 250W	554.00
JBL-GSB8-TN	Landscape Subwoofer	JBL-GSB8-GN JBL-GSB8-TN	8" In-Ground Subwoofer, Tan, 1 pc	In-ground Landscape subwoofer, 8" (209mm) polypropylene cone woofer, 35Hz - 130Hz Frequency Range, 250W	554.00
JBL-GSB12-GN	Landscape Subwoofer	JBL-GSB12-GN	12" In-Ground Subwoofer, Grn, 1 pc	In-ground Landscape subwoofer, 12" (305mm) polypropylene cone woofer, 30Hz - 120Hz Frequency Range,	866.00
JBL-GSB12-TN	Landscape Subwoofer	JBL-GSB12-TN	12" In-Ground Subwoofer, Tan, 1 pc	In-ground Landscape subwoofer, 12" (305mm) polypropylene cone woofer, 30Hz - 120Hz Frequency Range,	866.00
COLUMNS: COL Slim and CBT Patte				O	
JBL-COL600-BK	Column Speaker	COL600-BK	24" Slim Column Speaker, Blk, 1 pc	24" Slim Column Speaker, two 5" x 2¼" LF & one 1" HF, 10° downward tilt aim, 160° x 110° coverage, 80W (320W	375.00
JBL-COL600-WH	Column Speaker	COL600-WH	24" Slim Column Speaker, Wht, 1 pc	24" Slim Column Speaker, two 5" x 2½" LF & one 1" HF, 10° downward tilt aim, 160° x 110° coverage, 80W (320W	375.00
JBL-COL800-BK	Column Speaker	COL800-BK	32" Slim Column Speaker, Blk, 1 pc	32" Slim Column Speaker, four 5" x 2½" LF & two 0.8" HF, 10° downward tilt aim, 160° x 60° coverage, 150W	625.00
JBL-COL800-WH	Column Speaker	COL600-WH	32" Slim Column Speaker, Wht, 1pc	32" Slim Column Speaker, four 5" x 2½" LF & two 0.8" HF, 10° downward tilt aim, 160° x 60° coverage, 150W	625.00
CBT 50LA-1	Column Speaker	CBT 50LA-1	Compact line array column, 100 cm tall, 16 2"	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage,	627.08
CBT 100LA-1	Column Speaker	CBT 100LA-1	Line array column, 100 cm tall, 16 2"	Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15°	1,142.40
CBT 50LA-1-WH	Column Speaker	CBT 50LA-1-WH	Compact line array column, 100 cm tall, 16 2"	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage,	627.08
CBT 100LA-1-WH	Column Speaker	CBT 100LA-1-WH	Line array column, 100 cm tall, 16 2"	Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15°	1,142.40
CBT 50LA-LS	Column Speaker	CBT 50LA-LS		50CM Tall Column Spkr, EN54 1 per carton, 1 per Masterpack	676.75
CBT 100LA-LS	Column Speaker	CBT 100LA-LS		(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology.	1,279.49
CBT 50LA-LS-WH	Column Speaker	CBT 50LA-LS-WH		SOCM Tall Column Spkr, WH,EN54 1 per carton, 1 per Masterpack	676.75
CBT 100LA-LS-WH	Column Speaker	CBT 100LA-LS-WH	1 1 1 1 1 1	(ENS4 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant	1,279.49
CBT 200LA-1	Column Speaker	CBT 200LA-1	2 METER TALL, 32 ELEMENT LINE ARRAY	200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers.	2,669.75
CBT 200LA-1-WH	Column Speaker	CBT 200LA-1-WH	2 METER TALL, 32 ELEMENT LINE ARRAY	200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers.	2,669.75

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
CBT 70J-1	Column Speaker	CBT 70J-1	High-Power J-shaped line array column	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant	1,610.12
CBT 70J-1-WH	Column Speaker	CBT 70J-1-WH	High-Power J-shaped line array column	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant	1,610.12
CBT 70JE-1	Column Speaker	CBT 70JE-1	S/M, CBT 70JE	70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket	912.68
CBT 70JE-1-WH	Column Speaker	CBT 70JE-1-WH		70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket	912.68
CBT 1000	Column Speaker	CBT 1000		High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal	3,290.62
CBT 1000E	Column Speaker	CBT 1000E	High-Output Column Extension Speaker	Extension for CBT 1000 Line Array, six (6) 165 mm (6-1/2") high-excursion LF drivers, 1500W cont pink noise	1,800.53
CBT 1000E-WH	Column Speaker	CBT 1000E-WH		Extension for CBT 1000 Line Array. Same as CBT1000E, in white. (priced and sold individually).	1,800.53
CBT 1000-WH	Column Speaker	CBT 1000-WH		High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal	3,290.62
CBT1K-ACC1	Column Speaker Accessory	CBT1K-ACC1	Accessory Kit for CBT1000 Spkr or System	Accessory Kit, Includes 2 sets MTC-CBT-FM3 Flush-Mount Wall Bracket and 1 pc MTC-CBT-OS3 Off-Set Bracket	124.18
CBT1K-ACC1-WH	Column Speaker Accessory	CBT1K-ACC1-WH	Accessory Kit for CBT1000 Spkr or System BOLT ON TRANSFORMER MODULE	CBT1K-ACC1 Accessory Kit in white. Priced as the Kit	135.00
MTC-CBT-70T MTC-CBT-70T-WH	Accessory	MTC-CBT-70T MTC-CBT-70T-WH		Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line  Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line	164.00 165.00
MTC-CBT-FM1	Accessory	MTC-CBT-FM1	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1 Priced and sold as one complete bracket, including	53.00
MTC-CBT-FM1-WH	Accessory	MTC-CBT-FM1-WH	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1, White. Priced and sold as one complete bracket,	53.00
MTC-CBT-FM2	Accessory	MTC-CBT-FM2	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1Priced and sold as one complete bracket, including	74.00
MTC-CBT-FM2-WH	Accessory	MTC-CBT-FM2-WH	CBT FLUSH-MOUNT WALL BRACKETS	"Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1, White. Priced and sold as one complete bracket,	74.00
MTC-CBT-SMB1	Accessory	MTC-CBT-SMB1		Suspension Bracket, fits all CBT Models	80.00
MTC-CBT-SUS3	Column Speaker Accessory	MTC-CBT-SUS3		Suspension Adapter Plates for ALL CBT ModelsSuspension Bracket, fits all CBT Models. Bent-metal adapter plates	42.63
MTC-CBT-SUS3-WH	Column Speaker Accessory	MTC-CBT-SUS3-WH	Suspension Bracket for CBT Speakers	Suspension Adapter Plates. MTC-CBT-SUS3 in white. Priced as a carton containing 2 bent-metal adapter plates	42.63
Intellivox Powered Column					
ADC NON POWERED					
IVX-17959145	Intellivox and IntelliDisc Accessories	IVX-17959145	WAGO 231 5pin female cable connector w/ strain-re	WAGO 231 5pin female cable connector w/ strain-relief housing	43.00
IVX-20010	Intellivox 115 & 180 Series	IVX-20010	Weather-proofing kit, Intellivox 115/180 series. Only	Weather-proofing kit, Intellivox 115/180 series. Only for amp at top units Made to Order Call for availability	1,047.00
IVX-20012	Intellivox 280 & 380 Series	IVX-20012	Weather-proofing kit, Intellivox 280/380 series. Only	Weather-proofing kit, Intellivox 280/380 series. Only for amp at top units Made to Order Call for availability	1,047.00
POWERED (& Config. Options)				. Made to Order Call for availability	
IVX-20021	Intellivox 115 Series	IVX-20021	Intellivox 115 series Custom Color Surcharge	Intellivox 115 series Custom Color Surcharge . Made to Order Call for availability	682.00
IVX-20022	Intellivox 180 Series	IVX-20022	Intellivox 180 series Custom Color	Intellivox 180 series Custom Color	729.00
IVX-20023	Intellivox 280 & 280H Series Accessories	IVX-20023	Intellivox 280 series Custom Color Surcharge	Intellivox 280 series Custom Color Surcharge . Made to Order Call for availability	804.00
IVX-20030	Intellivox High Power	IVX-20030	Intellivox-HP-DS170 Surcharge Custom Color	Intellivox-HP-DS170 Surcharge Custom Color. Made to Order Call for availability	
IVX-20043	Intellivox 430 Series	IVX-20043		Intellivox 430 series Custom Color Surcharge . Made to Order Call for availability	918.00
IVX-20063	Intellivox 500 Series	IVX-20063	Intellivox 500 series Custom Color Surcharge	Intellivox 500 series Custom Color Surcharge . Made to Order Call for availability	969.00
IVX-576126	Intellivox ADC 70V/100V arrays	IVX-576126	-	Intellivox H-90 MKII Symmetric Dir Cntl, Ral 9007 - EN54:24. Made to Order Call for availability	2,420.00
IVX-577125	Intellivox ADC 70V/100V arrays	IVX-577125	Intellivox V-90 MKII, Ral 9010 - EN54:24	Intellivox V-90 MKII, Ral 9010 - EN54:24. Made to Order Call for availability	2,311.00
IVX-577126	Intellivox ADC 70V/100V arrays	IVX-577126		Intellivox H-90 MKII Symmetric Directivity Control, Ral 9010 - EN54:24. Made to Order Call for availability	2,420.00
IVX-577135	Intellivox ADC 70V/100V arrays	IVX-577135	Intellivox V-90 MKII, Special Color] - EN54:24	Intellivox V-90 MKII, Special Color] - EN54:24. Made to Order Call for availability	2,811.00
IVX-577136	Intellivox ADC 70V/100V arrays	IVX-577136	Intellivox H-90 MKII, Special Color] - EN54:24	Intellivox H-90 MKII, Special Color] - EN54:24. Made to Order Call for availability	2,813.00
IVX-587000	Intellivox 115 Series	IVX-587000	Intellivox-DS115, Amp@Bottom	Intellivox-DS115, Amp@Bottom. Made to Order Call for availability	6,501.00
IVX-587001	Intellivox 115 Series	IVX-587001	Intellivox-DS115, Amp@Top	Intellivox-DS115, Amp@Top. Made to Order Call for availability	6,501.00
IVX-587020 IVX-587021	Intellivox 180 Series Intellivox 180 Series	IVX-587020 IVX-587021	Intellivox-DS180, Amp@Bottom Intellivox-DS180, Amp@Top	Intellivox-DS180, Amp@Bottom. Made to Order Call for availability Intellivox-DS180, Amp@Top. Made to Order Call for availability	9,511.00 9,511.00
IVX-587040	Intellivox 180 Series	IVX-587040	Intellivox-DSX180, Amp@Bottom	Intellivox-DS180, Amp@Bottom. Made to Order Call for availability	9,511.00
IVX-587060	Intellivox 280 Series Loudspeakers	IVX-587060	, , , ,	Intellivox-DS280, Amp@bottom. Made to Order Call for availability	12,900.00
IVX-587061	Intellivox 280 Series Loudspeakers	IVX-587061	Intellivox-DS280, Amp@Top	Intellivox-DS280, Amp@Top. Made to Order Call for availability	12,900.00
IVX-587041	Intellivox 180 Series	IVX-587041	Intellivox-DSX180, Amp@Top	Intellivox-DSX180, Amp@Top. Made to Order Call for availability	9,511.00
IVX-587120	Intellivox 430 Series	IVX-587120	Intellivox-DS430, Amp@Bottom	Intellivox-DS430, Amp@Bottom. Made to Order Call for availability	22,600.00
IVX-587121	Intellivox 430 Series	IVX-587121	Intellivox-DS430, Amp@Top	Intellivox-DS430, Amp@Top. Made to Order Call for availability	22,600.00
IVX-587140	Intellivox 430 Series	IVX-587140	Intellivox-DSX430, Amp@Bottom	Intellivox-DSX430, Amp@Bottom. Made to Order Call for availability	22,600.00
IVX-587141	Intellivox 430 Series	IVX-587141	Intellivox-DSX430, Amp@Top	Intellivox-DSX430, Amp@Top. Made to Order Call for availability	22,600.00
IVX-587160	Intellivox 500 Series	IVX-587160	Intellivox-DS500, Amp@Bottom	Intellivox-DS500, Amp@Bottom. Made to Order Call for availability	25,700.00
IVX-587161	Intellivox 500 Series	IVX-587161	Intellivox-DS500, Amp@Top	Intellivox-DS500, Amp@Top. Made to Order Call for availability	25,700.00
IVX-587180	Intellivox 500 Series	IVX-587180	Intellivox-DSX500, Amp@Bottom	Intellivox-DSX500, Amp@Bottom. Made to Order Call for availability	25,700.00
IVX-587181	Intellivox 500 Series	IVX-587181	Intellivox-DSX500, Amp@Top	Intellivox-DSX500, Amp@Top. Made to Order Call for availability	25,700.00
IVX-587300	Intellivox 380 Series	IVX-587300	Intellivox-DS380, Amp@Bottom	Intellivox-DS380, Amp@Bottom. Made to Order Call for availability	18,500.00
IVX-587301	Intellivox 380 Series	IVX-587301	Intellivox-DS380, Amp@Top	Intellivox-DS380, Amp@Top. Made to Order Call for availability	18,500.00
IVX-587350	Intellivox 380 Series	IVX-587350	Intellivox-DSX380, Amp@Bottom	Intellivox-DSX380, Amp@Bottom. Made to Order Call for availability	18,500.00
IVX-587351	Intellivox 380 Series	IVX-587351	Intellivox-DSX380, Amp@Top	Intellivox-DSX380, Amp@Top. Made to Order Call for availability	18,500.00
HP HIGH-POWER				. Made to Order Call for availability	
IVX-587480	Intellivox 280HD Series Loudspeakers	IVX-587480	Intellivox-DSX280HD, Amp@Bottom	Intellivox-DSX280HD, Amp@Bottom. Made to Order Call for availability	13,050.00
IVX-587481	Intellivox 280HD Series Loudspeakers	IVX-587481	Intellivox-DSX280HD, Amp@Top	Intellivox-DSX280HD, Amp@Top. Made to Order Call for availability	13,050.00
IVX-587870	Intellivox High Power	IVX-587870	Intellivox-HP-DS170, High Power	Intellivox-HP-DS170, High Power. Made to Order Call for availability	14,400.00
IVX-587890	Intellivox High Power	IVX-587890	Intellivox-HP-DS370, High Power	Intellivox-HP-DS370, High Power. Made to Order Call for availability	31,300.00
IVX-802000	Intellivox and IntelliDisc Accessories	IVX-802000	Intellivox Hinge Bracket 90°, RAL9010	Intellivox Hinge Bracket 90°, RAL9010. Made to Order Call for availability	111.00
IVX-802105	Intellivox Accessories Intellivox Accessories	IVX-802105 IVX-802110		Intellivox Cable entry cover box 2x M16, Inc. fasteners, RAL9010. Made to Order Call for availability Intellivox Cable entry cover plate 2x PG13.5, Inc. fasteners, RAL9010. Made to Order Call for availability	303.00 64.00

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
VX-802120	Intellivox Accessories	IVX-802120	Intellivox Cable entry cover box 6x XLR, pre-assemble	Intellivox Cable entry cover box 6x XLR, pre-assembled, RAL9010. Made to Order Call for availability	1,182.00
VX-802225	Intellivox and IntelliDisc Accessories	IVX-802225	, .,	Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	107.00
VX-802226	Intellivox and IntelliDisc Accessories	IVX-802226		Intellivox Wall Bracket 25mm, Set (3 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	150.00
VX-802227	Intellivox and IntelliDisc Accessories	IVX-802227		Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9007. Made to Order Call for availability	117.00
VX-802235	Intellivox and IntelliDisc Accessories	IVX-802235		Intellivox Wall Bracket 35mm, Set (2 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	107.00
IVX-802261	Intellivox and IntelliDisc Accessories	IVX-802261		Intellivox Wall Bracket 60mm, Set (3 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	172.00
IVX-806602	Intellivox and IntelliDisc Accessories	IVX-806602		Set of Hinges (yellow passivated) for Ivx DC/DS115/180/280. Made to Order Call for availability	139.00
IVX-806608	Intellivox and IntelliDisc Accessories	IVX-806608	Intellivox Swivel Wall Bracket 90°, RAL9010	Intellivox Swivel Wall Bracket 90°, RAL9010. Made to Order Call for availability	166.00
IVX-806618	Intellivox and IntelliDisc Accessories	IVX-806618	Intellivox Swivel Wall Bracket 45°, RAL9010	Intellivox Swivel Wall Bracket 45°, RAL9010. Made to Order Call for availability	162.00
IVX-806668	Intellivox and IntelliDisc Accessories	IVX-806668	Intellivox Swivel Wall Bracket 90°, RAL9007	Intellivox Swivel Wall Bracket 90°, RAL9007. Made to Order Call for availability	166.00
DUR386612	Intellivox and IntelliDisc Accessories	DUR386612	Universal Programming Set for AXYS and Intellivox	•	766.00
AWC All-Weather Compact					
AWC62	Surface-Mount Speaker	AWC62	Compact All-Weather 2-Way Co-axial Loudspeaker w	6.5" 2-Way All-Weather Compact Co-axial Loudspeaker. 110° x 110° broadband control, co-ax driver with 165 mm	471.87
AWC62-BK	Surface-Mount Speaker	AWC62-BK	Compact All-Weather 2-Way Co-axial Loudspeaker w		471.87
AWC82	Surface-Mount Speaker	AWC82	All-Weather Co-ax, 8" 2-way, Light Gray	8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm	627.08
AWC82-BK	Surface-Mount Speaker	AWC82-BK	All-Weather Co-ax, 8" 2-way, Black	8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm	627.08
AWC129	Surface-Mount Speaker	AWC129	All-Weather Co-ax, 12" 2-way, Light Gray	12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm	1.173.45
AWC129 AWC129-BK	Surface-Mount Speaker	AWC129 AWC129-BK	All-Weather Co-ax, 12" 2-way, Eight Gray  All-Weather Co-ax, 12" 2-way, Black	12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm	1,173.45
AWC129-BK AWC159		AWC129-BK AWC159	-	15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm	
	Surface-Mount Speaker	AWC159 AWC159-BK	15" All Weather Compact Coax (Light Gray)  15" All Weather Compact Coax (Black)	15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm	1,800.53
AWC159-BK	Surface-Mount Speaker			· · · · · · · · · · · · · · · · · · ·	1,800.53
AWC15LF	Surface-Mount Speaker (Light Gray)	AWC15LF	All Weather Compact Subwoofer (Light Gray)	15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in)	1,352.39
AWC15LF-BK	Surface-Mount Speaker (Black)	AWC15LF-BK	All Weather Compact Subwoofer (Black)	15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in)	1,365.92
AW All-Weather (full size)					
AW266	AE Series	AW266	9	High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	4,853.00
AW266-BK	AE Series	AW266-BK		High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	4,853.00
AW266-LS	AE Series	AW266-LS		12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	4,853.00
AW266-LS-BK	AE Series	AW266-LS-BK		12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	4,853.00
AW295	AE Series	AW295		High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	4,853.00
AW295-BK	AE Series	AW295-BK	0	High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	4,853.00
AW295-LS	AE Series	AW295-LS	12" 2-Way All Weather Loudspeaker with EN54-24 C	12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	4,853.00
AW526	AE Series	AW526	High Output 15" 2-way Full-Range Loudspeaker-GRA	High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY. Priced as each.	5,252.00
AW526-BK	AE Series	AW526-BK	High Output 15" 2-way Full-Range Loudspeaker-BLAG	High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK. Priced as each.	5,252.00
AW526-LS	AE Series	AW526-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Co	15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	5,252.00
AW526-LS-BK	AE Series	AW526-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Co	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	5,252.00
AW566	AE Series	AW566	High Output 15" 2-way Full-Range Loudspeaker-GRA	High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	5,252.00
AW566-BK	AE Series	AW566-BK	High Output 15" 2-way Full-Range Loudspeaker-BLAG	High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	5,252.00
AW566-LS	AE Series	AW566-LS	15" 2-Way All Weather Loudspeaker with EN54-24 C	15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	5,252.00
AW566-LS-BK	AE Series	AW566-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 C	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	5,252.00
AW595	AE Series	AW595	,	High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	5,252.00
AW595-BK	AE Series	AW595-BK		High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	5,252.00
AW595-LS	AE Series	AW595-LS		15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	5,252.00
AW595-LS-BK	AE Series	AW595-LS-BK		15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	5,252.00
AE Compact Series	The Series	7111333 ES BR	15 2 Way / III Weather Education With End / 2 Fe	2 Tray / III Treatile Education and Elia 12 Technication, black Tricea as each	3,232.00
AC15	AE Series	AC15	SM, AC15 5.25" 2way	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	563.00
AC15-WH	AE Series	AC15-WH	AC15-WH (white)	AC15 in white.	563.00
AC15-WH AC16	AE Series	AC15-WH AC16	AC16 - Single 6.5" 2-way	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive	1,131.00
AC16-WH	AE Series AE Series	AC16-WH	AC16 - Single 6.5" 2-way AC16 - Single 6.5" 2-way (white)	AC16 in white.	1,131.00
AC16-WRC	Custom Shop	AC16-WRC	AC16 - Single 6.5" 2-way (white)		omAudio@harr
AC16-WRX	Custom Shop	1010/05	AC16 - Single 6.5" 2-way (white)	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	omAudio@harr
AC18/26	AE Series	AC18/26	AC18/26 - SINGLE 8"2-WAY	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™	
AC18/26-WH	AE Series	AC18/26-WH	AC18/26 - SINGLE 8"2-WAY (white)	AC18/26 in white.	1,382.00
AC18/26-WRC	Custom Shop	AC18/26-WRC	AC18/26 - SINGLE 8"2-WAY (white)		omAudio@harr
AC18/95	AE Series	AC18/95	AC18/95 - SINGLE 8"2-WAY	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™	
AC18/95-WH	AE Series	AC18/95-WH	AC18/95 - SINGLE 8"2-WAY (white)	AC18/95 in white.	1,382.00
AC18/95-WRX	Custom Shop Item	AC18/95-WRX		Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™	
AC18/95-WRC	Custom Shop Item	AC18/95-WRC		Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	omAudio@harr
AC25	AE Series	AC25	AC25 - Dual 5.25" 2way	Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	1,046.00
AC25-WH	AE Series	AC25-WH	AC25 - Dual 5.25" 2way (white)	AC25 in white.	1,046.00
AC25-WRX	AE Series	AC25-WRX	AC25 - Dual 5.25" 2way (white)	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	1,247.00
AC26	AE Series	AC26	AC26 - Dual 6.5" 2way	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive	1,608.00
AC26-WH	AE Series	AC26-WH	AC26 - Dual 6.5" 2way (white)	AC26 in white.	1,608.00
AC26-WRC	Custom Shop	AC26-WRC	AC26 - Dual 6.5" 2way (white)		omAudio@harr
AC28/26	AE Series	AC28/26	AC28/26 - Dual 8" 2way	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™	
AC28/26-WH	AE Series	AC28/26-WH	AC28/26 - Dual 8" 2way (white)	AC28/26 in white.	1,865.00

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
AC28/26-WRC	Custom Shop	AC28/26-WRC	AC28/26 - Dual 8" 2way (white)	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	omAudio@hari
C28/26-WRX	Custom Shop	AC28/26-WRX	AC28/26 - Dual 8" 2way (white)	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	omAudio@hari
AC28/95	AE Series	AC28/95		Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™	
C28/95-WH	AE Series	AC28/95-WH		AC28/95 in white.	1,865.00
AC28/95-WRC	Custom Shop Item	AC28/95-WRC		Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not	omAudio@harr
AC28/95-WRX	Custom Shop Item	AC28/95-WRX		Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™	
AC115S	AE Series	AC115S	15" Subwoofer	15" Subwoofer with 75mm (3 in) voice coil.	1,246.20
AC115S-WH	AE Series	AC115S-WH		AC115S in White	1,246,20
AC118S	AE Series	AC118S	18" Subwoofer	18" Subwoofer with 75mm (3 in) voice coil.	1,386.90
AC118S-WH	AE Series	AC118S-WH		AC118S in White	1,386.90
AC195	AE Series	AC195		10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit,	1,095.45
AC195-WH	AE Series	AC195-WH		AC195 in White	1,095.45
AC266	AE Series	AC266		12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	
AC266-WH	AE Series	AC266-WH		AC266 in White	1,246.20
AC299	AE Series	AC299	12" 2-way full-range system	12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	
AC299-WH	AE Series	AC299-WH		AC299 in White	1,247.00
AC566	AE Series	AC566	.,	15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	
AC566-WH	AE Series	AC566-WH	, , ,	ACS66 in White	
				ACSOCIAL WINCE	1,387.00
AC599	AE Series	AC599		15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.	
AC599-WH	AE Series	AC599-WH	15" 2-way full-range system, white	AC299 in White	1,376.85
AC895	AE Series	AC895		8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit,	885.00
AC895-WH	AE Series	AC895-WH	,,	AC895 in White	885.00
MTU-15	AE Series	MTU-15		U-Bracket For Model AC15, Blk	111.00
MTU-15-WH	AE Series	MTU-15-WH		U-Bracket For Model AC15, White	111.00
MTU-16	AE Series	MTU-16	U BRACKET FOR AC16	U-Bracket For Model AC16, Blk	141.00
MTU-16-WH	AE Series	MTU-16-WH	U BRACKET FOR AC16	U-Bracket For Model AC16, White	141.00
MTU-18	AE Series	MTU-18	U BRACKET FOR AC18	U-Bracket For Models AC18/xx, Blk	161.00
MTU-18-WH	AE Series	MTU-18-WH	U BRACKET FOR AC18	U-Bracket For Models AC18/xx, White	161.00
MTU-25	AE Series	MTU-25	U BRACKET FOR AC25	U-Bracket For Model AC25, Blk	131.00
MTU-25-WH	AE Series	MTU-25-WH	U BRACKET FOR AC25	U-Bracket For Model AC25, White	131.00
MTU-26	AE Series	MTU-26	U BRACKET FOR AC26	U-Bracket For Model AC26, Blk	155.00
MTU-26-WH	AE Series	MTU-26-WH	U BRACKET FOR AC26	U-Bracket For Model AC26, White	155.00
MTU-28	AE Series	MTU-28		U-Bracket For Models AC28/xx, Blk	201.00
MTU-28-WH	AE Series	MTU-28-WH		U-Bracket For Models AC28/xx, White	201.00
MTU-195	AE Series	MTU-195		U Bracket for AC195, Blk	151.00
MTU-195-WH	AE Series	MTU-195-WH		U Bracket for AC195, White	151.00
MTU-266-99	AE Series	MTU-266-99		U bracket for AC296 and AC299, Blk	171.00
MTU-266-99-WH	AE Series	MTU-266-99-WH	U BRACKET FOR AC266 and AC299	U bracket for AC266 and AC299, White	171.00
MTU-566-99	AE Series			U Bracket for AC566 and AC599, Blk	191.00
		MTU-566-99			
MTU-566-99-WH MTU-895	AE Series	MTU-566-99-WH		U Bracket for AC566 and AC599, White	191.00
	AE Series	MTU-895		U Bracket for AC895, Blk	101.00
MTU-895-WH	AE Series	MTU-895-WH		U Bracket for AC895, White	131.00
OSB-1	AE Series	OSB-1	OVERHEAD SUSPENSION BRACKET	Overhead suspension bracket for AC895, AC195,AC266,AC299,AC566, and AC599, Blk	51.18
OSB-1-WH	AE Series	OSB-1-WH		Overhead suspension bracket for AC895, AC195,AC266,AC299,AC566, and AC599, White	51.18
WMB-100	AE Series	WMB-100		Wall mount bracket for AC895, AC195, AC266, AC299, AC566, and AC599, Blk	190.09
WMB-100-WH	AE Series	WMB-100-WH	WALL MOUNT BRACKET FOR AC895, AC195, AC266, A	Wall mount bracket for AC895, AC195, AC266, AC299, AC566, and AC599, White	190.09
AE Series					
AC2212/00	AE Series	AC2212/00	12" 2-WAY 100X100 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,498.00
AC2212/00-WH	AE Series	AC2212/00-WH	12" 2-WAY 100X100 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,639.00
AC2212/95	AE Series	AC2212/95	12" 2-WAY 90X50 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,428.00
AC2212/95-WH	AE Series	AC2212/95-WH	12" 2-WAY 90X50 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,428.00
AC2215/00-WH	AE Series	AC2215/00-WH	15" 2-WAY 100X100 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,840.00
AC2215/64	AE Series	AC2215/64	5" 2-WAY 60X40 DEG SPEAKER	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,558.00
AC2215/64-WH	AE Series	AC2215/64-WH	5" 2-WAY 60X40 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,558.00
AC2215/95-WH	AE Series	AC2215/95-WH	15" 2-WAY 90X50 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™	1,558.00
AC2215/95-WRC	Custom Shop	AC2215/95-WRC	15" 2-WAY 90X50 DEG SPEAKER (white)	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™	omAudio@harr
ASB4128	AE Series	ASB4128	DUAL 18" SUBWOOFER	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each.	3,498.00
ASB4128-WH	AE Series	ASB4128 ASB4128-WH		Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each.	3,498.00
ASB4128-WH ASB4128-WRX	Custom Shop Item	ASB4128-WH ASB4128-WRX		Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each.  Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. With Extreme Weather	
			·		
AM5212/00	AE Series	AM5212/00	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	2,342.00
AM5212/00-WH	AE Series	AM5212/00-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	2,342.00
AM5212/00-WRC	Custom Shop Item	AM5212/00-WRC		Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/00-WRX	Custom Shop Item	AM5212/00-WRX	I wo-way full range loudspeaker (Weather Protection	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	omAudio@harr

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
AM5212/26-WH	AE Series	AM5212/26-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	2,342.00
AM5212/26-WRC	Custom Shop Item	AM5212/26-WRC	Two-way full range loudspeaker (Weather Protection	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	omAudio@harm
AM5212/26-WRX	Custom Shop Item	AM5212/26-WRX	Two-way full range loudspeaker (Extreme Weather P	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	omAudio@harm
AM5212/64	AE Series	AM5212/64	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/64-WH	AE Series	AM5212/64-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/64-WRX	Custom Shop Item	AM5212/64-WRX		Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/64-WRC	Custom Shop Item	AM5212/64-WRC	, , ,	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/66	AE Series	AM5212/66	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/66-WH	AE Series	AM5212/66-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	,
AM5212/66-WRC	Custom Shop Item	AM5212/66-WRC		Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/66-WRX	Custom Shop Item	AM5212/66-WRX	, , ,	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/95	AE Series	AM5212/95	Two-way full range loudspeaker	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/95-WH	AE Series	AM5212/95-WH	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5212/95-WRC	Custom Shop	AM5212/95-WRC	Two-way full range loudspeaker (white)	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/26	AE Series	AM5215/26	Two-way full range loudspeaker	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/26-WH	AE Series	AM5215/26-WH	Two-way full range loudspeaker (white)	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	,
AM5215/26-WRX	Custom Shop	AM5215/26-WRX	Two-way full range loudspeaker (white)	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/64	AE Series	AM5215/64	Two-way full range loudspeaker	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	,
AM5215/64-WH	AE Series	AM5215/64-WH	Two-way full range loudspeaker (white)	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	,
AM5215/64-WRX	Custom Shop Item	AM5215/64-WRX	, , ,	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/66	AE Series	AM5215/66	Two-way full range loudspeaker	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	,
AM5215/66-WH	AE Series	AM5215/66-WH	Two-way full range loudspeaker (white)	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	2,473.00
AM5215/66-WRC	Custom Shop Item	AM5215/66-WRC	, , ,	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/66-WRX	Custom Shop Item	AM5215/66-WRX	, , ,	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	_
AM5215/95	AE Series	AM5215/95	Two-way full range loudspeaker	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	,
AM5215/95-WH	AE Series	AM5215/95-WH	Two-way full range loudspeaker (white)	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/95-WRC	Custom Shop Item	AM5215/95-WRC	Two-way full range loudspeaker (Weather Protection	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice	
AM5215/95-WRX	Custom Shop Item				omAudio@harm
ASB6112	AE Series	ASB6112	SINGLE 12 SUBWOOFER	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual	2,000.00
ASB6112-WRC	Custom Shop Item	ASB6112-WRC	·	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual	omAudio@harm
ASB6112-WRX ASB6112-WH	Custom Shop Item AE Series	ASB6112-WRX ASB6112-WH	SINGLE 12 SUBWOOFER (Extreme weather Protection SINGLE 12 SUBWOOFER (white)	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual	omAudio@harn 2.000.00
ASB6112-WH ASB6115			, ,	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,	,
ASB6115-WH	AE Series	ASB6115	SINGLE 15 SUBWOOFER	Compact High-Power 15 Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,	2,262.00
ASB6115-WH ASB6115-WRC	AE Series Custom Shop Item	ASB6115-WH ASB6115-WRC	SINGLE 15 SUBWOOFER (white)	Compact High-Power 15 Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,	2,262.00
ASB6115-WRX	Custom Shop Item	ASB6115-WRC ASB6115-WRX		Compact High-Power 15' Subwoofer System. 2265H-1 Differential Drive® woofer, 3' dual voice coil – dual gap,	omAudio@harn omAudio@harn
ASB6115-WKX ASB6118	AE Series	ASB6115-WKX ASB6118	SINGLE 18" SUBWOOFER (Extreme weather Protection	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with	2.905.00
ASB6118-WH	AE Series	ASB6118-WH	SINGLE 18 SUBWOOFER (white)	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with	2,905.00
ASB6118-WHX	Custom Shop Item	ASB6118-WH		High Power Single 18 Subwoofer. 1 x 18 2242H VGC™ Driver. Suspension Eyeboits Not included. Arrays with High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. With Extreme Weather Protection Treatment.	2,905.00 pmAudio@harn
ASB6125	AE Series	ASB6125	DUAL 15" SUBWOOFER	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,	3,548.00
ASB6125-WH	AE Series	ASB6125 ASB6125-WH	DUAL 15" SUBWOOFER (white)	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,  Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,	3,548.00
ASB6125-WRC	Custom Shop Item	ASB6125-WR	· , ,	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap,	omAudio@harm
ASB6125-WRX	Custom Shop Item	ASB6125-WRX		Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive woofer, 3" dual voice coil – dual gap,  Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive woofer, 3" dual voice coil – dual gap,	omAudio@harn
ASB6128	AE Series	ASB6128	DUAL 18" SUBWOOFER	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts	
ASB6128-WH	AE Series	ASB6128-WH	DUAL 18" SUBWOOFER (white)	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts	,
ASB6128-WRC	Custom Shop Item	ASB6128-WRC		High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. With Weather	omAudio@harm
ASH6118	AE Series	ASH6118	SINGLE 18' HORNLOADED SUBWOOFER	Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed	
AM7200/64	AE Series	AM7200/64	2-WAY MID-HIGH LOUDSPEAKER SYSTEM	High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm	3,870.00
AM7200/95	AE Series	AM7200/64 AM7200/95	2-WAY MID-HIGH LOUDSPEAKER SYSTEM  2-WAY MID-HIGH LOUDSPEAKER SYSTEM	High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm	
AM7212/00	AE Series	AM7212/00	S/M, AM7212/00	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/00-WH	AE Series	AM7212/00-WH	S/M, AM7212/00 S/M, AM7212/00 WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/00-WRC	Custom Shop	AM7212/00-WRC	S/M, AM7212/00 WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harm
AM7212/00-WRX	Custom Shop	AM7212/00-WRX	S/M. AM7212/00 WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harn
AM7212/26	AE Series	AM7212/26	Two-way full range loudspeaker	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/26-WH	AE Series	AM7212/26-WH	Two-way full range loudspeaker (white)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/26-WRC	Custom Shop Item	AM7212/26-WRC	, , , ,	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harm
AM7212/26-WRX	Custom Shop Item	AM7212/26-WRX	, , ,	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harn
AM7212/64	AE Series	AM7212/64	Two-way full range loudspeaker	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/64-WH	AE Series	AM7212/64-WH	Two-way full range loudspeaker (white)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/64-WRC	Custom Shop Item	AM7212/64-WRC		High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harm
AM7212/66	AE Series	AM7212/66	Two-way full range loudspeaker (Weather Protection	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
AM7212/66-WH	AE Series	AM7212/66-WH	Two-way full range loudspeaker (white)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,518.00
	, il Jeries	MINIT Z 12/ 00-4411	way run runge roudspeaker (write)		3,310.00
AM7212/66-WRC	Custom Shop Item	AM7212/66-WRC	Two-way full range loudspeaker (Weather Protection	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harm

sku	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
AM7212/95	AE Series	AM7212/95	Two-way full range loudspeaker	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil	3,518.00
AM7212/95-WH	AE Series	AM7212/95-WH	Two-way full range loudspeaker (white)	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil	3,518.00
AM7215/26	AE Series	AM7215/26	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/26-WH	AE Series	AM7215/26-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/26-WRC	Custom Shop	AM7215/26-WRC	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7215/26-WRX	Custom Shop	AM7215/26-WRX	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7215/64	AE Series	AM7215/64	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/64-WH	Custom Shop Item	AM7215/64-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	5,200.00
AM7215/64-WRC	Custom Shop Item	AM7215/64-WRC	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7215/64-WRX	Custom Shop	AM7215/64-WRX	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7215/66	AE Series	AM7215/66	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/66-WH	AE Series	AM7215/66-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/66-WRC	Custom Shop Item	AM7215/66-WRC	Two-way full range loudspeaker (Weather Protection	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7215/66-WRX	Custom Shop Item	AM7215/66-WRX	Two-way full range loudspeaker (Extreme Weather P	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7215/95	AE Series	AM7215/95	Two-way full range loudspeaker	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/95-WH	AE Series	AM7215/95-WH	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	3,689.00
AM7215/95-WRX	Custom Shop	AM7215/95-WRX	Two-way full range loudspeaker (white)	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil	omAudio@harr
AM7315/64	AE Series	AM7315/64	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and	5,237.00
AM7315/64-WH	AE Series	AM7315/64	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and	5,237.00
AM7315/64-WRC	Custom Shop Item	AM7315/64-WRC	3-WAY FULL-RANGE LOUDSPEAKER SYS	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series	omAudio@harr
AM7315/95	AE Series	AM7315/95	3-WAY FULL-RANGE LOAUDSPEAKER SYSTEM	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and	5,237.00
AM7315/95-WH	AE Series	AM7315/95-WH	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and	5,237.00
AM7315/95-WRC	Custom Shop	AM7315/95-WRC	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and	omAudio@harr
AM7315/95-WRX	Custom Shop	AM7315/95-WRX	3-WAY FULL-RANGE LOUDSPEAKER SYS	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and	omAudio@harr
AL7115	AE Series	AL7115	15" LOW FREQUENCY SPEAKER	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or	2,257.00
AL7115-WH	AE Series	AL7115-WH	15" LOW FREQUENCY SPEAKER	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or	2,257.00
AL7115-WRC	Custom Shop Item	AL7115-WRC	15" LOW FREQUENCY SPEAKER	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series	omAudio@harr
ASB7118	AE Series	ASB7118	SINGLE 18" SUBWOOFER	Ultra High-Power 18" Subwoofer System 2269H	4,352.00
ASB7118-WH	AE Series	ASB7118-WH	SINGLE 18" SUBWOOFER (white)	Ultra High-Power 18" Subwoofer System 2269H	4,352.00
ASB7118-WRC	Custom Shop Item	ASB7118-WRC	SINGLE 18" SUBWOOFER (Extreme Weather Protection	Ultra High-Power 18" Subwoofer System 2269H	omAudio@harr
ASB7118WRX	Custom Shop Item	ASB7118WRX	SINGLE 18" SUBWOOFER (Extreme Weather Protection	Ultra High-Power 18" Subwoofer System 2269H	omAudio@harn
ASB7128	AE Series	ASB7128	DUAL 18" SUBWOOFER	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice	7,638.00
ASB7128-WH	AE Series	ASB7128-WH	DUAL 18" SUBWOOFER (white)	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice	7,638.00
ASB7128-WRC	Custom Shop Item	ASB7128-WRC	DUAL 18" SUBWOOFER	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice	omAudio@harr
ASB7128-WRX	Custom Shop Item	ASB7128-WRX	DUAL 18" SUBWOOFER	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice	omAudio@harr
CWT128	AE Series	CWT128	2-WAY FULL-RANGE CROSSFIRE WAVEGUIDE	Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a	3,364.00
CWT128-WH	AE Series	CWT128-WH	2-WAY FULL-RANGE CROSSFIRE WAVEGUIDE - WHITE	Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a	3,364.00
CWT128-WRC	Custom Shop Item	CWT128-WRC	With Weather Protection treatment	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series	omAudio@harr
CWT128-WRX	Custom Shop Item	CWT128-WRX	With Weather Protection treatment	With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series	omAudio@harr
AE SERIES ACCESSORIES:				, ,	
MTU-1	AE Series	MTU-1	U BRACKET FOR AM7215/xx and AM5215/xx	U-Bracket For Models AM7215/xx and AM5215/xx.	292.00
MTU-1-WH	AE Series	MTU-1-WH		U-Bracket For Models AM7215/xx and AM5215/xx. White finish.	292.00
MTU-2	AE Series	MTU-2	U?BRACKET FOR MODEL AC2215/xx	U-Bracket For Model AC2215/xx	276.00
MTU-2-WH	AE Series	MTU-2-WH	U BRACKET FOR AM7215/xx and AM5215/xx (white)		276.00
MTU-3	AE Series	MTU-3	AE SERIES 28-1/2" U-BRACKET	U-Bracket For Models AM7212/xx and AM5212/xx.	302.00
MTU-3-WH	AE Series	MTU-3-WH	AE SERIES 28-1/2" U-BRACKET (white)	U-Bracket For Models AM7212/xx and AM5212/xx. White finish.	302.00
MTU-4	AE Series	MTU-4	AE SERIES 22-1/4" U-BRACKET	U-Bracket For Model AC2212/xx.	286.00
MTU-4-WH	AE Series	MTU-4-WH	AE SERIES 22-1/4" U-BRACKET(white)	U-Bracket For Model AC2212/xx. White finish.	286.00
229-00009-01	AE Series	229-00009-01	HARDWARE KIT, SP/VS	Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts (priced and ships as a PACK of 3 bolts)	59.00
PD Precision Directivity Series				(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
PD525S	PD Series	PD525S	Dual 15" LF	Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	3,136.00
PD525S - WH	PD Series	PD525S - WH		Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	3,136.00
PD525S-WRC	Custom Shop Item	PD525S-WRC	Dual 15" Subwoofer	Dual 15" 2275H Differential Driver® with dual 75mm (3 in) voice coils and dual magnetic gap subwoofer system.	omAudio@harr
PD525S-WRX	Custom Shop Item	PD525S-WRX		Dual 15" 2275H Differential Driver® with dual 75mm (3 in) voice coils and dual magnetic gap subwoofer system.	omAudio@harr
PD544	PD Series	PD544	15" 2-way full-range, 40 X 40	15" Horn-Loaded 2-way full-range system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit,	4.398.00
PD544 - WH	PD Series	PD544 - WH	, 0:	15" Horn-Loaded 2-way full-range system, 40: x 40: coverage pattern with 2432H 38mm (1.5 in) exit,	4,398.00
PD544-WRC	Custom Shop Item	PD544-WRC	15" Horn-loaded 2-way full-range loudspeaker	15" Horn-loaded 2-way full-range loudspeaker system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit	
PD544-WRX	Custom Shop Item	PD544-WRX		15" Horn-loaded 2-way full-range loudspeaker system, 40: x 40: coverage pattern with 2432H 38mm (1.5 in) exit	
PD564	PD Series	PD564	15" 2-way full-range, 60 X 40	15" Horn-Loaded 2-way full-range system, rotatable	4,392.00
PD564 - WH	PD Series	PD564 - WH	15" 2-way full-range, 60 X 40	15" Horn-Loaded 2-way full-range system, rotatable	4,392.00
PD564-WRC	Custom Shop Item	PD564-WRC	15" Horn-loaded 2-way full-range loudspeaker	15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60? x 40? coverage pattern with 2432H 38mm (1.5	-
	Custom Shop Item	PD564-WRX		15" Horn-loaded 2-way full-range loudspeaker 2-way system, 60? x 40? coverage pattern with 2432H 38mm (1.5	
PD564-WRY					
PD564-WRX PD566 - WH	PD Series	PD566 - WH	15" 2-way full-range, 60 X 60	15" Horn-Loaded 2-way full-range system, 60? x 60? coverage pattern with 2432H 38mm (1.5 in) exit,	4.398.00

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
PD566-WRX	Custom Shop Item	PD566-WRX	15" Horn-loaded 2-way full-range loudspeaker	15" Horn-loaded 2-way full-range loudspeaker2-way system, 60? x 60? coverage pattern with 2432H 38mm (1.5	omAudio@harr
PD595	PD Series	PD595	15" 2-way full-range, 90 X 50	15" Horn-Loaded 2-way full-range system, rotatable	4,392.00
PD595 -WH	PD Series	PD595 -WH		15" Horn-Loaded 2-way full-range system, rotatable	4,392.00
PD595-WRC	Custom Shop Item	PD595-WRC		15" Horn-loaded 2-way full-range loudspeaker 2-way system, 90? x 50? coverage pattern with 2432H 38mm (1.5	
PD595-WRX	Custom Shop Item	PD595-WRX		15" Horn-loaded 2-way full-range loudspeaker 2-way system, 90? x 50? coverage pattern with 2432H 38mm (1.5	
PD743-WH	Custom Shop Item	PD743-WH	HIGH OUTPUT COAX 40 X 30 (Weather Protection Tre	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers	19,705.00
PD743i-WRC	Custom Shop Item	PD743i-WRC			omAudio@harr
PD743i-WRX	Custom Shop Item	PD743i-WRX			omAudio@harr
PD743i-215-WRX	Custom Shop Item	PD743i-215-WRX	HIGH OUTPUT COAX 40 X 30 (Extreme Weather Prote	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers	omAudio@harr
PD743i-215-WRC	Custom Shop Item	PD743i-215-WRC		, , , , , , , , , , , , , , , , ,	omAudio@harr
PD764-WH	Custom Shop Item	PD764-WH	HIGH OUTPUT COAX 60 X 40 (Weather Protection Tre	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers	19,705.00
PD764i-WRC	Custom Shop Item	PD764i-WRC			omAudio@harr
PD764i-WRX	Custom Shop Item	PD764i-WRX			omAudio@harr
PD764i-215-WRC	Custom Shop Item	PD764i-215-WRC			omAudio@harr
PD764i-215-WRX	Custom Shop Item	PD764i-215-WRX			omAudio@harr
PD5122	PD Series	PD5122	Dual 12" low-frequency loudspeaker	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap	
PD5122-WH	PD Series	PD5122-WH		High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap	
PD5122-WRC	Custom Shop Item	PD5122-WRC		High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap	
PD5122-WRX	Custom Shop Item	PD5122-WRX		High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap	
PD6200/43-WH	PD Series	PD6200/43-WH	,	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm	6,292.00
PD6200/43-WRC	Custom Shop Item	PD6200/43-WRC	, , ,	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm	
PD6200/43-WRX	Custom Shop Item	PD6200/43-WRX	,	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm	
PD6200/64	PD Series	PD6200/64		High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm	4,386.00
PD6200/64-WH	PD Series	PD6200/64-WH	, , ,	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm	4,386.00
PD6200/64-WRC	Custom Shop Item	PD6200/64-WRC		High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm	
PD6200/64-WRX	Custom Shop Item	PD6200/64-WRX		High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm	
PD6200/66	PD Series	PD6200/66	Two-way mid-high horn-loaded loudspeaker	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm	4,386.00
PD6200/66-WH	PD Series	PD6200/66-WH	Two-way mid-high horn-loaded loudspeaker (white)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm	4,386.00
PD6200/66-WRC	Custom Shop Item	PD6200/66-WRC	Two-way mid-high horn-loaded loudspeaker (Extrem	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm	omAudio@harr
PD6200/66-WRX	Custom Shop Item	PD6200/66-WRX	Two-way mid-high horn-loaded loudspeaker (Extrem	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm	omAudio@harr
PD6200/95	PD Series	PD6200/95	Two-way mid-high horn-loaded loudspeaker	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm	4,386.00
PD6200/95-WH	PD Series	PD6200/95-WH	Two-way mid-high horn-loaded loudspeaker (white)	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm	4,386.00
PD6200/95-WRC	Custom Shop Item	PD6200/95-WRC	Two-way mid-high horn-loaded loudspeaker ( Extrem	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm	omAudio@harn
PD6200/95-WRX	Custom Shop Item	PD6200/95-WRX	Two-way mid-high horn-loaded loudspeaker (Extrem	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm	omAudio@harn
PD6212/43	PD Series	PD6212/43	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern.	6,875.00
PD6212/43-WH	PD Series	PD6212/43-WH	12" two-way horn-loaded loudspeaker (white)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern.	6,875.00
PD6212/43-WRC	Custom Shop Item	PD6212/43-WRC	, , , ,	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern.	omAudio@harr
PD6212/43-WRX	Custom Shop Item	PD6212/43-WRX		High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern.	omAudio@harr
PD6212/64	PD Series	PD6212/64	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern.	4,975.00
PD6212/64-WRC	Custom Shop Item	PD6212/64-WRC	- · · · · · · · · · · · · · · · · · · ·	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern.	omAudio@harr
PD6212/66	PD Series	PD6212/66	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern.	4,975.00
PD6212/66-WH	PD Series	PD6212/66-WH	, ,	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern.	4,975.00
PD6212/66-WRC	Custom Shop Item	PD6212/66-WRC	, , ,	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern.	omAudio@harr
PD6212/95	PD Series	PD6212/95	12" two-way horn-loaded loudspeaker	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern.	4,975.00
PD6212/95 PD6212/95-WH	PD Series	PD6212/95 PD6212/95-WH	12" two-way horn-loaded loudspeaker (white)	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern.  High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern.	4,975.00
PD6212/95-WHC				High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12 LF and 90 x 50° Coverage Pattern.  High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern.	,
PD6212/95-WKC PD6322/43	Custom Shop Item PD Series	PD6212/95-WRC PD6322/43	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300	omAudio@harr 7,896.00
•			, , ,		-
PD6322/43-WH	PD Series	PD6322/43-WH	, , ,	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300	7,896.00
PD6322/43-WRC	Custom Shop Item	PD6322/43-WRC		High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40º x 30º Coverage Pattern. Two 300	
PD6322/43-WRX	Custom Shop Item	PD6322/43-WRX	, , ,	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300	
PD6322/64-H	PD Series	PD6322/64-H	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300	
PD6322/64-WH	PD Series	PD6322/64-WH	, , ,	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300	
PD6322/64-WRC	Custom Shop	PD6322/64-WRC	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300	
PD6322/64-WRX	Custom Shop	PD6322/64-WRX	, , ,	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300	
PD6322/66	PD Series	PD6322/66	Dual 12" three-way full-range loudspeaker	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300	
PD6322/66-WH	PD Series	PD6322/66-WH		High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300	
PD6322/66-WRC	Custom Shop Item	PD6322/66-WRC			
PD6322/95	PD Series	PD6322/95		High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300	
PD6322/95-WH	PD Series	PD6322/95-WH	Dual 12" three-way full-range loudspeaker (white)	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300	5,848.00
PD6322/95-WRC	Custom Shop Item	PD6322/95-WRC	Dual 12" three-way full-range loudspeaker (Weather	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300	omAudio@harr
PD6322/95-WRX	Custom Shop Item	PD6322/95-WRX		High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300	
VLA Line Array Modules					
JBL-P3267MX	PD Series	VLA301I	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage	14.206.16
JBL-P3268MX	Custom Shop Item	VLA301I-WRC		High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage	

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
JBL-P3270MX	Custom Shop Item	VLA301HI-WRC	Three-way horn-loaded line array system (Weather R	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage	omAudio@harm
JBL-P3271MX	Custom Shop Item	VLA301HI-WRX		M High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage	omAudio@harm
JBL-P3187MX	Custom Shop Item	VLA301I-WRX	Three-way horn-loaded line array system (Extreme V	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage	omAudio@harm
JBL-P3269MX	PD Series	VLA301HI	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage	16,137.00
VLA601I	PD Series	VLA601I	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage	11,824.00
VLA601I-WRC	Custom Shop Item	VLA601I-WRC		P High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage	omAudio@harm
VLA601I-WRX	Custom Shop Item	VLA601I-WRC		High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage	omAudio@harm
VLA601HI	PD Series	VLA601HI	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage	14,568.09
VLA601HI-WRC	Custom Shop	VLA601HI-WRC	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage	
VLA601HI-WRX	Custom Shop	VLA601HI-WRX	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage	omAudio@harm
JBL-P3183MX	PD Series	VLA901I	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage	9,813.00
VLA901I-WRC	Custom Shop Item	VLA901I-WRC		P High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage	
VLA901I-WRX	Custom Shop Item	VLA901I-WRX		P High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage	omAudio@harm
JBL-P3266MX	PD Series	VLA901HI	Three-way horn-loaded line array system	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage	13,875.00
VLA901HI-WRC	Custom Shop Item	VLA901HI-WRC		P High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage	omAudio@harm
VLA901HI-WRX VLA-C2100-GR	Custom Shop Item	VLA901HI-WRX		P High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage	16,677.00
	VLA Compact	VLA-C2100-GR	Two-way horn-loaded line array system. 100° horizo		7,478.00
VLA-C2100-BK VLA-C265-GR	VLA Compact	VLA-C2100-BK		Two-way horn-loaded line array loudspeaker system. 100° horizontal horn coverage pattern. 2x10"LF, 3x0.8"	7,478.00
	VLA Compact	VLA-C265-GR	Two-way horn-loaded line array system. 65° horizon		7,478.00
VLA-C265-BK VLA-C125S-GR	VLA Compact VLA Compact	VLA-C265-BK VLA-C125S-GR		Two-way horn-loaded line array loudspeaker system. 65° horizontal horn coverage pattern. 2x10"LF, 3x0.8" Exit	7,478.00 6.083.00
			Subwoofer for VLA Compact line array system. Gray		-,
VLA-C125S-BK VLA-C125S-ACC	VLA Compact	VLA-C125S-BK VLA-C125S-ACC		Subwoofer for VLA Compact line array system. Dual 15" Differential Drive® transducers. Comes standard with  Kit for wiring of 3 VLA-C-125S subwoofers in cardioid configuration (2 front-facing and 1 rear-facing). Allows for	6,187.00 388.00
JBL-VLACSB2BK	VLA Compact		,	0	
Vertec Series Large Format Line	VLA Compact	VLA-C-SB2	Suspension Kit for VLA-C Arrays	Suspension Kit for VLA-C Arrays with 2 pcs VLA-C-SB2 Suspension Bars (for top and bottom of array) and 3 pcs	2,965.00
VTX Series Large Format Line Arra					4
JBL-P3250MX		VTV AC	Cub annual line American	Sub-annual dual C.S. inch line annual and a Mary 110 danna	(DOA) C++
JBL-P3250IVIX JBL-P3251MX	VTX SERIES VTX SERIES	VTX A6 VTX B15	Sub-compact Line Array Speaker Compact Subwoofer	Sub-compact dual 6.5-inch line array speaker, 2-Way, 110-degree Sub-compact Arrayable 15-inch Subwoofer	(POA) Contact
JBL-P3251MX JBL-P3252MX	VTX SERIES  VTX SERIES	VTX B15G	Compact Subwoofer  Compact Subwoofer	Sub-compact 15-inch Subwoofer Sub-compact 15-inch Subwoofer	(POA) Contact
JBL-P3253MX	VTX SERIES	VTX A6 MF	Mini Frame	Mini Frame for A6 and B15	
JBL-P3254MX	VTX SERIES	VTX A6 SB	Suspension Bar	Suspension Bar for A6 and B15	(POA) Contact
JBL-P3312MX	VTX SERIES	VTX PM	Suspension bai	Universal 35mm Ple Mount Adapter, T-Bar Style	(POA) Contact
JBL-p3312MX	VTX SERIES	VTX PM		Universal 35mm Ple Mount Adapter, T-Bar Style	(POA) Contact
JBL-P3255MX	VTX SERIES	VTX A6 BP	Base Plate	Base Plate for A6	(POA) Contact
JBL-P3256MX	VTX SERIES	VTX A6 CASE	Road Case	Road case for (4) VTX A6 and accessories	(POA) Contact
JBL-P3257MX	VTX SERIES	VTX B15 ACC	Transportation Accessory	Accessory Cover & Caster board for B15 and B15G	(POA) Contact
JBL-P3258MX	VTX SERIES	VTX B1 GND	Ground Stack Accessory	Universal Ground Stack Accessory, compatible with B15 and B18	(POA) Contact
JBL-P3287MX	VTX SERIES	VTX A6 CM	Ceiling Mount	Ceiling Mount accessory for A6 and B15	(POA) Contact
JBL-P3319MX	VTX SERIES	VTX A6 CASE COMPLETE	VTX A6 CASE COMPLETE	VTX A6 CASE complete, includes (4) VTX A6 speakers	(POA) Contact
VTX A8	VTX SERIES	VTX A8	VTX A8	Compact Dual 8" Line Array	(POA) Contact
VTX B18	VTX SERIES	VTX B18	VTX B18	Single 18" High Performance Subwoofer	(POA) Contact
VTX A8 AF	VTX SERIES	VTX A8 AF	VTX A8 AF	VTX A8/B18 Array Frame	(POA) Contact
VTX A8 AF EB	VTX SERIES	VTX A8 AF EB	VTX A8 AF EB	VTX A8/B18 Array Frame Extension Bar	(POA) Contact
VTX A8 SB	VTX SERIES	VTX A8 SB	VTX A8 SB	VTX A8/B18 Suspension Bar	(POA) Contact
VTX A8 MF	VTX SERIES	VTX A8 MF	VTX A8 MF	VTX A8/B18 Mini Frame	(POA) Contact
VTX-RC500	VTX SERIES	VTX RC500	VTX RC500	Rotating Truss/Pipe Clamp, MAX Capacity: 500kg (1100lbs)	(POA) Contact
VTX A8 VT	VTX SERIES	VTX A8 VT	VTX A8 VT	VTX A8 Vertical Transportation Cart (works with 4 x A8)	(POA) Contact
VTX A8 VT CVR	VTX SERIES	VTX A8 VT CVR	VTX A8 VT CVR	VTX A8 VT Soft Cover (works with 4 x A8)	(POA) Contact
VTX A8 BP	VTX SERIES	VTX A8 BP	VTX A8 BP	Universal Base Plate for VTX A8	(POA) Contact
VTX B18 ACC	VTX SERIES	VTX B18 ACC	VTX B18 ACC	VTX B18 Accessory Cover and Casterboard	(POA) Contact
VTX B18 VT	VTX SERIES	VTX B18 VT	VTX B18 VT	VTX B18 Vertical Transportation Cart (up to 4 x B18)	(POA) Contact
VTX B18 VT CVR	VTX SERIES	VTX B18 VT CVR	VTX B18 VT CVR	VTX B18 VT Soft Cover	(POA) Contact
VTX A12	VTX SERIES	VTX A12	VTX A12	Compact Dual 12' Line Array Element	(POA) Contact
VTX A12W	VTX SERIES	VTX A12W	VTX A12	Compact Dual 12' Line Array Element	(POA) Contact
VTX A12 VT CVR	VTX SERIES	VTX A12 VT CVR	VTX A12 VT CVR	Vertical transport Cover for VTX A12 VT	(POA) Contact
VTX A12 VT	VTX SERIES	VTX A12 VT	VTX A12 VT	Vertical Transport Cart for the 4 VTX A12 enclosures	(POA) Contact
VTX A12 AF	VTX SERIES	VTX A12 AF	VTX A12 AF	VTX A12 Array Frame	(POA) Contact
VTX A12 AF EB	VTX SERIES	VTX A12 AF EB	VTX A12 AF EB	Extension Bar to be used with the VTX A12 AF	(POA) Contact
VTX A12 SB	VTX SERIES	VTX A12 SB	VTX A12 SB	Suspension Bar accessory for VTX A12, Used for pull-back applications, Support for suspending VTX A12, Support	
VTX DELTA	VTX SERIES	VTX DELTA	VTX DELTA	High-quality universal delta plate accessory	(POA) Contact
VTX B28	VTX SERIES	VTX B28	VTX B28	VTX B28 Dual 18" Subwoofer	(POA) Contact
VTX B28 SB	VTX SERIES	VTX B28 SB	VTX B28 SB	VTX B28 SB Suspension Bar for VTX B28	(POA) Contact
VTX B28 ACC	VTX SERIES	VTX B28 ACC	VTX B28 ACC	VTX B28 ACC Accessory Cover & Casterboard for a single VTX B28 (includes both)	(POA) Contact
VTX B28 VT	VTX SERIES	VTX B28 VT	VTX B28 VT	VTX B28 VT Vertical Transportation cart for up to 4x VTX B28	(POA) Contact

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
VTX B28 VT CVR	VTX SERIES	VTX B28 VT CVR	VTX B28 VT CVR	VTX B28 VT CVR Soft cover for 3 or 4 VTX B28 subwoofers	(POA) Contact
JBL-VTX B28 GND	VTX SERIES	VTX B28 GND	VTX B28 GND	VTX B28 GND	(POA) Contact
VTX A12 BP	VTX SERIES	VTX A12 BP	VTX A12 BP	Base Plate for ground stacking VTX A12 on top of VTX B28	(POA) Contact
VTX A12 VT GND	VTX SERIES	VTX A12 VT GND	VTX A12 VT GND	Outrigger system for ground stacking VTX A12. Also compatible with B28 VT.	(POA) Contact
VTX V20 BP	VTX SERIES	VTX-V20 BP	VTX V20 BP	Universal Base Plate for VTX V20	(POA) Contact
VTX-V20	VTX SERIES	VTX-V20	VTX-V20		(POA) Contact
VTX-V25-II	VTX SERIES	VTX-V25-II	VTX-V25-II		(POA) Contact
VTX-V25-II-CS VTX-S25	VTX SERIES	VTX-V25-II-CS	VTX-V25-II-CS	VTX V Series V25-II-CS Fullsize 3-Way Line Array Element (Compression Suspension) featuring patented D2 dual VTX Series S25 Suspendable Dual 15" Subwoofer. Companion subwoofer for VTX V20 featuring ultra long throw,	(POA) Contact
VTX-S28	VTX SERIES	VTX-S25	VTX-S25		(POA) Contact
JBL-P3396	VTX SERIES VTX SERIES	VTX-S28 JBL-P3396	VTX-S28	a VTX Commissioning - North America - North America	(POA) Contact (POA) Contact
POINT SOURCE	VIA SERIES	JBL-P3390	VIX Commissioning - North America - North Americ	a VIA Commissioning - North America - North America	(POA) Contact
VTX-F12	VTX SERIES	VTX-F12	VTX-F12	VTX F Series F12 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential	(POA) Contact
VTX-F15	VTX SERIES	VTX-F15	VTX-F15	VTX F Series F15 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential	(POA) Contact
VTX-F18S	VTX SERIES	VTX-F18S	VTX-F18S	VTX F Series F18S Compact Subwoofer Enclosure featuring ultra long throw, patented Differential Drive® LF	(POA) Contact
M SERIES					, , , , , , , , , , , , , , , , , , , ,
VTX-F35/95	VTX Series	VTX-F35/95	CSX-F35 Three-way High Output Speaker	CSX: F35, high output three-way full range system. Designed to address a wide range of applications, where high-	(POA) Contact
VTX-F35/64	VTX Series	VTX-F35/64	CSX-F35 Three-way High Output Speaker	CSX: F35, high output three-way full range system. Designed to address a wide range of applications, where high-	
VTX-M20	VTX SERIES	VTX-M20	VTX-M20	VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest	(POA) Contact
VTX-M22	VTX SERIES	VTX-M22	VTX-M22	VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest	(POA) Contact
VTX-S25-VT	VTX SERIES	VTX-S25-VT	VTX-S25-VT	VTX S25 Vertical Transporter for transportation of up to three VTX S25 enclosures in a vertical column in either	(POA) Contact
VTX-S25-VT-CVR	VTX SERIES	VTX-S25-VT-CVR	VTX-S25-VT-CVR	VTX S25 Vertical Transporter Cover for use with VTX-S25-VT. Modular, reconfigurable design allows for protection	(POA) Contact
VTX-S28-ACC	VTX SERIES	VTX-S28-ACC	VTX-S28-ACC	VTX S28 Accessory Cover Caster-Board for transportation and protection of one S28 enclosure. Includes: padded,	(POA) Contact
VTX-S28-VTC	VTX SERIES	VTX-S28-VTC	VTX-S28-VTC	VTX S28 Vertical Transporter for transportation of up to three VTX S28 enclosures in a vertical column in either	(POA) Contact
VTX-S28-VT-CVR	VTX SERIES	VTX-S28-VT-CVR	VTX-S28-VT-CVR	VTX S28 Vertical Transporter Cover for use with VTX-S28-VT. Modular, reconfigurable design allows for protection	(POA) Contact
VTX-V20-AF	VTX SERIES	VTX-V20-AF	VTX-V20-AF	VTX V20 ARRAY FRAME for suspending or ground stacking VTX V20 or VTX S25 enclosures. Includes leveling	(POA) Contact
VTX-V20-AF-EB	VTX SERIES	VTX-V20-AF-EB	VTX-V20-AF-EB	VTX V20 ARRAY FRAME EXTENSION BAR for use with VTX-V20-AF, front- or rear-mounted. Single (central) or dual	
VTX-V20-LH	VTX SERIES	VTX-V20-LH	VTX-V20-LH	Columbus McKinnon (CM) Series 653 ¾ ton manual lever hoist	(POA) Contact
VTX-V20-PB	VTX SERIES	VTX-V20-PB	VTX-V20-PB	VTX V20 PULL BACK ADAPTER for attachment to bottom V20 enclosure to facilitate rear pull back (compression-	
VTX-V20-VT	VTX SERIES	VTX-V20-VT	VTX-V20-VT		(POA) Contact
VTX-V20-VT-CVR	VTX SERIES	VTX-V20-VT-CVR	VTX-V20-VT-CVR	VTX V20 Vertical Transporter Cover for use with VTX-V20-VT. Modular, reconfigurable design allows for	(POA) Contact
VTX-V20-VT-CVRW	VTX SERIES	VTX-V20-VT-CVRW	VTX-V20-VT-CVRW	VTX V20 Vertical Transporter Wrap Cover for use with VTX-V20-VT. Allows for protection of three to four VTX V20	
VTX-V25-ACC	VTX SERIES	VTX-V25-ACC	VTX-V25-ACC	VTX V25 Accessory Cover Caster-Board for transportation and protection of one V25 enclosure. Includes: padded,	
VTX-V25-AF VTX-V25-AF-EB	VTX SERIES VTX SERIES	VTX-V25-AF VTX-V25-AF-EB	VTX-V25-AF VTX-V25-AF-EB	VTX V25 ARRAY FRAME - TOURING for suspending or ground stacking VTX V25 or VTX S28 enclosures. Includes VTX V25 ARRAY FRAME EXTENSION BAR for use with VTX-V25-AF, front- or rear-mounted. Single (central) or dual	(POA) Contact
VTX-V25-AF-EB	VTX SERIES VTX SERIES	VTX-V25-AF-EB VTX-V25-CS-K	VTX-V25-AF-EB VTX-V25-CS-K		(POA) Contact (POA) Contact
VTX-V25-CS-K-LJ	VTX SERIES	VTX-V25-CS-K-LJ	VTX-V25-CS-K-LJ	VTX V25 COMPRESSION SUSPENSION KIT LABEL JIG INSTALLATION FIXTURE (1X LABEL JIG PER CS-K ORDER)	(POA) Contact
VTX-V25-LH	VTX SERIES	VTX-V25-LH	VTX-V25-CH	VTX V25 LEVER HOIST for attachment to VTX-V25-PB pull back adapter to facilitate rear pull back (compression-	-
VTX-V25-PB	VTX SERIES	VTX-V25-PB	VTX-V25-PB	, , , , ,	(POA) Contact
VTX-V25-VTC	VTX SERIES	VTX-V25-VTC	VTX-V25-VTC		(POA) Contact
VTX-V25-VT-CVR	VTX SERIES	VTX-V25-VT-CVR	VTX-V25-VT-CVR	VTX V25 Vertical Transporter Cover for use with VTX-V25-VT. Modular, reconfigurable design allows for	(POA) Contact
VTX-V25-VT-CVRW	VTX SERIES	VTX-V25-VT-CVRW	VTX-V25-VT-CVRW		(POA) Contact
VTX-V25-WG-UK	VTX SERIES	VTX-V25-WG-UK	VTX-V25-WG-UK	WAVEGUIDE UPGRADE KIT	(POA) Contact
VRX Fixed Curvature Line Array					
VRX928LA	VRX SERIES	VRX928LA	S/M, VRX928LA	8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver	2,582.85
VRX928LA-WH	VRX SERIES	VRX928LA-WH	S/M, VRX928LA-WH	8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression	2,653.20
VRX932LA-1	VRX SERIES	VRX932LA-1	SALES MODEL, VRX932LA-1	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on	4,160.70
VRX932LA-1WH	VRX SERIES	VRX932LA-1WH	S/M, VRX932LA-1WH	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on	4,160.70
VRX932LAP	VRX SERIES	VRX932LAP	SALES MODEL, VRX932LAP	Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant	5,211.94
VRX915M	VRX SERIES	VRX915M	S/M, VRX915M	15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil	3,065.25
VRX915S	VRX SERIES	VRX915S	S/M, VRX915S	15" Bass Reflex Subwoofer	2,291.40
VRX915S-WH	VRX SERIES	VRX915S-WH	S/M, VRX915S-WH	15" Bass Reflex Subwoofer - white	2,291.40
VRX918S	VRX SERIES	VRX918S	S/M, VRX918S	18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-	
VRX918SP	VRX SERIES	VRX918SP	S/M, VRX918SP	Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC-2 Amplifier Module with system DSP;	3,607.95
VRX918S-WH	VRX SERIES	VRX918S-WH	S/M, VRX918S-WH	18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with	2,512.50
VRX-AF-II VRX-SMAF	VRX SERIES	VRX-AF	S/M, VRX-AF	Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2	,
VRX-SMAF EON Series	VRX SERIES	VRX-SMAF	S/M, VRX-SMAF	Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x	940.68
JBL-EONONEMK2-NA	EON	JBL-EONONEMK2-NA	IDLEON ONE MAY DATTERY DOWERED COLUMN COS	JBL EON ONE MK2 BATTERY POWERED COLUMN SPEAKER	1,834.35
JBL-EONONEMIKZ-NA JBL-EONONECHGR-NA	EON	JBL-EUNUNEMKZ-NA JBL-EONONECHGR-NA	JBL EON ONE MK2 BATTERY POWERED COLUMN SPE JBL EON ONE MK2 DUAL BATTERY CHARGER	JBL EON ONE MK2 BUAL BATTERY CHARGER	358.33
JBL-EONONECHGR-NA JBL-EONONE-BATT	EON	JBL-EONONECHGR-NA  JBL-EONONE-BATT	JBL EON ONE MK2 DOAL BATTERY CHARGER  JBL EON ONE MK2 SPARE BATTERY	JBL EON ONE MKZ SPARE BATTERY  JBL EON ONE MKZ SPARE BATTERY	358.33
EON One Compact-NA	EON	EON One Compact		JBL EON ONE Compact is all-in-one rechargeable personal PA with an 8-inch woofer, a 4-channel digital mixer,	827.94
EONONECOMPACT-BATT	EON	EONONECOMP-BATT	EONONECOMP-BATT	EONONECOMP-BATT priced and sold as singles	149.29
		EONONECOMP-CHGR-NA			148.40

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
EONONECOMPACT-5V9V	EON	EONONECOMPACT-5V9V	EON ONE Compact - AKG DMS100/300 USB Power C	EON ONE Compact - AKG DMS100/300 USB Power Cable	30.16
EONONECOMPACT-512V	EON	EONONECOMPACT-512V	JBL EON ONE Compact 5v to 12v USB Power Supply	JBL EON ONE Compact 5v to 12v USB Power Supply	30.16
EON208P	EON	EON208P	Portable 8" 2-Way PA with 8-Channel Powered Mixe	JBL Packaged PA System with integrated 300 Watt powered mixer; 8-channel mixer with user selectable Reverb	1,084.62
JBL-EON700 YOKE	EON	EON700 Yoke	JBL EON700 UNIVERSAL YOKE MOUNT	JBL EON700 UNIVERSAL YOKE MOUNT	161.95
JBL-EON710-NA	EON	EON710	JBL EON710 10" POWERED LOUDSPEAKER	JBL EON710 10" POWERED LOUDSPEAKER	821.26
JBL-EON712-NA	EON	EON712	JBL EON712 12" POWERED LOUDSPEAKER	JBL EON712 12" POWERED LOUDSPEAKER	852.86
JBL-EON715-NA	EON	EON715	JBL EON715 15" POWERED LOUDSPEAKER	JBL EON715 15" POWERED LOUDSPEAKER	901.53
JBL-EON718s-NA	EON	EON718S	JBL EON718S 18" POWERED SUBWOOFER	JBL EON718S 18" POWERED SUBWOOFER	1,750.02
IRX Portable Speakers					,
IRX108BT-NA	IRX Series	IRX108BT	Powered 8" Portable Speaker with Bluetooth	Powered 8" Portable Speaker with Bluetooth	524.53
IRX112BT-NA	IRX Series	IRX112BT	Powered 12" Portable Speaker with Bluetooth	Powered 12" Portable Speaker with Bluetooth	586.72
JBL-IRX115S-NA	IRX Series	IRX115BT	JBL IRX115S 15" Powered Subwoofer	JBL IRX115S 15" Powered Subwoofer	1,035.63
JBL-IRXONE-US	IRX100 Series	IRX ONE	JBL IRX ONE	JBL IRX ONE Powered Column Speaker with BT US SKU Variant	1,305.50
JRX Portable Speakers	noted series	III. Cite	JOE HOL ONE	752 III. One Foreign Column Speaker Mar 51 05 5kg Variant	2,505.50
JRX215	JRX SERIES	JRX215	15" Two-Way Front of House Passive Speaker	15" two-way front of house passive speaker system; 1000 Watt peak power handling, 128dB Maximum SPL, 8	473.79
JRX212	JRX SERIES	JRX212	12" Two-Way Stage Monitor Speaker	12" two-way stage monitor or front of house passive speaker system; 1000 Watt peak power handling, 129dB	395.25
JRX225	JRX SERIES	JRX225		Dual 15" two-way front of house passive speaker system, 1000 Watt peak power handling, 123dB Maximum SPL,	711.93
JRX218S	JRX SERIES	JRX218S	18" Passive Compact Subwoofer	18" passive compact subwoofer; 1400 Watt peak power handling, 127dB Maximum SPL, 4 ohms. 19mm MDF	
	JIVY DEVIED	JUVETOD	10 Fassive Compact Subwooter	10 passive compact subwooler, 1400 watt peak power nandling, 1270B Maximum SPL, 4 Onns. 19MM MDF	790.47
NON-POWERED					
PRX Portable Speakers				4200 11 11 11 11 11 11 11 11 11 11 11 11 1	
PRX412M-WH	PRX PASSIVE	PRX412M-WH	12" 2-WAY WHITE UTILITY SPEAKER	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB	977.96
PRX412M	PRX PASSIVE	PRX412M	12" Two-Way Stage Monitor	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB	835.77
PRX415M-WH	PRX PASSIVE	PRX415M-WH	15" 2-WAY WHITE UTILITY SPEAKER	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling, 129dB	1,072.75
PRX415M	PRX PASSIVE	PRX415M	Two-Way 15" Stage Monitor	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB	914.76
PRX425	PRX PASSIVE	PRX425	Dual 15" Two-Way Loudspeaker System	Dual 15" two-way passive speaker system; 2400 Watt peak power handling , 134dB Maximum SPL , 4 ohms.	1,246.54
PRX418S	PRX PASSIVE	PRX418S	18" Subwoofer	Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max	1,246.54
PRX One					
POWERED					
JBL-PRX ONE-NA	PRX SERIES	JBL-PRX ONE-NA	JBL PRX ONE Powered Column PA Speaker	JBL PRX ONE Powered Column PA Speaker	2,574.72
JBL-PRXONEINSKIT	PRX SERIES	JBL PRX ONE INSTALL ADAPTER B	F JBL PRX ONE Install Bracket and Adapter Kit	JBL PRX ONE Install Bracket and Adapter Kit	548.41
PRX835W	PRX SERIES	PRX835W	Powered 15" three-way system, wood cabinet, pole	Powered, 1500W, 15" three-way, full-range system with WiFi capabilility in a wood cabinet, dual pole mount,	2,005.64
PRX825W	PRX SERIES	PRX825W	Powered dual 15" two-way system, wood cabinet, M	Powered, 1500W, dual 15" two-way, bass-reflex system with WiFi capabilility in a wood cabinet, dual pole mount,	2,070.94
JBL-PRX912-NA	PRX SERIES	PRX912	PRX912	PRX912	1,412.03
JBL-PRX908-NA	PRX SERIES	PRX908	PRX908	PRX908	1,236.15
JBL-PRX915XLF-NA	PRX SERIES	PRX915XLF	PRX915XLF	PRX915XLF	1,726.59
JBL-PRX915-NA	PRX SERIES	PRX915	PRX915	PRX915	1,569.81
SRX Portable Speakers		Portable			2,000.02
JBL-PRX918XLF-NA	PRX SERIES	PRX918XLF	PRX918XLF	PRX918XLF	1,883.37
SRX815	SRX SERIES	SRX815		SRX815 is a two-way full range speaker with a 15" woofer made for use as a light to medium duty main PA,	1,657.32
SRX812	SRX SERIES	SRX812		cSRX812 is a two-way full range speaker with a 12" woofer made for use as a light duty main PA, monitor, or rear	1,499.33
SRX818S	SRX SERIES	SRX818S		SRX818S is a single 18" subwoofer for concert, touring, or installed use, featuring a standard M20 pole cup for	1,973.30
SRX835	SRX SERIES	SRX835	-	v SRX835 is a three-way full range speaker with a 15" woofer made for use as a medium duty main PA, or rear or	2,131.28
SRX812P	SRX SERIES	SRX812P			
				4 2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable	2,083.88
SRX828S	SRX SERIES	SRX828S		g SRX828S is a dual 18" subwoofer for concert, touring, or installed use, featuring a wide stance for splaying top	2,652.65
SRX835P	SRX SERIES	SRX835P		4 2000 Watt Powered 3-way system featuring Crown Amplification, network control, and full user configurable	2,557.86
SRX815P	SRX SERIES	SRX815P		A 2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable	2,241.87
SRX828SP	SRX SERIES	SRX828SP		r 2000 Watt Powered dual 18" subwoofer featuring Crown Amplification, network control, and full user	3,189.81
SRX818SP	SRX SERIES	SRX818SP	-	1000 Watt Powered 18" subwoofer featuring Crown Amplification, network control, and full user configurable	2,557.86
JBL-P3231MX	SRX SERIES	SRX906LA AF	Array Frame	Array Frame for SRX906LA, support for up to (16) cabinets	1,206.00
JBL-P3230MX	SRX SERIES	SRX906LA	Powered Line Array Speaker	Dual 6.5-inch powered line array speaker, 2-way, 120-degree	3,216.00
JBL-P3233MX	SRX SERIES	SRX906LA BP	Base Plate	Base Plate for SRX906LA	804.00
JBL-P3311MX	SRX SERIES	SRX906LA CASE	Flight Case	Flight case for (4) SRX906LA	1,407.00
JBL-P3235MX	SRX SERIES	SRX910LA AF	Array Frame	Array Frame for SRX910LA, support for up to (16) cabinets	1,608.00
JBL-P3234MX	SRX SERIES	SRX910LA	Powered Line Array Speaker	Dual 10-inch powered line array speaker, 2-way, 105-degree	5,326.50
JBL-P3237MX	SRX SERIES	SRX910LA VT CVR	Vertical Transporter Cover	Vertical Transporter Cover for (4) SRX910LA	402.00
JBL-P3236MX	SRX SERIES	SRX910LA VT	Vertical Transporter	Vertical Transporter for (4) SRX910LA	1,306.50
JBL-P3239MX	SRX SERIES	SRX900 RC1	Rain Cover	SRX900 Rain Cover, compatible with all models	60.30
JBL-P3238MX	SRX SERIES	SRX910LA BP	Base Plate	Base Plate for SRX910LA	1,005.00
JBL-P3241MX	SRX SERIES	SRX918S	Powered Subwoofer	Single 18-inch powered subwoofer	3,316.50
JBL-P3240MX	SRX SERIES	SRX900LA PB	Pull Back accessory	SRX900 Pull Back accessory, compatible with all LA models	150.75
JBL-P3243MX	SRX SERIES	SRX928S	Powered Subwoofer	Dual 18-inch powered subwoofer	5,929.50
JBL-P3242MX	SRX SERIES	SRX918S CVR	Cover	Soft cover for a single SRX918S	201.00
JBL-P3244MX	SRX SERIES	SRX928S CVR	Cover	Soft cover for a single SRX928S	351.75
Portable PA Stands	SILV SELIES	PA PA	Cover	Suit cover for a single sixx3203	331.73

SKU	Category	Model Number	Product Description Short	Product Description Long	NEW MSRP
JBL-P3291MX	SRX SERIES	ACK1	Accessory Caster Kit	Universal Accessory Caster Kit	100.50
JBLPOLE-MA	PPAACCESSORIES	JBLPOLE-MA	JBL manual adjust speaker pole.	JBL speaker pole with manual adjustment from 36" to 55".	159.25
JBLPOLE-GA	PPAACCESSORIES	JBLPOLE-GA	JBL gas assist speaker pole.	JBL speaker pole featuring gass assist adjustment from 36" to 53".	264.21
JBLTRIPOD-MA	PPAACCESSORIES	JBLTRIPOD-MA	JBL manual adjust speaker tripod.	JBL speaker tripod with manual adjustment from 4' 2" to 6' 5".	171.79
JBLTRIPOD-GA	PPAACCESSORIES	JBLTRIPOD-GA	JBL lift assist speaker tripod.	JBL speaker tripod featuring gass assist adjustment from 3' 8" to 6' 7"	404.17
104SET-BTW-US	STUDIO MONITORS	104SET-BT-US-WHT	JBL 104 Studio Monitors white	JBL 104 Studio Monitors Bluetooth	262.23
Recording & Broadcast		&			
305РМКІІ	STUDIO MONITORS	305PMKII	S/M, 305PMKII	S/M, 305PMKII	217.08
104SET-BT-US	STUDIO MONITORS	104SET-BT-US	JBL 104 Studio Monitors	JBL 104 Studio Monitors Bluetooth	262.23
308PMKII	STUDIO MONITORS	308PMKII	S/M, 308PMKII	S/M, 308PMKII	362.76
306PMKII	STUDIO MONITORS	306PMKII	S/M. 306PMKII	S/M. 306PMKII	289.92
LSR705i	STUDIO MONITORS	LSR705i	., ,	Compact high ouput two-way externally powered studio monitor with 725G five-inch (127 mm) high-excursion	1.048.75
LSR310S	STUDIO MONITORS	LSR310S	10-inch powered subwoofer.	10-inch powered subwoofer.	581.58
LSR708i	STUDIO MONITORS	LSR708i		x Compact high output two-way externally powered studio monitor with 728G eight-inch (203 mm) high-excursion	2,048.75
705P	STUDIO MONITORS	705P	5-Inch 2-Way Master Reference Monitor	JBL 7-Series 705P 5-inch Bi-Amplified Master Reference Studio Monitor, with 725G five-inch low frequency	1,498.75
INTONATO24FX	Studio Monitor Controller	INTONATO24FX		Intonato 24 Monitor Management Tuning System. Ideal for use with JBL M2, 7 Series studio monitors. Provides	4,499.00
708P	STUDIO MONITORS	708P	0 0,	JBL 7-Series 708P 8-inch Bi-Amplified Master Reference Studio Monitor, with 728G eight-inch Differential Drive	2,498.75
M2	M2	M2			
INTONATO-DC-M	Studio Monitor Controller	INTONATO-DC-M		M2 Master Reference Monitor: A Free-Standing, 2-Way System that can be placed in any environment to provide	7,199.00
CONTROL	Studio Monitor Controller	INTONATO-DC-IVI	Intonato Desktop Controller	Intonato Desktop Controller. Accesssory for use with Intonato 24. Large master Volume Control, MUTE, DIM and	1,249.00
SUB18	Charles Caleanness	SUB18	CLIDAO Chadia Caleara fan	SUB 18 Studio subwoofer. (Speaker Only. Requires External Power Amplifier) Designed for applications in which	2 000 00
	Studio Subwoofer		SUB18 Studio Subwoofer		3,899.00
C1PRO-WH	CONTROL SERIES	C1PRO-WH	CONTROL 1PRO WHITE	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded	129.17
C1PRO	CONTROL SERIES	C1PRO	CONTROL 1PRO	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded	129.17
C2PS	CONTROL SERIES	C2PS	CONTROL 2P 2-SPEAKER SYSTEM	Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply	316.83
C2PM	CONTROL SERIES	C2PM	CONTROL 2P MASTER POWERED SPEAKER	One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	243.70
CONTROL 5	CONTROL SERIES	CONTROL 5	PERS CONTROL MONITOR-BL (2/BX)	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded	273.57
MTC-2P	CONTROL SERIES	MTC-2P	MOUNTING KIT FOR C2PS	Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.	33.20
351145-001	STUDIO MONITORS	351145-001	RMC KIT, LSR63XX	RMC KIT, LSR6328P and LSR6312SP	185.00
NPATCH BLK	STUDIO ACCESSORIES	NPATCH BLK	Compact Passive Volume Controller	Compact 2 channel analog passive volume control with Rotary volume attenuation control, Mute button; two	82.83
WK-4S	CASTER SET OF 4 SWIVEL CASTERS	WK-4S	CASTER SET OF 4 SWIVEL CASTERS	CASTER SET OF 4 SWIVEL CASTERS	106.34
CONTROL SB-210	Ceiling Speaker	CONTROL SB-210	Control sb-210	Control sb-210	885.35
IVX-97745012	Intellivox 430 Series	IVX-97745012	Dummy Enclosure. Intellivox 430 series	Dummy Enclosure. Intellivox 430 series. Made to Order Call for availability	5,652.00
IVX-97665012	Intellivox 280 & 280H Series Accessories	IVX-97665012	Dummy Enclosure. Intellivox 280 series	Dummy Enclosure. Intellivox 280 series. Made to Order Call for availability	3,261.00
JBL Commercial Electronics					
AMPLIFIERS					
CONTROLLERS - WALLPLATES					
JBLCSR2SVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSR2SVBLKV	CSR-2SV-BLK	Wall Controller with 2-Position Source Selector and Volume Control; US Version (Black) For use with CSM-21, CSM	101.11
JBLCSR2SVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSR2SVWHTV	CSR-2SV-WHT	Wall Controller with 2-Position Source Selector and Volume Control; US Version (White) For use with CSM-21,	102.13
JBLCSR3SVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSR3SVBLKV	CSR-3SV-BLK	Controller with 3-Position Source Selector and Volume Control; US Version (Black) For use with CSM-32	101.11
JBLCSR3SVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSR3SVWHTV	CSR-3SV-WHT	Wall Controller with 3-Position Source Selector and Volume Control; US Version (White) For use with CSM-32	101.11
JBLCSRVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSRVBLKV	CSR-V-BLK	Wall Controller with Volume Control; US Version (Black) For use with CSM-21, CSM-32, All CSMA	101.11
JBLCSRVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSRVWHTV	CSR-V-WHT	Wall Controller with Volume Control; US Version (White) For use with CSM-21, CSM-32, All CSMA	102.13
CSS COMMERCIAL CEILING:CSS Co	m				
CSS8004	Ceiling Spkr	CSS8004	4" CEILING SPK, 5W	CSS8004 - 4" Commercial Series Ceiling Speaker, 15W Cont. Pink Noise power handling (100hr) driver, 90dB	29.65
CSS8008	Ceiling Spkr	CSS8008	8" CEILING SPK, 5W	CSS8008 - 8" Commercial Series Ceiling Speaker, 15W Cont. Pink Noise power handling (100hr) driver, 96dB	39.97
CSS8018	Ceiling Spkr	CSS8018	8" CEILING SPK. 10W	CSS8018 - 8" Commercial Series Ceiling Speaker, 20W Cont. Pink Noise power handling (100hr) driver, 97dB	54.14
ACCESSORIES	Coming Spini	2550010	o celento si il, 1011	essets o commercial series econing speaker, 2017 cont. I mix to se power mandaling (200 m.) article, 37 db	3
CSS-BB4X6	Accessory	CSS-BB4X6	4" BACKCAN FOR CSS8004	CSS-BB4x6 - 4" Backcans for CSS8004, 3.5" (89mm) deep x 8.4" (214mm) Diameter, zinc-plated, powder-coated	77.00
CSS-BB8X6	Accessory	CSS-BB8X6	8" BACKCAN FOR CSS8004	CSS-BB8x6 - 8" Backcans for CSS8008 or CSS8018, 4.3" (108mm) deep x 13.2" (334mm) Diameter, zinc-plated,	141.00
CSS-TR4/8x12	Accessory	CSS-TR4/8x12	TILE RAILS FOR CSS-BB4, CSS-BB8 BACKCANS	CSS-TR4/8x12 - Tile Rails for CSS-BB4 and CSS-BB8 Backcans, for 24" and 600 mm tiles, punched/formed steel,	51.57
COMMERCIAL CEILING:LCT Lay-In		C33-1114/ OX12	TILL MAILS FOR COS-DD4, COS-DD0 DACKCANS	C33 TN-7 GAIZ THE Nails for C33-004 and C33-000 backcards, for 24 and 000 fillin tiles, punicined/formed steel,	31.37
LCT 81C/T	Ceiling Spkr	LCT 81C/T	2'v2' LAV IN CELLING THE COVE O" DOINER (HE CIZING	GLCT 81C/T - Lay-in Full-range Ceiling Tile Speaker for 2 Ft x 2 Ft US-style suspended grid ceilings, 8" (200mm) dual-	167.60
CSS COMMERCIAL SURFACE:CSS C		201 010/1	Z AZ EMITIN CLILING THE SPAN, O DRIVER (US SIZING	2 Col O. Colon Lay in Fundange Centing The Speaker for 2 ft x 2 ft OS-style suspended grid Centings, 8 (200mm) dual-	107.00
CSS-1S/T		CSS-1S/T	2 way Surface Mount Section with 0 above	Compact 2 May 100V/70V/90 Surface Mount Loudened To 51/7 IS and 1/7 IS 05 II - 40 III - 60 VI V 14 IV T	105.05
•	Surface-Mount Speaker	C33-13/1	2-way Surface-Mount Speaker with 8-ohm	Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5%" LF and %" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap	165.95
PAGING HORNS				45 W W D	
CSS-H15	Paging Horn Speaker	CSS-H15	15 Watt Paging Horn (6 in masterpack)	15 Watt Paging Horn. (Priced as each, 6 in masterpack)	122.48
CSS-H30	Paging Horn Speaker	CSS-H30	30 Watt Paging Horn (4 in masterpack)	30 Watt Paging Horn (Priced as each, 4 in masterpack)	167.60